#### THE ZOOLOGICAL RECORD

Museums

7991 , Z87 v. 96

no. 4

VOLUME 96 SECTION 4 1959

## **COELENTERATA**

COMPILED BY

H. DIGHTON THOMAS, M.A., Ph.D.

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE FIVE SHILLINGS
AUGUST, 1961

It will greatly help in the production of The Zoological Record and assist the Recorders of the individual sections, if authors will forward a copy of their paper or memoir to the Editor of the Zoological Record, The Zoological Society of London, Regent's Park, London, N.W.1. In the case of separately printed copies of articles so forwarded, the original pagination should be given.

All business correspondence concerning the Record should be addressed to the Scientific Director, The Zoological Society of London, Regent's Park, London, N.W.1.

#### THE MUSEUMS JOURNAL

Published by the Museums Association 22 Fitzroy Street, Fitzroy Square, London, W.1.

This journal, which is published monthly, contains articles, reviews and technical notes on every Museum aspect of zoology and other sciences. It is the only English journal which deals with the installation and preservation of exhibits, and which reviews Museum work in all parts of the world.

It is published monthly price 4s, by the Association and can be obtained from the above address. It is distributed free to all members of the Museums Association (Subscription £3 3s, 0d, per annum), of which full particulars are obtainable from the Secretary at the above address.

# **COELENTERATA**

COMPILED BY

H. DIGHTON THOMAS, M.A., Ph.D.

Vol. 96

50

fic

otes nich k in

ove . 0d.

© Zoological Society of London, 1961

COHENTERATA

## 4. COELENTERATA

## Commencing with Volume 97, 1960, the Graptolithina will be recorded in Section 14, Protochordata

		CO	NTENTS			,	PAGE
I.	Titles	 		 			3
II.	SUBJECT INDEX	 		 			13
III.	Systematic Index Hydrozoa, p. 17; Anthozoa, p. 26;				Scypho	ozoa, p.	17 26;

#### I.—TITLES

Opinion 571. Designation under the Plenary Powers of lectotypes for three species of graptolites. Bull. zool. Nom. 17 (3-5) 1959: 106-111.

Opinion 574. Validation under the Plenary Powers of the specific name gemmascens Esper, [1794], as published in the binomen Madrepora gemmascens (Class Hydrozoa, Order Stylasterina). Bull. zool. Nom. 17 (3-5) 1959: 132-133.

Abbott, D. P. see Light, S. F.

Abel, E. F. Zur Kenntnis der marinen Höhlenfauna unter besonderer Berücksichtigung der Anthozoen. Pubbl. Staz. zool. Napoli 30 Suppl. 1959: 1–94 pls. 1–4 text-figs. 1–21. [German with Italian summary].

Abeloos, M. Régénération et morphogénèse chez les Actinies. Proc. int. Congr. Zool. 15 (1958) 1959 : 587-589.

Albahary, C. & Budker, P. Dangers des animaux aquatiques. Encyclopédie Médico-Chirurgicale 16078 Cl0: 1-8 text-figs. 1-3. Paris, 1958. [Coelenterates p. 6]

Allen, F. E. see Wood, E. J. F.

Allen, K. see Simpson, J. W.

Anon. British Caenozoic Fossils: 1-130 pls. 1-44. Brit. Mus. (Nat. Hist.), London, 1959.

Astrova, G. G. see Ivanova, E. A.

Atkins, L. S. Physalia physalis recorded from entrance to Cork Harbour. Irish Nats.' J. 13 2 1959: 44.

Aurich, H. J. II. Verbreitung der Medusen und Actinulae von Ectopleura dumortieri (van Beneden) und Hybocodon prolifer L. Agassiz in der südlichen Nordsee. Helgoländ. wiss. Meeresunters. 6 2 1958: 207–228 text-figs. 1–11.

Avset, K. The gonophore-development in the genus Hydractinia van Beneden I. Hydractinia echinata Flem. Nytt Mag. Zool. 8 1959: 25-33 text-figs 1-6.

Awapara, J. see Simpson, J. W.

Balke, E. & Steiner, G. Über die chemische Nahrungswahl von Pelmalohydra oligactis Pall. Naturwissenschaften 46 l 1959: 22.

Barskaya, V. F. The most Archaic Halysitidae of the Central Part of Taimyr. Byull. Mosk. Obshch. Isp. Prir. N.S. Otd. Gheol. 34 4 1959: 89-96 pls. 1, 2.

Bartholomew, R. W. see Thomas, H. D.

Bassot, J.-M. Quelques données histochimiques et cytologiques sur les organes photogènes. Proc. int. Congr. Zool. 15 [1958] 1959 : 709-710.

Bayer, F. M. Octocorals from Surinam and the adjacent coasts of South America. Natuurw. Stud. Suriname en Ned. Antillen No. 20 1959: 1-43 text-figs. 1-21.

Bayer, F. M. (1). A review of the gorgonacean genus Placogorgia Studer, with a description of Placogorgia tribuloides, a new species from the Straits of Florida. J. Wash. Acad. Sci. 49 2 1959: 54-61 text-figs. 1-15.

Bayer, F. M. see Deichmann, E.

Beauvais, L. Une nouvelle forme de Polypier dans le Jurassique supérieur de l'Yonne : *leaunhelia michelini* nov. gen., nov. sp. Bull. Soc. géol. Fr. (6) 8 6 1959 : 621-628 pl. 32b text-figs. 1-3.

Bieri, R. Dimorphism and Size Distribution in Velella and Physalia. Nature, Lond. 184 4695 1959: 1333-1334.

Bieri, R. & Krinsley, D. N. Trace elements in the pelagic coelenterate, *Velella lata*. J. mar. Res. 16 3 1958: 246-254.

Blanc, J.-J. Campagne de la Calppso dans le golfe de Gênes (1957). I. Recherches sur les vases du golfe de Gênes (Région de Portofino). Ann. Inst. océanogr. Paris N.S. 37 4 1959: 273–287 text-figs. 1–7.

Blumenthal, M. Der Vulkan Ararat und die Berge seiner Sedimentumrandung. Rev. Fac. Sci. Univ. Istanbul 23B 3-4 1958: 177-327 11 pls. 2 maps.

Vol. 96

d 1-2

[Bogachev, V. V. Zagadochnaya paleontoloicheskaya nakhodka.] Priroda 6 1959: 103 text-fig.

Bolin, R. see Light, S. F.

**Boschma,** H. Revision of the Indo-Pacific species of the genus *Distichopora*. Bijdr. Dierk. **29** 1959: 121-171 pls. 1-16 text-figs. 1-5.

**Boschma,** H. (1). The species problem in corals. Proc. int. Congr. Zool. 15 (1958) 1959: 246-248.

Bossanyi, J. A Simple Apparatus for Routine Zooplankton Counts. J. Cons. intern. Explor. Mer 24 3 1959: 452-454 text-fig. 1.

**Bouillon,** J. Nature et structure de la mésoglée des Hydropolypes. Bull. biol. **93** 1 1959 : 64–72 pls. 4, 5.

Bouillon, J. Résultats scientifiques des Missions Zoologiques au Stanley Pool subsidiées par le Cemubac (Université Libre de Bruxelles) et le Musée Royal du Congo (1957–1958). IV. Limnocnida congoensis nouvelle espèce de Limnoméduse du Basin du Congo. Ann. Mus. Congo belg. sér. 8vo. 71 1959: 175–185 pls. 27–30 map text.-figs. A–D.

Bovaird, J. see Lenhoff, H. M.

Brattström, H. see Carlgren, O.

Brinckmann, A. Über den Generationswechsel von Eucheilota cirrata (Haeckel 1879). Pubbl. Staz. zool. Napoli 31 (1) 1959: 82–89 text-figs. 1–3. [German with Italian summary.]

Brinckmann, A. (1). Über das Vorkommen von Niobia dendrotentacula Mayer in Mittelmeer. Pubbl. Staz. zool. Napoli 31 (2) 1959: 334–336 text-figs. 1, 2. [German with Italian summary.]

Brockhuysen, G. J. & Taylor, H. The Ecology of South African estuaries. Part X. Kosi Bay estuary system. Ann. S. Afr. Mus. 44 7 1959: 279-296 pls. 5, 6 text-fig. 1.

Budker, P. see Albahary, C.

Bullivant, J. S. Photographs of the Bottom Fauna in the Ross Sea. N.Z. J. Sci. 2 4 1959: 485-497 text-figs. 1-10.

Burnett, A. L. Histiophysiology of growth in hydra [sic]. J. exp. Zool. 140 2 1959: 281-341 pls. 1-5.

Burnett, A. L. (1). Hydra [sic]: An Immortal's Nature. Nat. Hist. N.Y. 68 9 1959: 498-507 15 text-figs.

Carl, G. C. & Guiget, C. J. Alien Animals in British Columbia. Handb. Brit. Columb. Prov. Mus. No. 14 1958: 1-94 text-figs. [Asiatic Anemone p. 80.]

Carlgren, O. Reports of the Lund University Chile Expedition 1948-49. 38. Corallimorpharia and Actiniaria, with description of a new genus and species from Peru. Acta Mus. Lund. N.S. (2) 56 6 1959: 1-39 textfigs. 1-20. [One new trivial name, p. 13 footnote, was introduced by H. Brattström.]

Chang, Chao-Cheng. Plicatomurus [sic] gen. nov. (Favositidae) iz Verkhnesiluriiskikh otlozhenii tzentral'nogho Kazakhstana. [Plicatomurus [sic] gen. nov. (Favositidae) from the Upper Silurian of Kazakhstan.] Paleont. Zhurn. 1959 3 1959: 27-32 pls. 1, 2. [Russian only.]

Chang, J. J. & Johnson, F. H. The influence of pressure, temperature and urethane on the luminescent flash of Mnemiopsis leidyi [sic]. Biol. Bull. Woods Hole 116 1 1959: 1-14 text-figs. 1-7.

Chapman, G. The Mesogloea of Pelagia noctiluca. Quart. J. micr. Sci. 100 4 1959: 599-610 figs. 1-7. Chapman, G. B. & Tilney, L. G. Cytological Studies of the Nematocysts of Hydra [sic]. I. Desmonemes, Isorhizas, Cnidocils, and Supporting Structures. J. Biophys. Biochem. Cytol. 5 1 1959: 69–78 pls. 22–27.

Chapman, G. B. & Tilney, L. G. (1). Cytological Studies of the Nematocysts of Hydra [sic]. II. The Stenoteles. J. Biophys. Biochem. Cytol. 5 1 1959; 79–84 pls. 28–33.

Chatton, M. see Hudson, R. G. S.

Chen, M. Nekotoruie Siluriiskie i Devonskie Stromatoporoidei i Korallui iz Raiona Lushanya Vostochnoi Chasti Provintzii Ghuichzhou. Acta palaeont. Sinica 7 4 1959: 285-318 pls. 1-7 text-figs. 1-3. [Chinese with Russian translation.]

[Chudinova, I. I. Devonian Thamnoporidae of southern Siberia.] Trav. Inst. paleont. Acad. Sci. U.R.S.S. 73 1959: 1–146 pls. 1–34 text-figs. 1–33. [Russian only.]

Cloud, P. E., Jr. Nature and Origin of Atolls. Proc. 8th Pac. Sci. Congr. 3A 1957: 1009-1024 figs. 1-6.

Colquhoun, D. J. Stratigraphy and Palaeontology of the Nipissing-Deux Rivieres Outliers. Proc. geol. Assoc. Canada 10 1958: 83-93 text-fig. 1 (map).

Conil, R. Recherches stratigraphiques sur les terrains Dinantiens dans le Bord Nord du Bassin de Namur. (Région s'étendant de la Dendre à l'Orneau). Mém. Acad. belge Cl. Sci. 4° (2) 14 5 1959: 1–159 pls. 1–17 text-figs. 1–27.

Cranswick, J. S. & Fritz, M. A. Coral Fauna of the Upper Abitibi River Limestone. Proc. geol. Assoc. Canada 10 1958: 31-81 pls. 1-6.

Crisp, D. J. & Fischer-Piette, E. Répartition des principales espèces intercotidales de la côte Atlantique française en 1954-1955. Ann. Inst. océanogr. Paris N.S. 36 2 1959 : 275-287 text-figs. 1-22. [Anthozoa pp. 326-327.]

Crowell, S. Differential responses of growth zones to nutritive level, age, and temperature in the colonial hydroid *Campanularia*. J. exp. Zool. 134 1 1957: 63-90 text-figs. 1-3.

Cvancara, A. M. Corrections in spelling of two invertebrate fossils from the lower Carboniferous of New South Wales. J. Paleont. 33 1 1959: 194.

Davenport, D. & Norris, K. S. Observations on the symbiosis of the sea anemone Stoichactis [sic] and the pomacentrid fish, Amphiprion percula [sic]. Biol. Bull. Woods Hole 115 (3) 1958: 397-410 text-fig. 1.

**Dechancé,** M. & **Dufaure,** J.-P. Une nouvelle association entre une Actinie et un Pagure. C.R. Acad. Sci. Paris **249** 16 1959 : 1566–1568.

**Deichmann,** E. & **Bayer,** F. M. The Lemon-Colored Plexaurids from the West Indies and Brazil. Breviora No. 115 1959: 1-12 pls. 1-5.

**Dennert,** G. Ein interessantes Hohltier unserer heimischen Süsswasserfauna: Craspedacusta sowerbii Lank. Mikrokosmos **48** 3 1959: 79–83 text-figs. 1–9.

Destombes, J., Hollard, H. & Willefert, S. Sur la présence du Llandovery à faciès schistogréseux dans le Tafilalt (Maroc présaharien). C.R. Acad. Sci. Paris 249 13 1959: 1119–1121.

Dittmer, E. Jungtertiäre Ablagerungen im westlichen Schleswig-Holstein. Meyniana 8 1959: 1-21 text-figs. 1, 2. [Coral list p. 7.]

I

9

c.

al

90

he

he

11.

lle

d.

il.

er

S.

ux ci.

21

[Dobrolyubova, T. A. Rugosa in Ivanova, E. A., Development of the fauna of the Middle and Upper Carboniferous sea of the western part of the Moscow syncline in connection with its history. Vol. 3. Development of the fauna in connection with conditions of existence.] Trav. Inst. paléont. Acad. Sci. U.R.S.S. 69 1958: 65-82 pls. 2, 3, 8-10, 13 text-figs. 35-45. [Russian only.]

Dolić, D. see Jovanović, D.

Dufaure, J. P. Une nouvelle Actinie: Parastephanauge paxi, gen. nov., sp. nov. Bull. Soc. zool. Fr. 84 1 1959: 86-91 text-figs. 1-4.

Dufaure, J.-P. see Dechancé, M.

Eakin, R. E. see Ham, R. G.

Eberhard, S. see Flügel, E.

Edwards, C. Occurrence of the Chondrophore Velella velella (L.) on western Scottish coasts. Glasg. Nat. 18 2 1959: 78–81.

Eisenack, A. Einige Mitteilungen über Graptolithen. Neues Jb. Geol. Paläont. Abh. 107 1959: 253–260 pl. 23 text-figs. 1–3.

Engelhardt, W. Limnologische Untersuchungen im Walchensee in den Jahren 1950-58. II. Untersuchungen über die Litoralfauna des Walchensees Oberbayern und ihre Beeinflussung durch den Staubetrieb. Arch. Fisch.-Wiss. 9 3 1958: 203-222 text-figs. 1-7. [German with English summary.]

Eremija, M. Paläontologische Neuigkeiten aus Neogenschichten südlich von der Stadt Glina (Croatien). Ann. géol. Pénin. balk. **26** 1959: 185–193 pls. 1–4. [Serbian with German summary.]

Eymann, H. see Tardent, P.

Faulhaber, I. & Tardent, P. Das Verhalten der freien Aminosäuren im Verlauf der normalen und gehemmten Regeneration bei *Tubularia*. Rev. suisse Zool. 66 2 1959 : 295–308 text-figs. 1-3. [German with English summary.]

Fawcett, D. W., Ito, S. & Slautterback, D. [B.] The Occurrence of Intercellular Bridges in Groups of Cells Exhibiting Synchronous Differentiation. J. Biophys. & Biochem. Cytol. 5 3 1959: 453-460 6 pls.

Fawcett, D. W. see Slautterback, D. B.

Fimiani, M. R. Osservazioni sulla sessualità in Cerianthus membranaceus (Gmelin). Pubbl. Staz. 2001. Napoli 31 (1) 1959: 127–138 pl. 4 text-figs. 1, 2. [Italian with German summary.]

Fischer-Piette, E. see Crisp, D. J.

Flügel, E. Die Gattung Actinostroma [sic] Nicholson und ihre Arten (Stromatoporoidea). Ann. naturhist. Mus. Wien 63 1959: 90-273 pls. 6, 7 text-figs. 1-3. [German with English summary p. 93.]

Flügel, E. & Eberhard, S. Die Hydrozoen der Trias. Neues Jb. Geol. Paläont. Abh. 109 1 1959: 1-108 pls. 1-3.

Flügel, H. Zur Kenntnis der Typen von Favistella (Dendrostella) trigemme trigemme (Quenstedt 1881) und Thamnophyllum trigeminum trigeminum Penecke 1894. N.J. Geol. Paläont. Monats. 1959 3 1959: 113–120.

[Fomitchev, V. D. Permskie Korally Rugosa Dal'negho Vostoka.] Trud. Vses. Nauch.-Issled. Geol. Inst. (VSEGEI) Min. Geol. Moscow 1953: 1-71 pls. 1-7.

Forrest, H. Taxonomical Studies on the Hydras of North America. VII. Description of *Chlorohydra hadleyi*, new species, with a Key to the North American Species of Hydras. Amer. midl. Nat. 62 2 1959: 440–448 text-figs. 1–8.

Fox, D. L. & Haxo, F. T. Pigments and algal commensalism in the blue oceanic siphonophore *Velella lata*. Proc. int. Congr. Zool. 15 (1958) 1959: 280-282.

Frey, H. Das Aquarium von A bis Z, 2. Auflage: 1-600 64 pls. (24 coloured) text-figs. Neumann Verlag, Radebeul, 1959. [Hydroidea, pp. 323-324.]

Friel, J. M. Portuguese Man-of-War, Physalia physalis: first record on the east coast of Ireland. Irish Nats.' J. 13 2 1959: 43-44.

Fritz, M. A. & Howell, B. F. Cambrotypha montanensis, a Middle Cambrian Fossil of possible Coral Affinities. Proc. geol. Assoc. Canada 11 1959: 89-93 pl. 1.

Fritz, M. A. see Cranswick, J. S.

Fulton, C. Re-examination of an inhibitor of regeneration in Tubularia [sic]. Biol. Bull. Woods Hole 116 2 1959: 232–238.

Furnestin, M.-L. Méduses du plancton marocain. Rev. Trav. Inst. Pêches marit. 23 1 1959: 105-124 text-figs. 1-6.

Ganapati, P. N. & Lakshmana Rao, M. V. Observations on the development of Scyphistoma larvae (Coelenterata) from Visakhapatnam harbour. Abstr. Pap. 1st All-Indian Congr. Zool. [4] 1959: 25.

Ganapati, P. N. & Subba Rao, D. V. On the distribution of *Physalia* in Indian waters. Abstr. Pap. 1st All-India Congr. Zool. [4] 1959: 29.

Géczy, B. Sur les Diploctenium (Anth.) de Sümeg. Acta geol. hung. 6 1-2 1959: 195-208 pls. 1-4 textfigs. 1-6. [French with German and Russian summaries.]

Germaine, L. A. P. La faune des Lacs, des Étangs et des Marais de l'Europe occidentale. 2me Édition revisée . . . . par E. Séguy. Encyclopédie pratique du naturaliste, 20 1957 : i-x, 1-549 : pls. 1-32 (col.) text-figs. 1-280. Paris (Éditions Paul Lechevalier). [Coelenterates pp. 93-98.]

[Ghekker, R. F. Vvedenie v paleoekologhiyu.] Ghosudarst. Nauch.-Techn. Izdat. Lit. Geol. Ochr. Nedr Moskva 1957: 1-126 pls. 1-20 text-figs. 1-27. [Russian only.]

Gillett, K. & McNeill, F. The Great Barrier Reef and Adjacent Isles, pp. xiv + 1-194 text illust. (some coloured). Coral Press Pty. Ltd., Sydney, 1959.

Glaessner, M. F. The oldest Fossil Faunas of South Australia. Geol. Rundsch. 47 2 1958: 522-531 textfigs. 1-5.

Glaessner, M. F. (1). New Fossils from the Base of the Cambrian in South Australia. Trans. roy. Soc. S. Austr. 81 1958: 185-188 pl. 1.

Glaessner, M. F. (2). Precambrian Coelenterata from Australia, Africa and England. Nature Lond. 183 4673 1959: 1472-1473 text-fig. 1.

Gokar, H. A. F. & Roushdy, H. M. The Neuromuscular System of the Xeniidae (Alcyonaria), I.— Histological. Publ. mar. biol. Sta. Al-Ghardaqa No. 10 1959: 63–81 text-figs. 1–9.

Gokar, H. A. F. & Roushdy, H. M. (1). On the Physiology of the Neuromuscular System of *Hateroxenia* (Alcyonaria). Publ. mar. biol. Sta. Al-Ghardaqa No. 10 1959: 91-143 text-figs. 1-27. Goreau, N. I. see Goreau, T. F.

Goreau, T. F. The physiology of skeleton formation in corals. I. A method for measuring the rate of calcium deposition by corals under different conditions. Biol. Bull. Woods Hole 116 1 1959: 59-75 text-figs. 1-5.

Goreau, T. F. (1). The ecology of Jamaican coral reefs. I. Species composition and zonation. Ecology 40 1 1959: 67-90 text-figs. 1-21.

Goreau, T. F. (2). Calcification and growth in reefforming corals. Proc. int. Congr. Zool. 15 (1958) 1959: 248-249.

Goreau, T. F. (3). Buttressed reefs in Jamaica, British West Indies. Proc. int. Congr. Zool. 15 (1958) 1959: 250.

Goreau, T. F. & Goreau, N. I. The physiology of skeleton formation in corals. II. Calcium deposition by hermatypic corals under various conditions in the reef. Biol. Bull. Woods Hole 117 1 1959: 239-250 text-figs. 1-3.

Grainger, E. H. The Annual Oceanographic Cycle at Igloolik in the Canadian Arctic. 1. The zooplankton and Physical and Chemical Observations. J. Fish. Res. Bd. Can. 16 4 1959: 453-501 text-figs. 1-12.

**Grubić**, D. Prilog stratigrafskom poznavanju visnjickih plavih glina. Bull. Serv. géol. Serb. **15** 1958: 111–120. [Serbian with German summary.]

Guest, W. C. The occurrence of the jellyfish Chiropsalmus quadrumanus in Matagorda Bay, Texas. Bull. mar. Sci. Gulf & Caribbean 9 1 1959: 79–83.

Guiguet, C. J. see Carl, G. C.

Günzl, H. Zur Physiologie der Medusenbildung bei Eirene viridula [sic]. Naturwissenschaften 46 9 1959: 337.

Gwilliam, G. F. see Light, S. F.

Hadzi, J. Camella vilae- velebiti Hadzi 1915 (Hydroidea). Razpr. Slov. Akad. Ljubljana (4) 4 1958: 149-166. [Serbian with German Zusammenfassung.]

Hadzi, J. (1). Stiri knidariološke študije (Z eno sliko v tekstu). [Vier knidariologische Studien.] Raspr. Slov. Akad. Ljubljana (4) 5 1959: 45-103 1 text-fig. [Serbian with German Zusammenfassung.]

Halstead, B. W. Dangerous Marine Animals, pp. [xiv] + 1-146 coloured frontispiece text-figs. 1-86. Cornell Maritime Press, Cambridge, Maryland, 1959. [Coelenterates, pp. 32-39.]

Ham, R. G. & Eakin, R. E. Time sequence of certain physiological events during regeneration in hydra [sic]. J. exp. Zool. 139 1 1959: 33-53 tables.

Ham, R. G. & Eakin, R. E. (1). Loss of regenerative capacity in hydra [sic] treated with lipoic acid. J. exp. Zool. 139 1 1959: 55-68.

Hamada, T. Corallum Growth of the Halysitidae. J. Fac. Sci. Univ. Tokyo Geol. 2 11 3 1959: 273-289 pls. 12-15 text-figs. 1-9.

Hamada, T. (1). On the Taxonomic Position of Faussites hidensis and its Devonian Age. Jap. J. Geol. Geogr. 30 1959: 201-213 pl. 16.

Hand, C. see Light, S. F.

Harvey, E. N. Edwin Grant Conklin. Nat. Acad. Sci. U.S.A. Biogr. Mem. 31 1958: 54-91 portrait.

Haxo, F. T. see Fox, D. L.

Hiatt, R. W. Factors Influencing the Distribution of Corals on the Reefs of Arno Atoll, Marshall Islands. Proc. 8th. Pac. Sci. Congr. 3A 1957: 929-970 text-figs. 1-12.

Hill, D. Some Ordovician Corals From New Mexico, Arizona, and Texas. New Mexico Bureau Mines Min. Resources Bull. 64 1959: 1-25 pls. 1, 2.

Hill, D. (1). Distribution and Sequence of Silurian Coral Faunas. J. Proc. roy. Soc. N.S.W. 92 4 (for 1958) 1959: 151-173.

Hill, D. see Thomas, G. A.

Hirai, E. On the developmental cycles of Aurelia aurita and Dactylometra pacifica. Bull. mar. biol. Sta. Asamushi 9 2 1958: 81.

Hollard, H. see Destombes, J.

Horný, R. Zona Akidograptus ascensus v jiznim křidle barrandienského Siluru. Vestn. geol. Úst. csl. 31 2 1956: 62-69. [Czech with Russian and English summaries.]

Horný, R. (1). Nové poznatky o biostratigrafii skutecsko-hlinského siluru. Vestn. geol. Üst. csl. 31 3 1956: 128–131 pls. 1, 2. [Czech with Russian and English summaries.]

Horridge, G. A. The nerves and muscles of Medusae. VI. The rhythm. J. exp. Biol. 36 1 1959: 72-91 text-figs. 1-9.

Howe, D. C. A Rare Hydromedusa. Nature Lond. 184 4703 1959: 1963.

Howell, B. F. see Fritz, M. A.

Hsü, S. C. A New Graptolite Fauna from the Lower Ordovician Shale of Tsaidam, Chinghai Province. Acta palaeont. Sinica 7 3 1959: 161–191 pls. 1-5 text-figs. 1-4. [Chinese with English translation. One new genus is ascribed to A. C. Mu MS.]

Hsü, S. C. (1). A Newly Discovered Climacograptus with a Particular Basal Appendage. Acta palaeont. Sinica 7 5 1959: 346–352 pl. 1. [Chinese with English translation.]

**Hudson,** R. G. S. Steinerina Hudson, nom. nov. Geol. Mag. **93** 6 1956: 518.

Hudson, R. G. S. (1). A revision of the Jurassic stromatoporoids Actinostromina, Astrostylopsis, and Trupetostromaria Germovšek. Palaeont. 2 1 1959: 28-38 pls. 4-6.

Hudson, R. G. S. (2). The Stromatoporoid genus Milleporella Deninger. Geol. Mag. 96 4 1959: 311-317 pl. 7.

Hudson, R. G. S. & Chatton, M. The Musandam Limestone (Jurassic to Cretaceous) of Oman, Arabia. Notes Mém. Moyen-Orient 7 1959: 69-93 text-figs. 1-5.

Hyman, L. H. Charles Manning Child. Nat. Acad. Sci. U.S.A. Biogr. Mem. 30 1957: 73-103 portrait.

Igô, H. Note on Some Permian Corals from Fukuji, Hida Massif, Central Japan. Trans. Proc. palaeont. Soc. Japan N.S. 34 1959: 79-85 pl. 8 text-fig. 1.

Igô, H. (1). Stratigraphic Position of the Corals in the Ichinotani Formation (Carboniferous)—Reply to Katô's Opinion. J. geol. Soc. Japan 65 768 1959: 559-560. [Japanese only.]

Ito, S. see Fawcett, D. W.

Ghe onl

ghi Uci

125

[

lene Zap 204. [I Rug fats

Gh

No

Mic part hist nect pale piec

Nizi ekol Inst pls. 184. Iv jüng

Kl. text

Jof the Proof

Jonat Jonat

Ara pls.

Gift Wie [Ivaniya, V. A. Verkhnedevonske korally Rugosa ghlyubokinskogho izvestnyaka c Solomino (Kyubass).] Uchen. Zapisk. Tomsk. Ghosudarst. Univ. No. 18 1952: 125–164 pls. 1–8. [Russian only.]

[Ivaniya, V. A. (1). K voprosu o vozraste verkhnei pachki zarubinshogho izvestnyaka.] Trud. Tomsk. Ghosudarst. Univ. 124 1953: 5-18 pls. 1-7. [Russian only.]

[Ivaniya, V. A. (2). Materiali k izucheniyu nishnefranskogho kompleksa korallov Rugosa Kuzbassa.] Trud. Tomsk. Ghosudarst. Univ. 124 1953: 19-50 pls. 1-12. [Russian only. Includes spp. n. referred to Kuzn. (sic) MS. and E. Bulvanker MS.]

[Ivaniya, V. A. (3). Biostratigraficheskoe raschlenenie devona Kuzbassa po korallam Rugosa.] Uchen. Zapisk. Tomsk. Ghosudarst. Univ. No. 32 1958: 194– 204. [Russian only. Nomm. nud.]

[Ivaniya, V. A. (4). Ocnovnye etapy razvitiya Rugosa v devone sayano-altaiskoi ghornoi sistemy i ix fatsialnaya priyurochennost.] Uchen. Zapisk. Tomsk. Ghosudarst. Univ. 34 1958: 239-246. [Russian only. Nomm. nud.]

[Ivanova, E. A. Development of the fauna of the Middle and Upper Carboniferous Sea of the western part of the Moscow syncline in connection with its history. Vol. 3. Development of the fauna in connection with conditions of existence.] Trav. Inst. paléont. Acad. Sci. U.R.S.S. 69 1958: 1-303 frontispiece pls. 1-21 text-figs. 1-77. [Russian only.]

[Ivanova, E. A., Soshkina, E. D., Astrova, G. G. & Ivanova, V. A. Fauna Ordovika i Ghotlandiya Nizhnegho Techeniya R. Podkammennoi Tunghuski, ee ekologhiya i stratighraficheskoe znachenie.] Trav. Inst. paléont. Acad. Sci. U.R.S.S. 56 1955: 93-196 pls. 1-23 text-figs. 1-22. [Corals, pp. 118-128, 182-184. Russian only.]

Ivanova, V. A. see Ivanova, E. A.

Jaeger, H. Graptolithen und Stratigraphie des jüngsten Thüringer Silurs. Abh. dtsch. Akad. Wiss. Kl. Chem. Geol. Biol. 1959 2 1959: 1–197 pls. 1–14 text-figs. 1–27.

Jaeger, H. (1). Graptolithen des jüngeren Gotlandiums von Thüringen. Wiss, Z. Humboldt-Univ. Berlin. Math.-Nat. R. 8 1 1959: 136–137.

**Jägersten,** G. Further Remarks on the Early Phylogeny of the Metazoa. Zool. Bidr. Uppsala **33** 1959: 79–108 text-figs. 1–4.

Johnson, F. H. see Chang, J. J.

Johnson, G. A. L. The Carboniferous Stratigraphy of the Roman Wall district in western Northumberland. Proc. York. geol. Soc. 32 1 1959: 83–130 pl. 2 text-figs. 1–11.

Jones, C. R. Graptolites recorded from Malaya. Nature Lond. 183 4656 1959: 231-232.

Jones, W. C. see Knight-Jones, E. W.

Jovanović, D. & Dolić, D. O fosilonosnim lokalnostima Srednjeg i gornjeg miocena u široj okolini Arandelovca. Bull. Serv. géol. Serb. 16 1958: 87–96 pls. 1–5 text-fig. 1. [Serbian with German summary.]

Kaiser, E. & Michl, H. Die Biochemie der tierischen Gifte: pp. i-viii, 1-258 23 text-figs. Franz Deuticke, Wien, 1958.

Kakimi, T. see Minato, M.

[Kashirtzev, A. S. Field-atlas of the fauna of the Permian deposits of the north-east of the U.S.S.R.] Akad. Nauk S.S.S.R. Yakut. Fil. Sibirsk. Otdel. AN S.S.S.R. 1959: 1-85 pls. 1-44 text-figs. 1-6. [Russian only. Corals, pp. 19-23.]

Kato, M. Some Carboniferous Rugose Corals from the Ichinotani Formation, Japan. J. Fac. Sci. Hokkaido Univ. Ser. 4 Geol. Min. 10 2 1959: 263–287 pls. 1–3 text-figs. 1–7.

Kato, M. (1). On some Carboniferous Corals from the Kitakami Mountains. Trans. Proc. palaeont. Soc. Japan n.s. 33 1959: 33-43 text-figs. 1-8.

Kato, M. (2). [Stratigraphic Position of the Corals in the Ichinotani Formation.] Reply to H. Igo's discussion. J. geol. Soc. Japan 65 768 1959: 561-562. [Japanese only.]

Kato, M. see Minato, M.

Kaufman, S. Z. Regeneration in the scyphistoma of the scyphozoon Cyansa capillata and its relation to the stage of development. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 114 1-6 1957: 523-525 text-fig. 1.

Kawano, M. Two New Permian Corals from Yamaguchi Prefecture. Trans. Proc. palaeont. Soc. Japan N.S. 36 1959: 181–184 pl. 20.

Kiknadze, I. I. A cytochemical study of ribonucleic acid in the developing ova of some invertebrates. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 112 1-6 1957: 18-22 text-figs. 1-13.

Kingston, C. W. see Southcott, R. V.

Kiseleva, M. I. see Zhirmunsky, A. V.

Knight-Jones, E. W. & Jones, W. C. The Fauna of Rocks at Various Depths off Bardsey. 1. Sponges, Coelenterates and Bryozoans. Bardsey Observ. Rep. 1955 1956: 23-30.

Kolenkine, X. Associations tissulaires interspécifiques chez l'Hydre d'eau douce. Bull. Soc. sci. Bretagne 34 1959 : 316-321.

Kolosváry, G. Über die Septenstruktur einiger Madreporarien. Acta biol. Szeged. N.S. 5 1-2 1959: 109-115 text-figs. 1-22.

Kolosváry, G. (1). Über die Karbon-Fauna des Szendröer-Gebirges. Acta biol. Szeged. N.S. 5 1–2 1959: 117–123 text-figs. 1–7.

Kolosváry, G. (2). Korallen aus der Unterkreide des Mccsek-Gebirges. Acta biol. Szeged. N.S. 5 1-2 1959: 125-128 text-figs. 1-8.

Kolosváry, G. (3). Enumeration des coraux mésozoiques de la Hongrie et de la Transylvanie. Bull. mens. Soc. linn. Lyon 28 6 1959 : 194–196.

Konishi, K. Identity of Algal Tubiphytes Maslov, 1956, and Hydrozoan Genus Nigriporella Rigby, 1958. Trans. palaeont. Soc. Japan N.S. 35 1959: 142 textigs. 1.

Korn, H. Zum Nervensystem der Ctenophore Pleurobrachia pileus O. Müller. Zool. Anz. 163 11–12 1959: 351–359 text-figs. 1–13.

Koshtoyants, Ch. S. A comparative-physiological analysis of the periodical activity of certain invertebrates. Proc. int. Congr. Zool. 15 (1958) 1959: 841-844

Kozlowski, R. Les Hydroïdes ordoviciens à squelette chitineux. Acta palaeont. polon. 4 3 1959: 209-271 text-figs. 1-31. [French with Polish and Russian summaries.]

th

m

[F

20

ro

R

D

bl

A

da

th

2

in 1

Kramp, P. L. Hydromedusae in the Indian Museum. Rec. Indian Mus. 53 3-4 (for 1955) 1958: 339-376 text-figs. 1-5.

**Kramp**, P. L. (1). The hydromedusae of the Atlantic Ocean and adjacent waters. Dana Rep. **46** 1959: 1–283 pls. 1, 2 text-figs. 1–335.

Kramp, P. L. (2). Medusae mainly from the west coast of Africa. Rés. Sci. Expéd. Océanogr. Belge Eaux Cotières Afr. Atlant. Sud 3 6 1959: 1-33 text-figs. 1-5.

Kramp, P. L. (3). Some new and little-known Indo-Pacific Medusae. Vidensk. Medd. Dansk naturh. Foren. Kbh. 121 1959: 223–259 text-figs. 1–19.

Kramp, P. L. (4). Stephanoscyphus (Scyphozoa). Galathea Rep. 1 1959: 173-187 pl. 1 text-figs. 1-12.

Krinsley, D. N. see Bieri, R.

Kulikova, V. N. A case of hermaphroditism in the gonad of the medusa Rathken octopunctata. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 114 1-6 1957: 624-625 text-fig. 1.

Lafuste, J. Murailles à parois lamellaires chez certains Tabulés. C.R. Acad. Sci. Paris 248 16 1959 : 2373-2375 text-figs. 1-2.

Lakshmana Rao, M. V. see Ganapati, P. N.

Lane, C. E. Cobra of the Sea. Sea Frontiers 5 1 1959: 7-13 4 figs.

Lang, W. D. Invertebrates other than arthropods. Proc. Dorset nat. Hist. Soc. 80 1959: 23-24.

Langenheim, R. L. & Mccutcheon, V. A. Bayhaium merriamorum, a new Permian tabulate coral from California. J. Paleont. 33 1 1959: 99-102 pl. 19.

Lecompte, M. Le phénomène calcaire dévonien dans le géosynclinal belgo-rhenan. Sa genèse, ses enseignements, ses problèmes. Rev. Quest. sci. 1959 : 321-354 pls. 1, 2.

Leghissa, S. & Mazzi, S. Contributo ad una migliore conoscenza sulla struttura e composizione delle mesodermide negli Antozoi. Riv. Biol. Perugia 51 3 1959: 293-325 text-figs. 1-11. [Italian with English summary.]

Le Maitre, D. Remarques sur trois genres de Tabulés: Holacanthopora, Pleurodyctyum [sic] et Roemeria. C.R. somm. Soc. géol. Fr. 1959 6 1959: 147-148.

Le Maitre, D. (1). Espèces nouvelles de *Pleuro-dictyum* et leur microstructure. C.R. Acad. Sci. Paris 248 16 1959 : 2376-2378.

Lenhoff, H. M. & Bovaird, J. Requirement of Bound Calcium for the Action of Surface Chemoreceptors. Science N.Y. 130 3387 1959: 1474-1476.

Lenhoff, H. M. & Bovaird, J. (1). A quantitative chemical assay for the migration of the *Hydra cnidoblast* [sic]. [Abstract.] Anat. Rec. 134 3 1959: 598.

Lenhoff, H. M. & Bovaird, J. (2). Requirement of extracellular sodium ion by *Hydra littoralis* for growth and chidoblast migration. [Abstract.] Anat. Rec. 134 3 1959: 598-599.

Lenhoff, H. M. & Loomis, W. F. Environmental factors controlling respiration in hydra [sic]. J. exp. Zool. 134 1 1957: 171-181 7 figs.

Lenhoff, H. M. & Schneiderman, H. A. The chemical control of feeding in the Portuguese Man-of-War, *Physalia physalis* L. and its bearing on the evolution of the Cnidaria. Biol. Bull. Woods Hole 116 3 1959: 452–460 text-figs. 1–8.

Lenhoff, H. M. & Zimmermann, K. F. Biochemical studies of symbiosis in *Chlorohydra viridissima*. [Abstract]. Anat. Rec. 134 3 1959: 599.

Lewowicki, S. Fauna wapieni klimeniowych z Dzikowca Klodzkiego. Bull. Serv. géol. Pologne 146 1959: 73–118 pls. 1, 2 text-figs. 1, 2. [Polish with Russian and English summaries. Coral, p. 86.]

Light, S. F. Intertidal invertebrates of the Central California Coast, 2nd Ed. (revised by Smith, R. I., Pitelka, F. A., Abbott, D. P. & Weesner, F. M.): i-xiv, 1-446 text-figs. 1-138. Univ. Calif. Press, Berkeley, 1954. [Some sections by R. Bolin, G. F. Gwilliam, and C. Hand. Coelenterates pp. 21-48.]

Logvinenko, B. M. On finding the medusa Blackfordia virginica [sic] in the Caspian Sea. Zool. Zh. 38 8 1959: 1257–1258. [Russian with English summary.]

**Loomis,** W. F. Control of Sexual Differentiation in *Hydra* by pCO<sub>2</sub>. Ann. N.Y. Acad. Sci. **77** 2 1959: 73–86 text-figs. 1–6.

Loomis, W. F. see Lenhoff, H. M.

Lynch, W. F. Factors influencing metamorphosis of larvae of some of the sessile organisms. Proc. int. Congr. Zool. 15 (1958) 1959: 239-241.

Lytle, C. F. Interactions between asexual reproduction and sexual differentiation in *Craspedacusta*. [Abstract.] Anat. Rec. 132 3 1959: 471.

Ma, T. Y. H. Effect of water temperature on growth rate of reef corals. Oceanogr. sinica Spec. Vol. 1 1959: i-v, 1-116 pls. A, 1-320 text-figs. 1-7b. [A sp. n. is referred to Ma & Kawaguti.]

Ma, T. Y. H. (1). The relation of growth rate of reef corals to surface sea water temperature as a basis for the study of causes of diastrophisms initiating evolution. Proc. int. Congr. Zool. 15 (1958) 1959: 986-987.

Maaden, H. van der. Notes on Aurelia aurita (L.) Lamarck and Cassiopea andromeda Eschscholtz from the Gulf of Aqaba. Bull. Sea Fish. Res. Sta. Israel 20 1959: 5-10 text-fig. 1.

Macan, T. T. A Guide to Freshwater Invertebrate Animals: pp. x + 1-118 text-figs. 1-202. Longmans, London, 1959. [Coelenterata, pp. 5-7.]

Mccutcheon, V. A. see Langenheim, R. L.

McIntyre, A. D. The Ecology of Scottish Inshore Fishing Grounds. I. The Bottom Fauna of East Coast Grounds. Mar. Res. No. 1 1958: 1-24 text-figs. 1-3.

Mackie, G. O. The Evolution of the Chondrophora (Siphonophora-Disconthae): New Evidence from Behavioural Studies. Trans. roy. Soc. Can. (3) 53 5 1959: 7-20 pl. 1 text-figs. 1-3.

McLaren, D. J. A Revision of the Devonian Coral Genus Synaptophyllum Simpson. Bull. Geol. Surv. Can. 48 1959: 15-33 pls. 7-10 text-figs. 1-8.

McLaren, D. J. (1). The Role of Fossils in Defining Rock Units with Examples from the Devonian of Western and Arctic Canada. Amer. J. Sci. 257 1959: 734-751 text-figs. 1-8.

McLaughlin, J. J. A. & Zahl, P. A. Axenic Zooxanthellae from Various Invertebrate Hosts. Ann. N.Y. Acad. Sci. 77 2 1959: 55-72 text-fig. 1.

McLaughlin, J. J. A. see Zahl, P. A.

McNeill, F. see Gillett, K.

Mankowski, W. Macroplankton investigations of the Southern Baltic in the period 1952–1955. Prace morsk. Inst. Ryback. Gdyn. 10A 1959: 69–129 4 maps. [Polish with Russian and English summaries.]

Marcus, E. On the Evolution of the Animal Phyla. Q. Rev. Biol. 33 1 1958: 24-58 text-fig. 1. [Coelenterata p. 26.]

Mărgineanu, C. & Petran, A. Cercetări asupra zooplanctonului marin în regiunea sudică a litoralului romînese al Mării Negre. Bul. Inst. Cercet. Pisc. Roman. 18 (3) 1959: 5-23 4 text-figs. [Rumanian with Russian and French summaries.]

Markowski, S. The cooling water of power stations: a new factor in the environment of marine and freshwater invertebrates. J. Anim. Ecol. 28 (2) 1959: 243-258 text-figs. 1, 2.

Mazzi, S. see Leghissa, S.

Michl, H. see Kaiser, E.

Middleton, G. V. Devonian tetracorals from South Devonshire, England. J. Paleont. 33 1 1959: 138-160 pl. 27 text-figs. 1-6.

Millard, N. A. H. Hydrozoa from the coasts of Natal and Portuguese East Africa. Part II: Gymnoblastea. Ann. S. Afr. Mus. 44 7 1959: 297-313 text-figs. 1-4.

Millard, N. A. H. (1). Hydrozoa from ships' hulls and experimental plates in Cape Town Docks. Ann. S. Afr. Mus. 45 1 1959: 239–256 text-figs. 1–3.

Milliard, Y. Sur la présence d'assises carbonifères dans le massif paléozoique intenu du Rif. C.R. Acad. Sci. Paris 249 17 1959 : 1688-1690.

Minato, M., Takeda, H., Kakimi, T. & Kato, M. Zur Biostratigraphie der Onimaru- und Nagaiwa-Serie. J. Fac. Sci. Hokkaido Univ. Ser. 4 Geol. Min. 10 2 1959: 337–347 text-figs. 1, 2.

[Miroshnikov, L. D. Fossil Scyphomedusae from the Cambrian of Siberia.] Priroda 11 1959: 109-110 1 text-fig. [Russian only.]

Mitrovié-Petrovié, J. Contribution a la connaissance de la faune Crétacée Inférieure des environs de Krivi Vir (Serbie Orientale). Ann. géol. Pén. balkan. 25 1958: 43-60 pls. 1-3. [Serbian with French résumé.]

Mookerjee, S. & Sinha, A. Regionality in the inductive power of Hydra [sic] tentacle. J. exp. Zool. 141 2 1959: 379–388 pl. 1 text-figs. 1, 2.

Moore, D. R. Notes on Blanquilla Reef, the Most Northerly Coral Formation in the Western Gulf of Mexico. Publ. Inst. mar. Sci. Univ. Tex. 5 1958: 151– 155. [List p. 54.]

Moriai, T. see Onuki, Y.

Morrill, J. B. Antigens in Tubularia crocea. [Abstract.] Anat. Rec. 132 3 1959: 479-480.

Morrill, J. B. (1). Antigenic differences between stem and hydranth in *Tubularia*. Biol. Bull. Woods Hole 117 1 1959: 319–326 text-fig. 1.

Mu, A.-C. see Hsü, S. C.

Müller, A. H. Lehrbuch der Paläozoologie. Band II. Invertebraten. Teil 1. Protozoa-Mollusca 1: xv + 1– 566 text-figs. 1–652. Gustav Fischer Verlag, Jena, 1958. [Coelenterata, pp. 151–260.]

Müller, I. see Pax, F.

Muramatsu, S. see Uchida, T.

Nagabhushanam, A. K. Feeding of a Ctenophore, Bolinopsis Infundibulum (O. F. Müller). Nature Lond. 184 4689 1959: 829.

Nagao, Z. see Uchida, T.

Nair, K. K. & Sane, S. R. Histochemical demonstration of alkaline phosphatase activity in the body wall of Hydra [sic] sp. J. biol. Sci. Bombay 1 2 (for 1958) 1959: 99–100 l pl.

[Naumov, D. V. Tip Kishetsnopolostnie—Coelenterata, Ushakov, P. V. & others in Atlas Bespozvonotsnix dal'nevostotsnix morei S.S.S.R.] Acad. Nauk S.S.S.R. Zool. Inst. Moscow & Leningrad 1955: 51-68 pls. 7-11. [Russian only.]

Naumov, D. V. (1). The life history of the Hydromedusa Cladonema pacifica Naumov. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 112 1-6 1957: 194-195 text-fig. 1.

Naumov, D. V. (2). Morphology and systematic position of Monobrachium parasitum Mereschk (Hydrozoa). Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 113 1-6 1957: 448-450 text-figs. 1, 2.

Naumov, D. V. (3). Generic classification of polypoid generations of Coronomedusae. Dokl. Akad. Nauk S.S.S.R. Biol. Sci. (Transl.) 126 1-6 1959: 582-584 text-fig. 1.

[Naumov, D. V. (4). O parallelnosti putei evolyutsii v raznich klassach metagenetitseskich kischetsnopolostnich.] Dokl. Akad. Nauk S.S.S.R. 127 6 1959: 1304–1307.

Naylor, E. The fauna of a warm dock. Proc. int. Congr. Zool. 15 (1958) 1959: 259-262.

Nelson, S. J. Evolution of the Mississippian Lithostrotion mutabile-Lithostrotion whitneyi Coral Group of the Southern Canadian Rockies. Min. Proc. roy. Soc. Can. (3) 53 App. C 1959: 19-20.

Nelson, S. J. (1). Evolution of the Mississippian Lithostrotion mutabile—Lithostrotion whitneyi Coral Group of the Southern Canadian Rockies. Trans. roy. Soc. Can (3) 53 4 1959: 21–26 text-figs. 1, 2.

Nemenzo, F. Systematic Studies on Philippine Shallow Water Scleractinians. II. Suborder Faviida. Natural appl. sci. Bull. 16 1-4 1959: 73-135 pls. 1-24.

Newell, N. D. Questions of the Coral Reefs. Nat. Hist. N.Y. 68 3 1959: 118-131 19 text-figs.

Newell, N. D. (1). The Coral Reeß. Part II. Biology of the Corals. Nat. Hist. N.Y. 68 4 1959: 226-235 13 text-figs.

Newell, N. D. (2). American coral seas. Proc. int. Congr. Zool. 15 (1958) 1959: 251-252.

Nicol, J. A. C. Digestion in sea anemones. J. mar. biol. Ass. U.K. 38 3 1959: 469-476 pl. 1 text-fig. 1.

Nikolov, I. see Spasov, C.

Norris, K. S. see Davenport, D.

North, W. J. Sensitivity to Light in the Sea Anemone Metridium senile (L.). II. Studies of Reaction Time Variability and the Effects of Changes in Light Intensity and Temperature. J. gen. Physiol. 40 5 1957: 715-733 tables. [Reprinted in Contr. Scripps Inst. Oceanogr. 1957 1958: 237-255.]

Onuki, Y. Discovery of Hexacorals from the Shiriya District, Aomori Prefecture, Northeast Japan. J. geol. Soc. Japan 65 763 1959: 248 2 text-figs. [Japanese only.]

[]

R

Nat

1, 2

8

S

365

Syn

Het

(70

cili

542

COL

Au

Su

Pte

21

(S

n of

I

E

S

Onuki, Y. & Moriai, T. Newly Discovered Onimaru Formation in the Southern Part of Kamaishi Mine, Kitakami Massif. J. geol. Soc. Japan 65 763 1959: 249-250. [Japanese only.]

Paetzold, D. & Tilgner, S. Beiträge zur mikroskopisch-technischen Behandlung von Standardobjekten im Zoologischen Praktikum. I. Hydra (sic). Wiss. Z. M. Luther Univ. Halle-Wittenberg Math.-Nat. R. 8 1 1959: 75–81 text-figs. 1–8.

Parenzan, P. Formazioni coralligene mediterranee e loro biologia. Boll. Zool. 24 2 1957: 287-312 text-figs. 1-4. [Italian with French résumé.]

Parenzan, P. (1). Biocenologia bentonica: il fondo ad Ascidie. Thalassia jonica 2 1959: 15-45 text-figs. 1-4.

Park, H. D. Sexual cycles in Hydra. [Abstract.] Anat. Rec. 134 3 1959: 623.

Parker, R. H. Macro-Invertebrate Assemblages of Central Texas Coastal Bays and Laguna Madre. Bull. Amer. Ass. Petrol. Geol. 43 9 1959: 2100-2166 pls. 1-6 text-figs. 1-32.

Passano, L. M. Intermittent conduction in scyphozoan nerve nets. [Abstract.] Anat. Rec. 132 3 1959:

Pax, F. Actinothoë anguicoma (Price) als akzidenteller Epök der Nordseckrabbe. Aquar. Terrar.-Zeit. Jahrg. 10 2 1957: 43 text-fig.

Pax, F. & Müller, I. Die Qualle des Siebenbirges. Deckeniana Beih. No. 7 1959: 57-58 pl. 3.

Pax, F. & Müller, I. (1). The role of the Wroclaw Zoological Institute and Museum in the study of the fauna of *Anthozoa* in the Adriatic Sea. [Polish with English summary.] Przegl. zool. 3 1 1959: 44–53 text-figs. 1-6.

Paxman, P. J. Coelenterata. Rep. Oundle Sch. nat. Hist. Soc. 1958 (1959): 23-28 2 text-figs.

Pennycuick, P. R. Faunistic Records from Queensland. Part V.—Marine and Brackish Water Hydroids. Univ. Qd. Pap. (Zool.) 1 (6) 1959: 141-210 pls. 1-6.

Petran, A. see Mărgineanu, C.

Pitelka, F. A. see Light, S. F.

Pokorný, V. Grundzüge der Zoologischen Mikropaläontologie. Band 2: vii + 1-453-[455] text-figs. 550-1077. Berlin 1958. [Coelenterata pp. 25-29.]

Prevorsek, M. see Tixier-Durivault, A.

Prevot, E. Morphologie et évolution des structures tentaculaires chez les hydraires Gymnoblastes Capitata. Rec. Trav. Sta. mar. Endoume No. 29 1959 : 91-126 pls. 1-6 text-figs. 1-3.

Prock, P. B. see Welsh, J. H.

Pulley, J. M. Corals from the Merlinleigh Sandstone of the Carnarvon Basin, Western Australia. Rep. Aust. Bur. Min. Res. Geol. Geophys. 38 1959: 113-118 1 pl.

Rae, B. B. The Food and Feeding Habits of the Lemon Sole. Mar. Res. No. 3 1956: 1-32 text-figs. 1-5.

Ralph, P. M. Notes on the species of the pteromedusan genus *Tetraplatia* Busch, 1851. J. mar. Biol. Ass. U.K. 38 2 1959: 369-379 text-figs. 1-3.

Ralph, P. M. (1). The status and affinities of the anthomedusan *Paragotoea bathybia* Kramp, 1942. Proc. 200l. Soc. Lond. 133 2 1959: 171-177 1 text-fig.

Ramovš, A. Die Entwicklung des Oberperms im Bergland von Škofja Loka und Polhov Gradec (W Slovenien, NW Jugoslawien). Razpr. Slov. Akad. Ljubljana (4) 4 1958: 451-622 pls. 1-10 text-figs. 1, 2 4 maps. [Serbian with German Zusammenfassung. Coral p. 482.]

Ranson, G. Observations sur les Facteurs Biologiques de la Dissolution du Calcaire D'origine Récifale dans les Tuamotu. Proc. 8th Pac. Sci. Congr. 3A 1957: 979– 988. [French with English summary.]

Ranson, G. (1). Observations sur les Iles Basses des Tuamotu (Océanie Française). Proc. 8th Pac. Sci. Congr. 3A 1957: 989–1008. [French with English summary.]

Rehoř, F. & Rehořová, M. Korallenfunde im produktiven Namur des Ostrava-Kariná (Ostrau-Karwiner) Reviers. Vest. Úst. Úst. Geol. 34 4 1959: 308–310 pl. 1. [Czech with German summary.]

Řehořová, M. see Rehoř, F.

Reis, R. H. Spontaneous change of form in individual polyps of three clones of *Pelmatohydra oligaetis*. Proc. int. Congr. Zool. 15 (1958) 1959: 844.

Riedl, R. Die Hydroiden des Golfes von Neapel und ihr Anteil an der Fauna unterseeischen Höhlen. Pubbl. Staz. zool. Napoli 30 Suppl. 1959: 591-755 pls. 1-3 text-figs. 1-15. [German with Italian summary.]

Rigby, J. K. Some Ordovician Graptolite Localities in Western Utah. Proc. Utah Acad. Sci. 35 1958: 175.

Roche, G. Passengers on the Gulf Stream. Irish Nats.' J. 13 4 1959: 101-102.

Roche, J. On Some Aspects of Iodine Biochemistry in Marine Animals. Pubbl. Staz. 200l. Napoli 31 Suppl. 1959: 176-189. [English with Italian summary.]

Rodriguez, G. The Marine communities of Margarita Island, Venezuela. Bull. mar. Sci. Gulf & Caribbean 9 3 1959: 237–280 text-figs. 1–26.

Ross, D. M. The Sea Anemone (Calliactis parasitica) and the Hermit Crab (Eupagurus bernhardus). Nature Lond. 184 4693 1959: 1161-1162.

Rossi, L. Gorgonarii americani raccolti dal Dr. E. Festa. Boll. Ist. Mus. Zool. Univ. Torino 4 1953-54 [1955]: 19-37 pl. 1 text-figs. 1-10.

Rossi, L. (1). Variabilità e differenziazione nei Madreporarii del Gen. Fungia. Boll. Ist. Mus. Zool. Univ. Torino 5 1955-56 [1957]: 45-51.

Rossi, L. (2). Catalogo dei tipi di Gorgonarii esistenti nel Museo Zoologico di Torino. Boll. Ist. Mus. Zool. Univ. Torino 5 1955-56 [1957]: 193-199.

Rossi, L. (3). Primo rinvenimento di Gerardia savaglia (Bert.) (Zoantharia) nei Mari Italiani (Golfo di Genova). Doriana 2 85 1958: 1–8 text-figs. 1–3. [Italian with English summary.]

Rossi, L. (4). Madreporarii raccolti dalla N.R.P. "Faial" durante la campagna 1957 presso le coste del Portogallo. (Nota preliminare). Doriana 2 86 1958: 1-9. [Italian with English summary.]

Rossi, L. (5). Contributo alla studio della fauna di profondita' vivente presso la Riviera Ligure di Levante. Doriana 2 92 1958: 1–13 text-figs. 1, 2. [Italian with English summary.]

Roushdy, H. M. see Gokar, H. A. F.

Russell, F. S. Some observations on the scyphomedusa Atolla. J. mar. biol. Ass. U.K. 38 1 1959: 33-40 text-figs. 1-3.

Russell, F. S. (1). A Viviparous Deep-Sea Jellyfish. Nature Lond. 184 4698 1959: 1527-1529 text-figs. 1, 2.

Sane, S. R. see Nair, K. K.

Scheffer, V. B. Invertebrates and fishes collected in the Aleutians, 1936-38. N. Amer. Fauna No. 61 1959: 365-406 text-figs. 1-26. (Coelenterates, pp. 370-371.]

Schindewolf, O. H. Würmer und Korallen als Synöken. Zur Kenntnis der Systeme Aspidosiphon/ Heteropsammia und Hiestes/Pleurodictyum. Abh. mat.-nat. Kl. Akad. Wiss. Mainz 1958 6 1959: 259 (1)-328 (70) pls. 1-14 text-figs. 1-13.

**Schlieper**, C. New observations on the physiology of ciliated cells. Proc. int. Congr. Zool. **15** (1958) 1959: 542-547 text-figs. 1-4.

Schneiderman, H. A. see Lenhoff, H. M.

Schouppé, A. v. & Stacul, P. Säulchenlose Pterocorallia aus dem Perm von Indonesisch Timor (mit Ausnahme der Polycoelidae). Eine morphogenetische und taxonomische Untersuchung. Palaeontographica Suppl. 4 5 4 1959: 197–359 pls. 6–10 text-figs. 1–41.

Schouppé, A. v. & Stacul, P. (1). Die Fossula der Ptercocrallia, ihre morphogenetische und taxonomische Bedeutung. Neues Jb. Geol. Paläont. Abh. 108 1 1959: 21–46 pl. 4 text-figs. 1–9.

Séguy, E. see Germaine, L.

Seno, J. The life of the Antarctic Ocean. 1. The plankton in the Antarctic Ocean. J. Tokyo Univ. Fish. (Spec. Edit.) 1 4 1958: 313-319. [Japanese with English abstract.]

Silva, G. H. da. Fósseis do Miocénico marinho da Ilha de Porto-Santo. Mem. Mus. Min. Geol. Univ. Coimbra 48 1959: 1-22 pls. 1-10. [Corals, pp. 7, 8.]

Simpson, J. W., Allen, K. & Awapara, J. Free amino acids in some aquatic invertebrates. Biol. Bull. Woods Hole 117 1 1959: 371-381 text-figs. 1-6.

Sinha, A. see Mookerjee, S.

Skerman, T. M. Marine Fouling at the Port of Auckland. N.Z. J. Sci. 2 1 1959: 57-94 text-figs. 1-10.

Slautterback, D. B. & Fawcett, D. W. An electron microscopic study of differentiation in the enidoblasts of hydra [sic]. [Abstract.] Anat. Rec. 132 3 1959: 507–508.

Slautterback, D. B. & Fawcett, D. W. (1). The Development of the Cnidoblasts of Hydra [sie]. An Electron Microscope Study of Cell Differentiation. J. Biophys. & Biochem. Cytol. 5 3 1959: 441-452 pls. 193-200.

Slautterback, D. [B.] see Fawcett, D. W.

Sloan, R. E. An occurrence of Desmographus cancellatus in the Stewartville dolomite of Minnesota. J. Paleont. 33 4 1959: 680-681 pl. 89.

Smith, R. I. see Light, S. F.

[Soshkina, E. D., in Ivanova, E. A., Soshkina, E. D., Astrova, G. G., & Ivanova, V. A. Fauna Ordovika i Ghotlandiya Nizhnegho Techeniye R. Podkammennoi Tunghuski, ee ekologhiya i stratighraficheskoe znachenie. Korallu.] Trav. Inst. Paléont. Acad. Sci. U.R.S.S. 56 1955: 118–128, 192–193 pls. 6, 7, 9–13. [Russian only.]

Southcott, R. V. Tropical Jellyfish and Other Marine Stingings. Milit. Med. 124 8 1959: 569-579 text-figs. 1-6.

Southcott, R. V. & Kingston, C. W. Lethal Jellyfish Stings: A Study in "Sea Wasps" (summary). Med. J. Austral. 1 1959: 443-444.

Spasov, C. & Nikolov, I. Dendroide Graptolithe aus dem Paläozoikum in Bulgarien. C.R. Acad. bulg. Sci. 12 6 1959: 537-539 figs. 1, 2.

Squires, D. F. Results of the Puritan-American Museum of Natural History Expedition to Western America. Corals and Coral Reefs in the Gulf of California. Bull. Amer. Mus. nat. Hist. 118 7 1959: 367–432 pls. 28–34 text-figs. 1–20.

**Squires,** D. F. (1). Deep Sea Corals Collected by the Lamont Geological Observatory. 1. Atlantic Corals. Amer. Mus. Novit. **1965** 1959: 1–42 text-figs. 1–24.

Stacul, P. see Schouppé, A. v.

Stagni, A. Appunti di morfologia ed istologia su innesti omo ed eteroplastici fra Hydra vulgaris e Chlorohydra viridissima. Boll. Zool. 25 (for 1958) 1959: 109-122 pls. 1, 2. [Italian with English summary.]

Steiner, G. see Balke, E.

Stelck, C. R. see Warren, P. S.

Stewart, J. R. see White, D. A.

Stiasny, G. A. Alcyonaria I. Gorgonaria aus dem Roten Meere. Sammlung Dr. R. Ph. Dollfus, Paris, aus dem Golf von Suez. Rés. Sci. Miss. R. P. Dollfus en Egypte 1927-29 Paris 3 No. 24 1959: 37-65 pls. 1-8 text-figs. A-H map.

Suarez-Caabro, J. A. Salinidad, temperatura y plancton de las aguas costeras de Isla de Pinos. Monogr. Lab. Biol. mar. Habana 7 1959: 1-30 text-figs. 1-7.

Subba Rao, D. V. see Ganapati, P. N.

Sučić, Z. Contribution à la connaissance stratigraphique et paléontologique des assises jurassiques d'environ de mine de charbon "Jerma" en Serbie Orientale. Ann. géol. Pénin. balk. 26 1959: 163-175 pls. 1-5. [Corals, pp. 164-167. Serbian with French résumé.]

Suraru, M. Contributions à la connaissance de la faune de coralliaires du Crétacé Supérieur du bassin de Borod. (Note préliminaire.) Bull. Univ. "V. Babes" și "Bolyai" Cluj Ser. Sti. nat. 2 1-2 1957 : 291-295. [Rumanian with Russian and French summaries.]

**Swedmark,** B. On the biology of sexual reproduction of the interstitial fauna of marine sand. Proc. int. Congr. Zool. **15** (1958) 1959: 327–330.

Swedmark, B. & Teissier, G. Halammohydra et Otohydra, hydrozoaires de la microfaune des sables et l'ordre des Actinulides. Proc. int. Congr. Zool. 15 (1958) 1959: 330-332.

Sy, E. Die Gattung Stromaporidium Vinassa de Regny aus der Ober-Trias der Insel Timor (Hydrozoa). Anz. öst. Akad. Wiss. 95 11 1959: 163–168.

Takeda, H. see Minato, M.

Tambs-Lyche, A. Zoogeographical and Faunistic Studies on West Norwegian Marine Animals. Årb. Univ. Bergen. Naturv. R. 1958 7 1959: 1-24 text-figs. 1-4.

Tardent, P. & Eymann, H. Experimentelle Untersuchungen über den regenerationshemmenden Faktor von Tubularia [sic]. Roux Arch. Entw. Mech. Organ. 151 1 1959: 1-37 text-figs. 1-9.

Tardent, P. see Faulhaber, I.

Taylor, H. see Broekhuysen, G. J.

[]

V

V

sea

aufi

seni

figs.

Fou

11-

Epi

352

Sea

Sci

figs

Ne

CVS

Ne

Ele

To

ne

the

47

isn

no

th 46

ré

3

1

Teissier, G. see Swedmark, B.

Thiel, M. E. Semaeostomae: Physiologie. Bronns Klassen 2 Band 2 Abt. 2 Buch 6 Lief. 1959: 849–1072 text-figs. 430–495.

Thiel, M. E. (1). Gibt es einen Generationswechsel bei den Scyphomedusen? Ein Beitrag zum Begriff der Generation, der Generationenfolge und des Generationswechsels. Abh. Verh. naturw. Ver. Hamburg N.F. 3 1959: 37-54 text-figs. 1, 2.

Thieuloy, J.-P. Etude micrographique des "calcaires à débris" barrémo-aptiens sur le pourtour méridional du Vercors. Trav. Lab. Géol. Univ. Grenoble 35 1959 : 39-99 pls. 1-25. [Coelenterates p. 71.]

Thomas, G. A. The Lower Carboniferous Laurel Formation of the Fitzroy Basin. Rep. Aust. Bur. Min. Res. Geol. geophys. 38 1959: 21-36 1 pl. text-figs. 1-3. [Corals by D. Hill.]

Thomas, H. D. [Determination of a solitary coral fossil] in Bartholomew, R. W., Geology of the Lautoka Area, North-West Viti Levu. Bull. Geol. Surv. Dept. Suva Fiji 2 [1959]: 19.

Thompson, T. G. Thomas Wayland Vaughan. Nat. Acad. Sci. U.S.A. Biogr. Mem. 32 1958: 399-437 portrait.

Tilgner, S. see Paetzold, D.

Tilney, L. G. see Chapman, G. B.

Tixier-Durivault, A. Alcyonaria II: Alcyonidae et Nephtheidae (à suivre). Rés. Sci. Miss. R. P. Dollfus en Egypte 1927–29 Paris 3 No. 33 1959: 253–255.

Tixier-Durivault, A. & Prevorsek, M. Revision de la famille des Nephtheidae. 1.—Le genre *Spongodes* Lesson 1831. Mém. Mus. nat. Hist. nat. Paris N.S. 20A 1959: 1-151 text-figs. 1-85.

Tokin, B. P. The immunity of embryos—a problem of comparative embryology and of general zoology. Proc. int. Congr. Zool. 15 (1958) 1959: 583-585.

Tokin, B. P. & Tokin, I. B. The relation between processes of the ovogenesis and budding with *Hydra oligattis*. Vestn. leningr. Univ. No. 3 Ser. Biol. No. 1 1959: 72–75 text-figs. 1, 2. [Russian with English summary.]

Tokin, I. B. see Tokin, B. P.

Uchida, T. & Muramatsu, S. Notes on Some Japanese Sea-anemones. J. Fac. Sci. Hokkaido Univ. 6 (Zool.) 14 1 1958: 111-119 text-figs. 1-5.

Uchida, T. & Nagao, Z. The life-history of a Japanese Brackish-water Hydroid, Ostroumovia horii. J. Fac. Sci. Hokkaido Univ. (Zool.) 6 14 2 1959: 265-281 text-figs. 1-36.

Urbanek, A. Studies on graptolites. I. Development and structure of *Pristiographus gotlandicus* (Perner). Acta palaeont. polon. 4 1 1959: 11-26 pls. 1, 2 text-figs. 1-4. [English with Polish and Russian summaries.]

Urbanek, A. (1). Studies on graptolites. II. On the development and structure of graptolite genus Gymnograptus Bulman. Acta palaeont. polon. 4 3 1959: 279–338 pls. 1, 2 text-figs. 1–18. [English with Polish and Russian summaries.]

[Ushakov, P. V. see Naumov, D. B.]

Utinomi, H. Coloured illustrations of sea-shore animals of Japan. [Fauna and Flora of Japan No. 8] [2], i-xvii 1-67 pls. 1-64 (col.) and 1-12 text-figs. 1, 2. Hoikusha, Osaka, 1956. [Japanese only—coelenterates pp. 3-28.]

Utinomi, H. (1). Fleshy alcyonarians from southern Formosa. Publ. Seto mar. biol. Lab. 7 3 1959: 303-312 text-figs. 1-4.

Vannucci, M. On Brazilian Hydromedusae and their distribution in relation to different water masses. Bol. Inst. océanogr. S. Paulo 8 1-2 1957: 23-109 text-figs. 1-31.

Vannucci, M. & Yamada, M. The Life Cycle of Merga tergestina (Anthomedusae, Pandeidae). Pubbl. Staz. zool. Napoli 31 (2) 1959: 320-333 text-figs. 1-7. [English with Italian summary.]

Vervoort, W. The Hydroida of the Tropical West Coast of Africa. Atlantide Rep. 5 1959: 211-325 textfigs. 1-57.

Vevers, H. G. Birth of a *Tricyclusa*. New Scient. 6 149 1959: 506-507 text-figs. 1-6.

Voigt, E. Endosacculus moltkiae n.g. n.sp., ein vermutlicher fossiler Ascothoracide (Entomostr.) als Cystenbildner bei der Oktokoralle Moltkia minuta. Paläont. Z. 33 4 1959: 211-223 pls. 25, 26 text-figs. 1.2

Volkova, M. S. Lower Carboniferous strata of the Ishim River and their coral fauna. Mat. Geol. Useful Min. Kazakhstan 4 1938: 52 pp. 10 pls. [Russian with English summary—not seen. Many new spp. and varr. of Rugose corals.]

Volkova, M. S. (1). Lower Carboniferous Corals from Central Kazakhstan. Mater. Geol. Useful Min. Kazakhstan 11 1941: 1-120 pls. 1-14. [Russian with English summary.]

Wada, T. see Yanagita, T. M.

Warren, P. S. & Stelck, C. R. Reference Fossils of Canada. Part 1. Devonian Faunas of Western Canada. Geol. Assoc. Canada Spec. Pap. 1 1956: 1–15 pls. 1–29.

Watkins, J. L. On the identity of the Devonian rugose coral genus Diversophyllum with Tabulophyllum, and notes on the genus Charactophyllum. J. Paleont. 33 1 1959: 81-82 pl. 16.

Watkins, J. L. (1). Middle Devonian auloporid corals from the Traverse group of Michigan. J. Paleont. 33 5 1959: 793-808 pls. 108-111.

Weesner, F. M. see Light, S. F.

Wells, J. W. Notes on Indo-Pacific Scleractinian Corals. Parts I and II. Part I. Oryzotrochus, a New Genus of Turbinolian Coral. Part II. A New Species of Turbinaria from the Great Barrier Reef. Pacif. Sci. 13 3 1959: 286-290 11 text-figs.

Welsh, J. H. & Prock, P. B. Quaternary ammonium bases in the coelenterates. Biol. Bull. Woods Hole 115 (3) 1958: 551-561 text-figs. 1-3.

Werner, B. Die Verbreitung und das jahrszeitliche Auftreten der Anthomeduse Rathkea octopunctata M. Sars, sowie die Temperaturabhängigkeit ihrer Entwicklung und Fortpflanzung. Helgoländ. wiss. Meeresunters. 6 2 1958: 138–170 text-figs. 1–13. [German with English summary.]

Werner, B. (1). Dauerstadien bei marinen Hydrozoen. Naturwissenschaften 46 7 1959: 238.

Werner, B. (2). The hydromedusae of Port Erin Bay in May & June, 1957. Rep. mar. biol. Sta. Pt. Erin for 1958 No. 71 1959: 32-38.

White, D. A. & Stewart, J. R. Discovery of Graptolites in North Queensland. Austr. J. Sci. 22 2 1959: 76.

Willefert, S. see Destombes, J.

Wilson, D. M. Long-term facilitation in a swimming sea anemone. J. exp. Biol. 36 3 1959: 526-532.

Windt, H. Beobachtungen über die Nahrungsaufnahme und das Verhalten der Seenelke Metridium senile L. Keiler Meeresforsch. 15 1 1959: 84–88 textfigs. 1–8.

Wood, E. J. F. & Allen, F. E. Common Marine Fouling Organisms of Australian Waters: 1-23 pls. 1-43. Navy Office, Melbourne, 1958. (Hydrozoa pp. 11-12.1)

Wood, R. L. Intercellular Attachment in the Epithelium of *Hydra* As Revealed by Electron Microscopy. J. Biophys. & Biochem. Cytol. 6 3 1959: 343–352 pls. 160–165 text-fig. 1.

Yamada, M. Hydroids from the Japanese Inland Sea, mostly from Matsuyama and its vicinity. J. Fac. Sci. Hokkaido Univ. 6 (Zool.) 14 1 1958: 51-63 textfigs. 1-4.

Yamada, M. see Vannucci, M.

Yanagita, T. M. Physiological Mechanism of Nematocyst Responses in Sea-Anemone. I. Effects of Trypsin and Thioglycolate upon the Isolated Nematocysts. Jap. J. Zool. 12 3 1959: 361-375 text-figs. 1-7.

Yanagita, T. M. (1). Physiological Mechanism of Nematocyst Responses in Sea-Anemone. II. Effects of Electrolyte Ions upon the Isolated Cnidae. J. Fac. Sci. Tokyo Univ. (Zool.) 8 3 1959: 381-400 text-figs. 1-11.

Yanagita, T. M. (2). Physiological mechanism of nematocyst responses in sea-anemone. VII. Extrusion of resting cnidae—its nature and its possible bearing on the normal nettling response. J. exp. Biol. 36 3 1959: 478-494 text-figs. 1-5.

Yanagita, T. M. & Wada, T. Physiological Mechanism of Nematocyst Responses in Sea-Anemone. VI. A note on the microscopical structure of acontium, with special reference to the situation of cnidae within its surface. Cytologia Tokyo 24 1 1959: 81-97 text-figs. 1-7.

Yoshida, M. Effect of Acetylcholine and Eserine on the Spawning of *Hydractinia echinata*. Nature Lond. 184 4693 1959: 1151.

Yoshida, M. (1). Spawning in Coelenterates. Experientia 15 1 1959: 11-12. [English with French résumé.]

Zahálka, B. Nález medusovité formy v křide beskydské. Vestn. geol. Úst. čsl. 32 4 1957 : 294–296 pl. 1. [Czech with English summary.]

Zahl, P. A. & McLaughlin, J. J. A. Studies in Marine Biology. IV. On the Role of Algal Cells in the Tissues of Marine Invertebrates. J. Protozool. 6 4 1959: 344-352 text-figs. 1-7.

Zahl, P. A. see McLaughlin, J. J. A.

Zbyszewski, G. Etude Structurale de l'Aire Typhonique de Caldas da Rainha. Mem. Serv. geol. Portugal 3 1959: 1–184 pls. 1–11 maps text-figs. [Coral lists, pp. 34, 103.]

Zhirmunsky, A. V. & Kiseleva, M. I. Adaptation of Black Sea sea anemones to increased salt concentration. Dokl. Akad. Nauk S.S.R. (Transl.) Biol. Sci. 117 1-6 1957: 1065-1068 text-figs. 1, 2.

Zhuravel, P. A. The hydroid Cordylophora caspia Pallas (Coelenterata) in the system of the Dnieper Reservoir (Lake Lenin). Rep. Acad. Sci. Kiev No. 6 1959: 672-674. [Russian with English summary.] Zimmermann, K. F. see Lenhoff, H. M.

Zukalova, V. Stromatoporoidea of the Devonian of Hranice. Sborn. Ust. Ust. Geol. 24 1957: 313-348 pls. 44-49 (1-6). [Czech with English and Russian summaries.]

#### II.—SUBJECT INDEX

#### GENERAL LITERATURE AND HISTORY

Obituaries.—C. M. Child, Hyman; E. G. Conklin, HARVEY; T. Wayland Vaughan, THOMPSON.

Textbooks and General Works.—Frey; Light; Macan; Müller (numerous figures, copies); Pokorný.

Popular and semi-popular works.—Burnett; Lane; Newell; Newell (1).

Monographs.—Hydromedusae of the Atlantic Ocean and adjacent waters, Kramp (1).

Classification and Nomenclature.—Validation of the specific name gemmascens as published in the binomen Madrepora gemmascens (Class Hydrozoa, Class Stylasterina), Opinion 574; classification of fossil polypoid Hydrozoa, Flügel, E.; validity and systematic position of Georginella diaphana, Halammohydra and Hydroctena salenskii, Hadži (1); designation of lectorypes for Monograptus fimbriatus var. similis, M. triangulatus var. major and M. communis var. rostratus, Opinion 571; neotype of †Diplograptus gracilis chosen, and Xenotheca klinostoma referred to the graptolites, Eisenack; †Dickinsonia may be an annelid and not a coelenterate, Glaessner (1); the species problem in corals, Boschma (1).

Terminology.—For hydroids, Pennycuik; for stromatoporoids, Flügel, E.; for †Thamnoporidae, [Chudinova].

Technique.—Use of phosphotungstic acid for improving contrast in materials embedded in epoxy resins, Wood, R. L.; a quantitative chemical assay for the migration of Hydra cnidoblast, Lenhoff & Bovaird (1); for Hydra, Paetzold & Tiloner; for measuring the rate of calcium deposition by corals under different conditions, Goreau; a simple apparatus for zooplankton counts, especially Pleurobrachia, Bossanyi.

Catalogues of type specimens.—Gorgonacea in the Museo Zoologico at Turin, Rossi (2).

Coelenterates as food of the lemon sole, RAE.

Role of the Wroclaw Zoological Institute and Museum in the study of Anthozoa of the Adriatic Sea, PAX & MÜLLER (1).

#### STRUCTURE

Mesogloea of some hydrozoa, Bouillon; mesogloea of Pelagia noctiluca, Chapman; cytology of nematocysts of Hydra, Chapman, G. B. & Tilney, also Chapman, G. B. & Tilney, also Chapman, G. B. & Tilney (1); intercellular attachment in the epithelium of Hydra, Wood, R. L.; hermaphroditism in the gonad of Rathkea ectopunctata, Kulikova; Monobrachium parasiticum, Naumov (2); † Actinostroma, Flügel, E.; sicula and prosicula of Diplograptus, Steenack; † Pristiograptus gotlandicus, Urbanek; † Gymnograptus, Urbanek (1); spicules of Paramuriceidae, Bayer (1); Xeniidae, Gokar & Roushdy; † Thamnoporidae, [Chudinova]; walls of certain tabulate corals, Lafuste; † Holacanthopora, † Pleurodictyum and † Roemeria, Le Maitre; certain spp. of † Pleurodictyum, Le Mattre (1); histogenesis, micro-

of

eve

(4)

str

tre

Lu

U

NO

an

re

(1 C:

hy ef Bar Se P. & as pld sa R C R V

li

81 a

n z

HA

scopical and histochemical composition of mesoderm of some anthozoans, Leghissa & Mazzi; histological structure of acontium of Diadumene luciae, Yanagita & Wada; septal structure of some hexacorals, Kolosváry; the fossula of rugose corals and its taxonomic significance, Schouppé & Stacul (1); Permian rugose corals, Schouppé & Stacul; nervous system of Pleurobrachia pileus, Korn.

Chemical composition.—Free amino acids in Bunodosoma cavernata, Smpson, Allen & Awapara; trace elements in Velella lata, Birri & Krinsley; pigments in a siphonophore, Fox & Haxo; ribonucleic acid in coelenterates, Kirkadze; antigens in Tubularia croeca, Morrill, antigenic composition of Tubularia hydranths and stems, Morrill (1); alkaline phosphatase in Hydra, Nair & Sane; iodine in coelenterates, Roche, J.; quaternary ammonium bases in coelenterates, Welsh & Prock.

#### PHYSIOLOGY

Biochemical studies of symbiotic processes in Chlorohydra viridissima, Lenhoff & Zimmermann; bio-chemistry of the Coelenterata, Kaiser & Michl; intercellular bridges in groups of cells exhibiting synchronous differentiation, FAWGETT, ITO & SLAUTTER-BACK; rhythm of the nerves and muscles of medusae, HORRIDGE; adaptation of Black Sea sea anemones to increased salt concentration, ZHIRMUNSKY & KISE-LEVA; effects of intercellular attachment in the epi-LEVA; effects of intercellular attachment in the epithelium of Hydra, WOOD, R. L.; immunity in embryos
of Hydra oligactis, TOKIN; factors influencing the
metamorphosis of Tubularia larvae, Lynch; spontaneous change of form in individual polyps of Pelmatohydra oligactis, Reis; regionality in the inductive power
of Hydra tentacle, MOOKERJEE & SINHA; chemical
control of feeding in Physalis physalis, LENHOFF &
SCHNEIDERMAN; respiration in Hydra, LENHOFF &
LOOMIS; role of the mesogleea in swimming by Pelagia

CHABHANG & TORGINGER SALVINGER noctiluca, Chapman, G.; requirement of bound calcium for the action of surface chemoreceptors of Hydra, LENHOFF & BOVAIRD; experiments on heterografts of Hydra vulgaris and Chlorohydra viridissima, and homografts of H. vulgaris, STAGNI; interspecific tissues of associations (grafts) of Hydra spp., KOLENKINE; time sequence of certain physiological events during regeneration in Hydra, Ham & Eakin; of medusa-formation in Eirene viridula, Günzl; histiophysiology of growth in Hydra, Burnett; changes in the generation of scyphomedusae, THIEL (1); Semaeostomae, THIEL; intermittent conduction in scyphozoan nerve nets, Passano; control of sexual differentiation in Hydra, Loomis; interactions between asexual reproduction and sexual differentiation in Craspedacusta, Lytle; sexuality in Cerianthus membranaceus, Finiani; role of zooxanthellae in the tissues of two coelenterates, Zahl & McLaughlin; light factors influencing spawning in *Hydractinia*, YOSHIDA (1); histochemical and cytological data on luminescence in *Pelagia*, BASSOT; sensitivity to light in Metridium senile, NORTH; influence of pressure, temperature and urethane on the luminiscent flash of Mnemiopsis leidyi, Chang & Johnson; neuromuscular system of the Keniidae, Gokar & Roushdy; of the neuromuscular system of Heteroxenia, Gokar & Roushdy (1); microscopical structure of acontium of Diadumene luciae, with special reference to the situation of cnidae within its surface, Yanagira & Wada; long-term facilitation in a swimming sea anemone, WILSON; stimulation of oeso-phageal cilia of Metridium senile, SCHLLEPER; feeding mechanism and behaviour of Metridium senile, WINDT; digestion in sea anemones, NICOL; analysis of the periodical activity of Actinia, KOSHTOYANTS; calcium deposition by hermatypic corals, GOREAU & GOREAU; a method for measuring the rate of calcium deposition by corals under different conditions, GOREAU.

Nematocysts.—Of Physalia physalis, Lane; migration of Hydra cnidoblast, Lenhoff & Bovard (1); requirement of extracellular sodium ion by Hydra littoralis for growth and cnidoblast migration, Lenhoff & Bovard (2); differentiation in the cnidoblasts of Hydra, Slautterback & Fawcett, also Slautterback & Fawcett, also Slautterback & Fawcett, also Slautterback & Fawcett (1); effects of trypsin and thioglycolate on the nematocysts of Diadumene luciae, Yanagita; effects of electrolyte ions on the isolated cnidae of Diadumene luciae, Yanagita (1); responses in a sea anemone, Yanagita (2).

Regeneration.—Hydra, Ham & Eakin; loss of regenerative capacity in Hydra treated with lipoic acid, Ham & Eakin (1); free amino-acids and regeneration of Tubularia laryns, FAULHABER & TARDENT; inhibitor water and the regeneration of Tubularia, FULTON; Tubularia, TADDENT & EYMANN; regeneration in the scyphistoma of Cyanea capillata and its relation to the stage of development, Kaufman; actinians, Abeloos.

Stinging Effects on Man.—Tropical and other marine jellyfish stingings, Southcott, also Southcott & Kingston; coelenterates, Albahary & Budker; dangerous coelenterates, Halstead; Physalia physalis, Lang.

#### REPRODUCTION

Of coelenterates of the interstitial spaces of marine sand, SWEDMARK; relation between ovogenesis and budding in Hydra oligactis, TOKIN & TOKIN; sexual cycles in Hydra, PARK; budding in Graspedacusta sowerbyi, HADŽI (1); interactions between asexual reproduction and sexual differentiation in Craspedacusta, LYTLE; hermaphroditism in the gonad of Rathkea octopunctata, KULIKOVA; Rathkea octopunctata. WERNER; effect of acetylcholine and eserine on the spawning of Hydractinia echinata, YOSHIDA; spawning in two spp. of Hydractinia, YOSHIDA (1).

#### DEVELOPMENT

Morphology of tentacular structures in some gymnoblast Capitata, Prevot; in marine Hydrozoa, Werner (1); alternation of generations in a hydroid, Brinck-Mann; gonophore development in Hydractinia echinata, Avset; differential responses of growth zones to nutritive level, age and temperature in Campanularia, Crowell; Camella vilae-velebiti, Hadži; budding in Craspedacusta sowerbii, Hadži (1); life history of Cladonema pacifica, Naumov (1); ovogenesis and budding in Hydra oligactis, Tokin & Tokin; Tricyclusa, Vevers; life-history of Ostroumovia horii, Uchida & Nagao; Rathkae octopunctata, Werner; Merga tergestina, Vannucci & Yamada; of scyphistoma larvae off India, Ganapati & Lakshmana Rao; †Pristiographus gollandicus Urbanek; †Gymnographus, Urbanek (1); cycles in Aurelia aurita and Dactylometra pacifica, Hirai; regeneration in the scyphistoma of Cyanea capillata and its relation to the stage of development, Kaumann; maturity in Atolla of the Bay of Biscay, Russell; changes in the generation of scyphomedusae, Theel. (1); corallum of †Halysitidae, Hamada; variation of corallum-shape and wall-thickness in †Favosites and †Thamnopora, Hamada (1); ontogeny of †Diploctenium, Géczy; calcification and growth in reef-forming corals, Goreau (2); effect of water temperature on growth rate of corals, Ma; variability and differentiation in Fungia, Rossi (1).

#### **EVOLUTION AND RELATIONSHIPS**

Origin of the coelenterates, Jägersten, also Marcus; of the chidaria, Lenhoff & Schneiderman; parallel evolution in the Hydrozoa and Scyphozoa, [Naumov (4)]; of the Siphonophora, Mackie; of tentacular structures in some gymnoblast Capitata, Prevot; trends in †Actinostroma, Flüger, E.; phylogeny of trudiovian graptolites, Jaeger; in the Lasiograptidae, Urbanek (1); phylogeny of †Thamnoporidae, [Chudinova]; relationship between †Favosites, †Thamnoporia and †Pachypora, Hamada; relation of growth rate of reef corals to surface sea water temperature as a basis for the causes of diastrophism initiating evolution, Ma (1); development of the fauna of the Middle and Upper Carboniferous of the western part of the Moscow syncline in connection with the conditions of its existence, Ivanova; of the †Lithostrotion mutabile—L. whitneyi group, Nelson, also Nelson (1).

#### **ECOLOGY AND HABITS**

Chemical food selection of Pelmatohydra oligactis, BALKE & STEINER; changes in a population of Chlorohydra viridissima in a Northamptonshire pond, PAXMAN; effects of fluctuating water level on the fauna of a Bavarian lake, ENGELHARDT; hydrological condition: and the planktonic coelenterates of the southern Baltic Sea, Mankowski; of deep-water in the Mediterranean, Parenzan (1); of a S. African estuary, Broekhuvsen & Taylor; factors affecting macro-invertebrate assemblages of some Texan coastal waters, Parker; planktonic medusae and physical and chemical conditions in the Canadian arctic, Grainger; of rocky, sandy and muddy shores of a Venezuelan island, Rop-RIGUEZ; of coelenterates of a Cuban island, SUAREZ-CAABRO; relation of temperature to occurrence of Rathkea octopunctata and to reproduction in that sp., WERNER; Hydrozoa in the cooling water of some English power stations, MARKOWSKI; hydroids of the submarine caves of the Gulf of Naples, RIEDL; seasonal and annual variation of the Hydromedusae and Scyphomedusae of the Moroccan plankton, Furnestin; zooplankton of the Black Sea, MARGINEANU & PETRAN; distribution of Brazilian Hydromedusae in relation to different water masses, Vannucci; marine fouling Hydrozoa of Australian waters, Wood, E. J. F. & ALLEN; conditions affecting fouling by hydroids at Auckland, New Zealand, Skerman; of graptolites, JAEGER; of stromatoporoids, FLÜGEL, E.; of Triassic Hydrozoa, FLÜGEL, E. & EBERHARD; of Lophelia off West Norway, Tatter Lyung, installation West Norway, TAMBS-LYCHE; intertidal anthozoa of western France, Crisp & Fischer-Piette; anthozoa of sea-caves of the Gulf of Naples, Abel; palaeoecology of fossil corals, [GHEKKER]; of Carboniferous Rugosa of the Moscow syncline, [Dobrolyubova], also [Ivanova]; of Siberian Devonian Thamnoporidae, [Chudi-Nova]; of Devonian coral fauna of western Canada, NOVAJ; of Devonian coral fauna of western Canada, Warren & Stelok; adaptation to facies of the Rugosa of the Sayano-Altai area, [Ivaniya (4)]; of Ordovician and Silurian corals of Siberia, [Ivanova, Soshkina, Astrova & Ivanova]; of Ordovician and Silurian corals in Siberia, [Soshkina]; feeding of a ctenophore, NAGABHUSHANAM.

Commensalism, Association and Symbiosis.—Zooxanthellae and coelenterates, McLauohlin & Zahl; algae and a siphonophore, Fox & Haxo; in Chlorohydra viridissima, Lenhorr & Zimmemann; Narcomedusae larvae on hydrozoa (p. 73), Kramp (1); an actinian and a shrimp, Pax; Calliactis parasitica and a hermit crab, Ross; Paracalliactis lacazei and a pagurid, Dechancé & Duraure; a sea anemone and a poma-

centrid fish, Davenport & Norris; corals and various organisms, [Ivanova]; a fossil entomostracan and an alcyonarian, Voigt; worms and Recent and fossil corals, Schindewolf; a worm and a tabulate coral, [Ghekker]; rugose corals and Spirorbis, [Dobroly-ubova].

Coral reefs.—Nature, origin and distribution of atolls, CLOUD; West Norway, Tambs-Lyche; Mediterranean, Parenzan; Newell; American coral seas, Newell (2); Gulf of California, SQUIRES; West Indies, Newell (1); Jamaican coral reefs, Goreau (1), also Goreau (3); Great Barrier Reef and adjacent isles, Gillett & McNeill; factors influencing the distribution of corals on the reefs of Arno Atoll, Marshall Islands, Hiatt; biological factors underlying the dissolution of coral limestone in the Tuamotu Islands, Ranson; Tuamotu Islands, Ranson (1); Devonian of the Belgian-Rhenish geosynclinal, Lecompte; Devonian of western and arctic Canada, McLaren (1).

### DISTRIBUTION 1.—GEOGRAPHICAL

A.-MARINE

Atlantic Ocean (including Mediterranean and Black Seas).—Planktonic coelenterates of the southern Baltic Sea, Mankowski; coelenterates of the Ligurian Sea, Rossi (5); planktonic coelenterates of a Cuban island, Suarez-Caabro; coelenterates of a Venezuelan island, Rodriguez; Hydromedusae of the Atlantic Ocean and adjacent waters, Kramp (1); Tetra-platia volitans from the western N. Atlantic and T. chumi from the S. Atlantic, RALPH; European distribution of Rathkea octopunctata, WERNER; an anthomedusan from the English Channel, RALPH (1); medusae and actinulae of two hydrozoa in the southern North Sea, AURICH; hydromedusae of the Isle of Man, WERNER (2); Velella velella and Physalia physalis on the Irish coast, Roche, G.; Physalia physalis off Dorset, Lang; P. physalis off Ireland, ATKINS, also FRIEL; Gonionemus murbachi? in a Scottish aquarium tank, Hown; Velella velella off Scotland, EDWARDS; hydrozoans of W. France, Swedmark & Teissier; a hydrozoan in the Caspian Sea, Loovinenko; a hydromedusa from the Gulf of Naples, Brinckmann; hydroids of the Gulf of Naples, Riedl; Hydroida of tropical W. Africa, Verwoort; Hydrozoa of Cape Town Docks, Millard. VERWOORT; Hydrozoa of Cape Town Docks, MILLARD (1); Brazilian hydromedusae, VANNUCCI; dimorphic and size distribution in Velella and Physalia, BIERI; Hydrozoa and Anthozoa of N. Wales, KNIGHT-JONES & JONES; hydrozoa and zoantharia of East Scottish fishing grounds, McIntyre; hydrozoa and corals of West Norway, TAMBS-LYCHE; hydromedusae and scyphomedusae of the Moroccan plankton, FURNESTIN; hydrozoa and scyphozoa from W. Africa, KRAMP (2); hydrozoan and screpophore of the Black Sea Mina hydrozoan and ctenophore of the Black Sea, MAR-GINEANU & PETRAN; Atolla spp. of the Bay of Biscay, GINEANU & FETRAN; Alolla spp. of the Bay of Biscay, Russell.; a new gen. and sp. of deep-sea scyphozoan off Spain, Russell. (1); two spp. of Stephanoscyphus of the "Galathea" Expedition, KRAMP (4); a scyphozoan off Texas, Guest; Cassiopea xamachana off Aruba, Southcott; spp. of Placogorgia reviewed, BAYER (1); octocorals from the north-eastern coast of S. America, BAYER; lemon-coloured plexaurids from the West Indies and Brazil, DEICHMANN & BAYER; alcyonarians and corals in the Gulf of Mexico, MOORE; a coral and alcyonarian of Texas, PARKER; a zoantharian in a warm Welsh dock, NAYLOR; a new genus and sp. of actinian from S. France, DUFAURE; madreporarian corals near Portugal, Rossi (4); a new sp. of Para-

esce

tab

cor

wes

En

cor

LE

also

TYA

of tri

0

Will M go co

calliactis from the Mediterranean, Dechancé & Dupaure; Anthozoa of Mediterranean reefs, Parenzan; deep-water corals of the Gulf of Genoa, Blanc; a zoantharian in the Gulf of Genoa, Rossi (3); anthozoa of sea-caves of the Gulf of Naples, Abel; Adriatic anthozoans, Pax & Müller (1); deep sea corals collected by the Lamont Geological Laboratory. Squires (1); corals of Jamaican reefs, Gorrau (1).

Pacific Ocean.—Coelenterates of eastern U.S.S.R., [NAUMOV]; coelenterates of Japan, UTINOM; coelenterates of California, Light; dimorphic and size distribution of Velella, Bieri; hydromedusae of the "Galathea" Expedition, Kramp (3); Tetraplatia from the E. Pacific, RALPH; hydroids from Japan, Yamada; marine and brackish-water hydroids from Queensland, Pennyculk; two fouling hydroids from Queensland, Pennyculk; two fouling hydroids of New Zealand, Skerman; hydroids and jellyfishes of the Aleutian Islands, Scheffer, two spp. of Stephanoscyphus of the "Galathea" Expedition, Kramp (4); coronomedusae polypoid generations from N.E. Russia, Naumov (3); dangerous jellyfishes of Australia, New Guinea, etc., South-cott; spp. of Placogorgia reviewed, Bayer (1); revision of the spp. of Distichopora, Boschma; Spongodes spp. revised, Tixier-Durivault & Prevorsek; alcyonarians from Formosa, Utinomi (1); gorgonarians of the Philippines, Nemenzo; four Japanese spp. of Anthopleura, Uchida & Muramatsu; a new coral genus and a new sp. of Turbinaria from the Great Barrier Reef, Wells; Diadumene luciae in British Columbia, Carl & Guiguet; coralis of the Gulf of California, Squirres; Coralismorpharia and Actiniaria from Chile and Peru, Carloren.

and Peru, Carlgren.

Indian Ocean.—Hydrozoo from Natal and Portuguese East Africa, Millard; Physalia distribution in Indian waters, Ganapati & Subba Rao; a fouling hydroid of W. Australia, Wood, E. J. F. & Allen; hydromedusae and scyphomedusae of the "Galathea" Expedition, Kramp (3); hydromedusae and scyphomedusae of India, Burma, etc., Kramp; two scyphomedusae from the Gulf of Aqaba, Maaden; a sp. of Stephanoscyphus of the "Galathea" Expedition, Kramp (4); spp. of Placogorgia reviewed, Bayer (1); revision of the spp. of Distichopora, Boschma; Spongodes spp. revised, Tixier-Durivault & Prevorsek; Gorgonaria of the Gulf of Suez, Stasny; alcyonaria of the Red Sea, Tixier-Durivault; corals associated with worms, Schindewolf.

Arctic Ocean.—Distribution of hydromedusae, Kramp (1); medusae of Canada, Grainger; coronomedusae polypoid generations, Naumov (3); gorgonacea photographed on the bottom of the Ross Sea, BULLIVANT.

Antarctic Ocean.—Planktonic coelenterates in the Antarctic Ocean, Seno; distribution of hydromedusae, Kramp (1).

#### B.—FRESHWATER

Hydrozoa of western Europe, Germaine; a hydrozoan in the Caspian Sea, Logvinenko; hydrozoa (one new) of India, Kramp; hydrozoa of California, Light; Hydra sp. in a Bavarian lake, Engelhardt; Hydra, Burnett; Chlorohydra spp. of Northamptonshire, Paxman; a new sp. of Chlorohydra from the U.S.A., Forrest; Cordylophora caspia in the Dnieper Reservoir, Zhuravel; a new sp. of Limnocnida from the Congo Basin, Boutllon.

Craspedacusta.—C. sowerbii, Hadži (1); C. sowerbyi distribution, Kramp (1); C. sowerbii in Germany, Dennert, also Pax & Müller.

#### 2.—GEOLOGICAL

Pleistocene.—A coral from England, Anon.; corals of the Gulf of California, Squires.

Pleistocene or Pliocene.—A coral from Fiji, THOMAS. H. D.

Tertiary.—A hydrozoan and three corals (one sp. n.) from Western Australia, PULLEY.

Pliocene.—A coral from England, Anon.; Caryophyllia in Portugal, ZBYSZEWSKI; corals of the Gulf of California, Squires.

Miocene.—Corals in Germany, DITTMER; corals of Yugoslavia, Jovanović & Dolić; two corals in Serbia, Grubić; a coral of Croatia, Eremija; a coral in Turkey (p. 278), Blumenthal; corals of Porto-Santo, N.E. of Madeira, Silva.

#### Oligocene.-None.

Eocene.—Three English corals, Anon.

Cretaceous.—Spp. of Actinostromaria, Flügel, E.; a hydrozoan in S.E. France, Theuloy; a stromatoporoid from Sardinia, Hudson (2); a medusa-like form from Czechoslovakia, Zahálka; alcyonarian spicules from Bohemia, Pokorný; corals of Yugoslavia, Mittrovió-Petrović; corals from Hungary, Géczy, also Kolosváry (2); corals (lists) of Hungary and Transylvania, Kolosváry (3); corals (lists) of Rumania, Šuraru.

Jurassic.—A new name for a stromatoporoid, HUDSON; spp. of Actinostromaria, FLÜGEL, E.; stromatoporoids of Yugoslavia, HUDSON (1); corals and hydrozoa in Arabia, HUDSON & CHATTON; a new genus and sp. of coral from France, BEAUVAIS; corals of Portugal (list) ZBYSZEWSKI; corals of Serbia, SUČIĆ; corals (lists) of Hungary and Transylvania, KOLOSVÁRY (3); hexacorals in Japan, ONUKI.

Triassic.—Hydrozoa of Europe and Asia, Flügel, E. & EBERHARD; Stromaporidium from Timor, Sy; corals (lists) of Hungary and Transylvania, Kolosváry (3)

Permian.—A hydrozoan from Russia, Konishi; a coral of Jugoslavia, Ramovš; Rugosa of eastern U.S.S.R., [FOMITCHEV]; corals of the north-eastern U.S.S.R., [KASHIRTZEV]; corals from Japan, Ioô; two new corals from Japan, KAWANO; Rugosa of Timor, Schouppé & Stacul; a new genus and sp. of tabulate coral from California, Langenheim & Mc-

Carboniferous.—A hydrozoan from Russia, Kon-ISHI; two new spp. of Callograptus from Bulgaria, Spasov & Nikolov; corals in Northumberland, Johnson; corals of Belgium, Conil; two rugose corals of Czechoslovakia, Rehor & Rehorová; corals of Hungary, Kolosváry (1); a coral in Turkey (p. 273), Blumenthal; tabulate corals of the Moscow syncline, [Ivanova]; rugose corals of the Moscow syncline, [Dobrolyhova; corals of Kazakhsian, Volkova, also Volkova (1); corals of Japan, Ioó (1), also Kato, also Kato (1), also Kato (2), also Minato, Takeda, Kakimi & Kato, also Onuki & Moria; corals in Morocco, Millard; correction in spelling of the name of a coral from New South Wales, Čvancara; corals in Western Australia, Thomas, G. A.

Devonian.—Spp. of Actinostroma revised, FLÜGEL, E.; stromatoporoids of Czechoslovakia, ZUKALOVA; stromatoporoids and corals of China, Chen; new spp. of Pleurodictyum from N. Africa, Le Mattre (1); Thamnoporidae of Siberia, [CHUDINOVA]; tabulate corals of the U.S.S.R., [GHEKKER]; cylindrical-arbor-

escent Favosites spp. of Asia, U.S.A., etc., HAMADA (1); tabulate corals (and a new genus and subgenus) associated with worms, Schindewolf; auloporoid corals of Michigan, U.S.A., WATKINS (1); corals of northern Ontario, Cransvick & Fritz; corals of western Canada, WARREN & STELCK; tetracorals of England, Minduleton; the types of two German rugose corals, FLÜGEL, H.; a rugose coral of Czechoslovakia, LEWOWICKI; Rugosa of eastern U.S.S.R., [IVANIYA], also [IVANIYA (2)]; corals of eastern U.S.S.R. [IVANrya (1)]; sequence of corals in the Kuzbas, [IVANIYA (3)]; Rugosa of the Sayano-Altai area, [IVANIYA (3)]; Rugosa of the Sayano-Anai area, [2]
(4)]; Synaptophyllum revised and a new genus of Rugosa, McLaren; rugose corals of the U.S.A., WATKINS.

Silurian.—Spp. of Actinostroma revised and a subgen. n. from the Baltic described, FLÜGEL, E.; designation of lectotypes for Monograptus fimbriatus var. similis, M. triangulatus var. major and M. communis var. rostratus, OPINION 571; graptolites of Germany, JAEGER, also JAEGER (1); Akidograptus ascensus in Czechoslovakia, HORNÝ; graptolites in Czechoslovakia, HORNÝ (1); HORNY; graptolites in Czechoslovakia, HORNY (1); graptolites in Morocco, Destombes, HOLLARD & WILLEFERT; graptolites from Malaya, Jones; graptolites in North Queensland, White & Stewart; Melanoskleritoididae from Germany, Pokorny; a new genus of Favositidae from Kazakhstan, Chang; cylindrical-arborescent Favosites spp. of Asia, U.S.A., etc., HAMADA (1); Parafavosites and worms, Schinder, Wolff, distribution and sequence of coral faunas Hull WOLF; distribution and sequence of coral faunas, HILL (1); corals of Siberia, [IVANOVA, SOSHKINA, ASTROVA & Ivanova], also [Soshkina]; corals of China, Chen.

Ordovician.—Hydroids of Poland, Kozlowski; graptolites of Germany and Reval, Eisenack; Gymnographus spp. of Poland, Urbanek (1); graptolites from Malaya, Jones; graptolites of China, Hsü;; a new spof graptolite from China, Hsü (1); graptolites in Utah, U.S.A., Rioby; a graptolite of Minnesota, U.S.A., Sloan; Halysitidae of Taimyr, U.S.S.R., Barskaya; corals of Siberia, [Ivanova, Soshkina, Astrova & Ivanova], also [Soshkina]; corals in Ontario, Colquhoun; corals of New Mexico, Arizona and Texas, Hill. and Texas, HILL.

Cambrian.—A possible graptolite from the Crimea, [Boachev]; scyphozoa from Siberia, [Miroshnikov]; a fossil of possible coral affinities from the U.S.A., Frirz & Howell; † Dickinsonia may be an annelid, Glaessner (1).

Pre-Cambrian.-Coelenterates of South Australia, GLAESSNER; Coelenterata from Australia, Africa and England, GLAESSNER (2).

#### III.—SYSTEMATIC INDEX

Full references are given only in the case of a new subgenus or taxon of higher rank, the number being printed in "Small bold clarendon", e.g., 15.

#### **HYDROZOA**

Abietinaria abietina p. 59 fig., [NAUMOV].

†Actinostroma discussed pp. 99, 123, A. (Actinostroma) p. 125, altum p. 125, australe is possibly papillosum p. 167, bifarium p. 127 fig., blumenthali = bifarium p. 127, clathratum p. 129 fig., var. confertum = clathratum p. 108, 129, var. intricatum = papillosum pp. 108, 167, var. macroporum = Hermatostroma pp. 108, 113, var. polonicum is possibly papillosum p. 108, colymense pp. 108, 120, compactum p. 134, conglomeratum = Trupetostroma pp. 108, 113, consors pp. 108, 120, contextum p. 135, contortum Gorsky = Anostylostroma pp. 108, 114, buchanense norm. n.

for contortum Ripper not Gorsky pp. 108, 183 Devonian Victoria Australia, couvinense = papillosum pp. 108, 167, crassepilatum p. 137, crassum Yavorsky = tabulate coral pp. 108, 114, crassum Lecompte p. 139, dehornae p. 140 pp. 108, 114, crassim Lecompte p. 139, denornae p. 140, fig., var. constrictum = dehornae p. 140, var. densioolumnatum possibly is dehornae p. 140, densatum possibly is clathratum pp. 108, 129, derzavini = Hermatostroma pp. 108, 119, devonense = papillosum pp. 108, 167, distans p. 142, egregium = stellulatum pp. 108, 179, expansum p. 143, fenestratum = tabulate coral pp. 108, 114, ferganense = papillosum pp. 108, 167, distant pp. 108, 145, femblimense = papillosum pp. 108, 167, filitextum p. 145, franklinense = intertextum pp. 108, 157, frasklium = Anostylostroma pp. 108, 114, fungiforme = Anostylostroma pp. 108, 114, furcatipilosum = Trupetostroma p. 108 but Anostylostroma furcatipilosum = Trupetostroma p. 108 but Anostylostroma p. 115, geminatum p. 120, A. grossum p. 208, grossum var. robustissimum p. 208, A. (A.) hebbornense p. 146 fig., ibridum pp. 108, 209, ignotum p. 151, ? A. indubium pp. 108, 120, A. inflectum p. 152, ingens p. 154, inopinatum = Clathrodictyon p. 115, intermedium p. 155, intertextum p. 157 fig., var. suevicum = intertextum p. 157, irregulare = papillosum p. 109, istokiense [sitokense (sito) p. 115] = Strictostema pp. 109 | 115 stellulatum var. italiaum positibus Skictostroma pp. 103, 115, stellulatum var. italicum possibly is hebbornense p. 146, jeanetti p. 109, jurmanense possibly is inflectum pp. 152, karpinskyi = Anostylostroma pp. 115, kiliani p. 109, ? A. krekovi, ? A. kuzbassicum pp. 121, A. injectum p. 109, ? A. krekovi, ? A. kuzbassicum p. 121, A. klibani p. 109, ? A. krekovi, ? A. kuzbassicum p. 121, A. klabechiiforme p. 160, var. uralicum possibly is labechiiforme p. 160, lamellatum = Anostylostroma p. 115, ? A. laskarevi p. 121, A. letourneuxi p. 109, ligeriense p. 161, malevski = A. (Densastroma) astroites p. 196, A. mamontovi and var. planum = hebbornense p. 146, malutinum p. 163, A. z. mingshankouensis = Labechiella p. 115, A. mirum Parks p. 121, mirum Yaworkski not Parks = Trupetostroma p. 116, moldavancevi = toschemkense p. 187, moosense = Stromatoporella p. 116, multipilatum p. 165, multituberosum a nom. nud. p. 109, niagarense (= whiteavesi var. niagarense) p. 166 fig., nodulatum = Syringostroma p. 119, papillosum p. 167, parksi = ? Parallelopora p. 116, perforatum = ? Stromatopora p. 116, perloratum = ? Stromatopora p. 176, perlogum p. 172 fig., pexisum p. 121, piriformis p. 174, podolicum = A. (Densastroma) astroites p. 196, A. praecursum = Clathrodictyon p. 116, praesalevense p. 209, pseudosquamosum = Anostylostroma p. 116, regulare p. 175, reversum p. 176, rhodoclada [as rhodoclamum (sic) p. 109) pp. 109, 209, ristigouchense = Syringostroma p. 119, pp. 109, 209, ristigouchense = Syringostroma p. 119, rugosum = intermedium p. 155, salaricum p. 177, salavense p. 209, samskiense p. 110, schmidti possibly is intertextum p. 157, septatum and var. robustum possibly are clathratum p. 129, sertiforme = ? Clathrodictyon p. 117, sotenicum : p. 125, serigime : Authorities p. 117, solentium p. 190, squamosum = Anostylostroma p. 117, stellulatum p. 179 fig., vars. maueri, nicholsoni and tuberculatum = stellulatum p. 179, var. distans is A. distans p. 142, var. italicum is A. italicum p. 110, styliferum p. 209, tabulatum = clathratum p. 129, var. crassum is A. crassum p. 139, talovense = Hermatostroma p. 119, tenuicolumnum p. 185, tenuifilatum p. 186 fig., var. cylindricum possibly is inflectum p. 152, tenuissimum is ? A. pp. 110, 121, termieri p. 209, tokadiense p. 209, toschemkense p. 187, trautscholdi Anostylostroma p. 117, trentonense Ulrich & Everett is a sponge p. 117, trentonensis Weller not Ulrich & Everett is sponge p. 117, trentonensis Weller not Ulrich & Everett is a Polyzoan p. 110, prrelli p. 188, uralicum = Gerronostoma p. 117, vastum p. 189, verrucosum p. 190 fig., vologdini = ? Actinostromaria p. 117, vulcanum = inflectum p. 152, whiteavesi is ? A. pp. 110, 122, var. niagarense is A. niagarense p. 166, yunnanense is ? A. pp. 110, 122, A. (Densastroma) astroites p. 196 fig., F. LÜGEL, E.—A. p. 316, crassepilatum pp. 317, 335 fig., devonense pp. 318, 336 fig., dehorneae pp. 319, 336 fig., (A. ?) [sic] fungiforme pp. 320, 338 fig., A. verrucosum pp. 321, 339 fig., ZUKALOVA.

† ? Actinostromaria vologdini p. 117, spp. pp. 208–212, FLÜGEL, E.—A. p. 33, tubulata is a sp. of Astrostylopsis p. 37, HUDSON (1).

[1

Ci

Ci

sp. (

pine

natu

cosus

159

C. p NAT

C

serti

+

(

0

59, YA

KR

p.

(1)

p.

p. Ja

C.

17

P

(

C

†Actinostromidae p. 316, ZUKALOVA.

†Actinostromina p. 34, oppidana p. 35 fig., grossa p. 35 fig., HUDSON (1).

Aegina citrea p. 119, FURNESTIN.—A. citrea p. 370, KRAMP.—A. p. 194, citrea pp. 61, 194 fig., KRAMP (1).—A. citrea p. 81, VANNUCCI.

Aeginidae p. 194, key to genera p. 194, Kramp

Aeginopsis laurenti p. 472, GRAINGER.—A. p. 195, laurentii p. 195 fig., KRAMP (1).

Aeginura p. 195, grimaldii pp. 62, 195 fig., Kramp (1).—A. grimaldii p. 61 fig., [Naumov].

Aequorea conica p. 360, pensilis, macrodactyla p. 361, KRAMP.—A. p. 165, key to spp. p. 165, tenuis p. 166 fig., floridana p. 166, vitrina p. 166 fig., corrulescens p. 166, albida p. 166, aequorea pp. 37, 167 fig., macrodactyla pp. 38, 167 fig., pensilis p. 167 fig., sp. p. 39, KRAMP (1).—A. aequorea p. 9, KRAMP (2).—A. australis p. 256, KRAMP (3).

Aequoreidae p. 165, key to genera p. 165, KRAMP (1). Agalmopsis elegans p. 8 fig., UTINOMI.

Agastra p. 146, key to spp. p. 146, mira p. 146 fig., rubra p. 146 fig., KRAMP (1).

Aglantha digitale p. 471, Grainger.—A. p. 191, key to spp. p. 191, digitale pp. 56, 191 fig., elata p. 191 fig., Kramp (1).—A. digitale p. 60 fig., [Naumov].

Aglaophenia cupressina, delicatula p. 185, PENNYCUIK.— A. whiteleggei p. 6 fig., UTINOMI.—A. pluma var. typica p. 307 fig., var. parvula p. 307 fig., var. dichotoma p. 308 fig., latecarinata p. 309 fig., VERVOORT.—A. whiteleggei p. 62, YAMADA.

Aglaopheniidae key to genera p. 184, key to spp. p. 184, PENNYCUIK.

Aglaura hemistoma p. 115, FURNESTIN.—A. p. 192, hemistoma pp. 57, 192 fig., KRAMP (1).—A. hemistoma p. 76, VANNUCCI.

Aglauropsis p. 175, key to spp. p. 176, conanti p. 176 fig., jarli p. 176 fig., Kramp (1).

Allopora moseleyana p. 54 fig., [NAUMOV].

Amphinema p. 117, key to spp. p. 117, dinema p. 117 fig., rugosum pp. 13, 117 fig., australis p. 118 fig., turrida p. 118 fig., krampi p. 118 fig., rubra p. 118 fig., ? A. sp. p. 13 fig., Kramp (1).

†Amphipora ramosa pp. 286, 301 fig., CHEN.

Amphisbetia furcata p. 5 fig., UTINOMI.—A. furcata p. 59, YAMADA.

Amphogona p. 188, key to spp. p. 188, apsteini p. 188 fig., apicata pp. 54, 188 fig., Kramp (1).

Annatiara p. 121, affinis pp. 14, 121 fig., KRAMP (1).

†Anostylostroma contortum, frustulum, fungiforme p. 114, karpinskyi, lamellatum p. 155, pseudosquamosum p. 116, squamosum p. 117, trautscholdi p. 117, FLÜGEL, E.

Antennella key to spp. p. 176, indivisa p. 176, secundaria p. 176 fig., Pennycuik.—A. diaphana forma siliquosa p. 286 fig., Vervoort.—A. secundaria p. 59, Yamada.

Antennellopsis dofleini p. 6 fig., UTINOMI.

Anthomedusae p. 76, key to families p. 76, KRAMP (1).

Arctapodema p. 187, key to spp. p. 187, antarcticum p. 187 fig., australe p. 187 fig., amplum p. 188 fig., KRAMP (1).

Aselomaris arenosa (?) p. 163 fig., PENNYCUIK.

† Astrostylopsis p. 35, a synonym of Trupetestromaria p. 32, slovenica p. 35 fig., grabenensis p. 36 fig., circoporea p. 37 fig., tubulata p. 37 fig., Hudson (1).

†Atelodictyon p. 322, moravicum sp. n. pp. 322, 339 fig. Devonian Czechoslovakia, Zukalova.

†Balatonia p. 56, kochi p. 57, B. ? sp. A sp. m. (sic) p. 59 fig. Trias Austria, Flügel, E. & Eberhard.

Bathycodon pyramis p. 82, KRAMP (1).

Bimeria fluminalis p. 309 fig., MILLARD.—B. key to spp. p. 164, australis p. 164, aurrumbinensis sp. n. p. 164 fig. Queensland, Pennycuuk.

Blackfordia virginica p. 343 fig., Kramp.—B. p. 155, key to spp. p. 155, manhattensis p. 155, virginica p. 156 fig., Kramp (1).

Bonneviella grandis p. 58 fig., [NAUMOV].

Botynema p. 183, key to spp. p. 183, brucei pp. 44, 183 fig., ellinorae p. 184 fig., Kramp (1).—B. brucei p. 61 fig., [Naumov].

Bougainvillia fulva p. 341, Kramp.—B. p. 107, key to spp. p. 107, platygaster pp. 9, 108 fig., niobe pp. 11, 110 fig., macloviana p. 107 fig., pyramidata p. 108 fig., superciliaris p. 108 fig., principis p. 108 fig., britannica p. 109 fig., maniculata p. 109, carolinensis p. 110 fig., nordgaardi p. 110 fig., frondosa p. 110 fig., rugosa p. 110 fig., nigritella, simplex p. 110, multicilia, charcoti p. 111, Kramp (1).—B. maclouiana p. 242 fig., ramosa p. 244 fig., MILLARD (1).—B. frondosa p. 52, ramosa p. 53, Vannucci.—B. ramosa p. 12 fig., Wood, E. J. F. & Allen.

Bougainvilliidae p. 104, key to genera p. 105, Kramp (1).—B. key to genera p. 163, Pennycuik.

Bythotiara p. 125, murrayi pp. 18, 125 fig., KRAMP (1). Calycopsidae p. 124, key to genera p. 125, KRAMP (1).

Calycopsis pp. 18, 126, key to spp. p. 126, simplex pp. 19, 126 fig., borchgrevinki pp. 19, 126 fig., krampi p. 126 fig., bigelowi pp. 19, 127 fig., gara p. 127 fig., papillata pp. 20, 127 fig., typa pp. 21, 127 fig., chuni pp. 23, 127 fig., simulans p. 20, nematophora p. 21, valdiviae p. 22, speciation p. 24, Kramp (1).

†Calyxhydra gen. n. pp. 221, 264, 270, type sp. (by original designation) genellithecata p. 221 fig., constricts p. 223 fig., irregularis p. 224 fig., spp. n. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3 1959.

Camella vilae-velebiti pp. 149, 161, HADŽI.

Campanularia discussed p. 247, MILLARD (1).— C. groenlandica p. 56 fig., chinensis p. 57 fig., [NAUMOV].— C. africana, delicatula p. 169, johnstoni p. 170, PENNYCUIK.— C. hinksii p. 311 fig., johnstoni p. 312, VERVOORT.— C. groenlandica p. 54, YAMADA.

Campanulariidae p. 146, key to genera p. 146, Kramp (1).—C. discussed p. 247, MILLARD (1).—C. key to genera p. 169, Pennycuik.

Cannota p. 133, dodecantha p. 133, KRAMP (1).

Catablema p. 122, vesicarium p. 122 fig., multicirrata p. 123 fig., Kramp (1).

Chitinodendron bacciferum p. 253 fig., longicarpus the type sp. of Kystodendron p. 251, KOZLOWSKI.

Chlorohydra discussed p. 446, hadleyi sp. n. p. 441 fig. New Jersey and Pennsylvania, Forrest.

Chromatonema p. 130, rubrum pp. 31, 130 fig., Kramp (1).—G. see also Ptychogena.

†Circopora p. 20, triadica sp. n. p. 21 fig. Trias Austria, FLÜGEL, E. & EBERHARD. Cirrhitiara p. 121, superba p. 121 fig., KRAMP (1).

Cirrholovenia gen. n. (fam. Lovenellidae) p. 250, type sp. (by original designation) polynema p. 251 fig. Philippines and Java Sea, tetranema p. 253 fig. Strait of Malacca, etc., spp. n., KRAMP Vidensk. Medd. Dansk naturh. Foren. Kbh. 121 1959.

Cladocarpus formosus p. 59 fig., [NAUMOV].—C. ventricosus p. 300 fig., VERVOORT.

Cf. Cladocoropsis mirabilis p. 71, THIEULOY.

Cladocoryne floccosa p. 300, MILLARD.—C. floccosa p. 159, Pennycuik.

Cladonema p. 96, radiatum p. 96 fig., Kramp (1).— G. pacifica p. 52 fig., [Naumov].—C. pacifica p. 194 fig., Naumov (1).

Cladonemidae p. 96, KRAMP (1).

†Clathrodictyon inopinatum p. 115, praecursum p. 116, C. ? sertiforme p. 117, FLÜGEL, E.—C. p. 325, paramygdaloides pp. 325, 341 fig., ZUKALOVA.

†Clathrodictyonidae p. 323, ZUKALOVA.

Clavidae p. 99, key to genera p. 99, KRAMP (1).

Clytia discussed p. 248, Millard (1).—C. cylindrica p. 59, Vannucci.—C. delicatula p. 54, edwardsi p. 55, Yamada.

Cnidonema a junior synonym of Staurocladia p. 97, Kramp (1).

Cnidoscyphus marginatus p. 248 fig., VERVOORT.

Cnidostoma p. 99, fallax p. 99, Kramp (1).—C. fallax p. 5, Kramp (2).

Cnidotiara p. 114, gotoi pp. 12, 114 fig., KRAMP (1).

Codonida incert. sed. p. 93, KRAMP (1).

Codonorchis p. 124, octaedrus p. 124, KRAMP (1).

Colobonema p. 186, sericeum pp. 52, 186 fig., KRAMP

Cordylophora lacustris p. 96 fig., Germaine.—C. lacustris p. 165 fig., Pennycuik.

Corydendrium parasiticum p. 301, WILLARD.

Corymorpha sp. p. 299, MILLARD.—C. gracilis is Euphysora p. 41 footnote, Vannucci.—C. iyoensis sp. n. p. 52 fig. Japan, Yamada.

Coryne pusilla p. 52 fig., princeps p. 52 fig., [NAUMOV].—
C. (?) multitentaculata p. 158, Pennycuik.—C. pusilla p. 3 fig., Utinomi.—C. pusilla p. 52, Yamada.

Corynidae p. 77, key to genera p. 77, Kramp (1).—C. key to genera p. 157, Pennycuik.

Cosmetira p. 144, pilosella p. 144 fig., KRAMP (1). Cosmetirella p. 144, davisi p. 144 fig., KRAMP (1).

Craspedacusta sowerbyi p. 97 fig., Germaine.—C. sowerbii pp. 72, 96, Hadži (1).—C. p. 172, sowerbyi p. 172, Kramp (1).—C. sowerbii p. 57 fig., Pax & Müller.

Crossota p. 190, key to spp. p. 190, brunnea pp. 55, 190 fig., rufobrunnea p. 190 fig., norvegica p. 191 fig., alba pp. 56, 191 fig., Kramp (1).—C. rufobrunnea p. 61 fig., INAUMOVI.

Cubaia p. 174, aphrodite p. 174 fig., KRAMP (1).

Cunina octonaria p. 370, Kramp.—C. p. 199, key to spp. p. 199, octonaria pp. 69, 199 fig., fowleri p. 199 fig., peregrina pp. 70, 199 fig., proboscidea p. 200 fig., frugifera pp. 69, 200 fig., globosa p. 201 fig., duplicata pp. 70, 201 fig., Kramp (1).—C. peregrina, octonaria p. 14, Kramp (2).—C. octonaria p. 82, Vannucci.

Cuninidae p. 199, key to genera p. 199, KRAMP (1). Cunoctantha sp. p. 119, FURNESTIN.

Cuspidella humilis p. 55 fig., [NAUMOV].—C. costata p. 235, VERVOORT.

Cuvieria p. 133, carisochroma p. 133 fig., huxleyi p. 134 fig., KRAMP (1).

Cyclocanna p. 144, welshi p. 144 fig., KRAMP (1).

†Cylindrotheca p. 230, subtilis sp. n. p. 232 fig. Ordovician Poland, Kozlowski.

Cytaeidae p. 99, KRAMP (1).

Cytaeis tetrastyla p. 340, KRAMP.—C. p. 99, tetrastyla pp. 7, 99 fig., KRAMP (1).—C. tetrastyla p. 51, VANNUCCI.

Dendrocoryne secunda p. 3 fig., UTINOMI.

Dendronema stylodendron p. 96, KRAMP (1).

†Densastroma subgen. n. (of Actinostroma) p. 196, type sp. (by original designation) Stromatopora astroites p. 196 fig. Silurian Island of Oesel, Flügel, E., Ann. naturhist. Mus. Wien 63 1959.

Dentitheca hertwigi p. 6 fig., UTINOMI.

†Desmohydra gen. n. pp. 227, 264, 270, type sp. (by original designation) flexuesa p. 227 fig., zigzag p. 227 fig., spp. n. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3 1959.

Dichotomia p. 133, cannoides pp. 32, 133 fig., KRAMP (1).

Dicodonium p. 83, floridana p. 83 fig., ocellata p. 83, jeffersoni p. 83 fig., punctatum p. 84 fig., adriaticum p. 84 fig., KRAMP (1).

Diphasia key to spp. p. 191, digitalis p. 191, Pennycuik.

—D. digitalis p. 254 fig., pectinala p. 255 fig., resacea p. 257 fig., attenuata p. 258 fig., Vervoort.

Dipleurosoma p. 132, key to spp. p. 132, typicum p. 132 fig., ochracea p. 132 fig., collapsa p. 132 fig., "D." gemmifera p. 156 fig., Kramp (1).

Dipleurosomidae p. 131, key to genera p. 131, Kramp (1).

†Diplohydra gen. n. pp. 240, 265, 271, type sp. (by original designation) longithecata p. 240 fig., micro-pedimenulata p. 240 fig., solida p. 243 fig., ? D. solida p. 244 fig., gonothecata p. 245 fig., spp. n. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3 1959.

Dipurena key to spp. p. 81, strangulata p. 81 fig., halterata p. 82 fig., ophiogaster p. 82 fig., reesi p. 82, Kramp (1).

†Disjectopora dubia p. 14, D. ? actinostromoides p. 16, FLÜGEL, E. & EBERHARD.

†Disjectoporidae p. 14, FLÜGEL, E. & EBERHARD.

Distichopora p. 121, key to Indo-Pacific spp. p. 133, violacea p. 134 fig., forma violacea p. 140, forma fisheri p. 140 fig., forma tenella p. 140 fig., gracilis p. 144 fig., coccinea p. 147 fig., fulvacea p. 152 fig., nitida p. 153 fig., irregularis p. 159, livida p. 160 fig., profimda p. 162, providentiae p. 163 fig., borealis p. 165 fig., serpens p. 169, BOSCHMA.—D. nitida, coccinea, violacea p. 247, BOSCHMA (1).—D. violacea p. 4 fig., UTINOMI.

Dynamena key to spp. p. 191, cornicina, crisioides, gibbosa, heterodonta, obliqua p. 192, quadridentata, var. elongata p. 193, Pennycuik.—D. tubuliformis p. 5 fig., Utinomi.—D. crisioides p. 260 fig., mayeri p. 261 fig., Vervoort.—D. crisioides p. 56 fig., Yamada.

Ectopleura dumortieri p. 207 fig., Aurich.—E. key to spp. p. 88, dumortieri p. 88 fig., minerva p. 88 fig., octagona p. 88 fig., Kramp (1).—E. dumortieri p.40, Vannucci.

Eirene tenuis p. 351, palkensis, ceylonensis p. 352, menoni p. 353, hexanemalis p. 354, Kramp.—E. p. 158, key to spp. p. 158, viridula p. 158 fig., lactea p. 159 fig., pyramidalis p. 159 fig., gibbosa p. 159, Kramp (1).—E. viridula p. 8, Kramp (2).—E. brevigona sp. n. p. 255 fig. off Kerteh, Kramp (3).

Eirenidae p. 158, KRAMP (1).

Eleutheria p. 97, key to spp. p. 97, dichotoma p. 97 fig., claparedei p. 97 fig., Kramp (1).

Eleutheriidae p. 96, key to genera p. 96, KRAMP (1).

†Epallohydra gen. n. pp. 230, 264, 270, type sp. (by original designation) adhaerens sp. n. p. 230 fig. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3 1959.

Eucheilota p. 153, key to spp. p. 153, ventricularis p. 154 fig., maculata p. 154 fig., flevensis p. 154, paradoxica p. 154 fig., maasi p. 154, duodecimalis p. 154 fig., comata p. 155, Kramp (1).—E. ventricularis p. 7, Kramp (2).—E. p. 243, ? E. ventricularis p. 244, E. paradoxica, ? E. comata p. 245, E. tropica sp. n. p. 247 fig. Nicobar and Philippine Islands, menoni sp. n. p. 248 fig. Nicobar, etc., diademata sp. n. p. 249 fig. Philippines, sp. juv. p. 250, Kramp (3).—E. ventricularis p. 61 fig., Vannucci.

Eucodonium p. 91, brownei p. 91 fig., Kramp (1).— E. brownei p. 43 fig., Vannucci.

Eucopida incert. sed. p. 155, KRAMP (1).-E. p. 146, KRAMP (1).

Eudendriidae key to genera p. 167, PENNYCUIK.

Eudendrium carneum p. 302 fig., ? parvum p. 304 fig., MILLARD.—E. rameum p. 54 fig., [NAUMOV].—E. key to spp. p. 167, album p. 167, capillare p. 168, Pennycuik.—E. racemosum p. 3 fig., UTINOMI.—E. cf. capillare p. 218, VERVOORT.

Eugymnanthea p. 155, inequilina p. 155 fig., KRAMP (1). Eulaomedea see Laomedea.

Eumedusa p. 129, birulai p. 129 fig., KRAMP (1).

Euphysa flammea p. 470, GRAINGER.—E. key to spp. p. 85, aurata p. 85 fig., flammea p. 85 fig., tentaculata p. 85 fig., KRAMP (1).

Euphysilla p. 90, pyramidata p. 90 fig., KRAMP (1).

Euphysora bigelowi p. 340, Kramp.—E. furcata pp. 4, 89 fig., gracilis p. 89 fig., gigantea p. 89 fig., Kramp (1).—E. gracilis p. 41 footnote, Vannucci.

Eutiara p. 123, mayeri pp. 14, 123 fig., KRAMP (1).

Eutima orientalis p. 357, hartlaubi nom. n. (for orientalis Eutima orientatis p. 557, nartiation mom. n. (for orientatis Hartlaub not Browne) p. 358 fig. E. Africa, KRAMP.— E. p. 160, key to spp. p. 160, E. [Octorchis] gegenbauri p. 161 fig., E. mira p. 161 fig., variabilis p. 161 fig., gracilis p. 162 fig., coerulea p. 162 fig., gentiana p. 162 fig., cuculata p. 162, KRAMP (1).—E. mira p. 63, VANNUCCI.

Eutimidae p. 160, key to genera p. 160, KRAMP (1).

Eutonina p. 162, key to spp. p. 163, indicans p. 163 fig., scintillans p. 163, Kramp (1).

†Flexihydra gen. n. pp. 225, 264, 270, type sp. (by original designation) undulata sp. n. p. 225 fig. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3

Garveia clevelandensis sp. n. p. 166 fig. Queensland,

Gastroblasta raffaelsi is probably an abnormal Phialidium hemisphaericum p. 148, ovalis is a Phialidium p. 151, KRAMP (1).

Gemmaria globosa p. 52 fig., [NAUMOV].

Georginella diaphana valid pp. 45, 85, HADŽI (1).

†Gerronostroma uralicum p. 117, FLÜGEL, E.

Geryonia p. 192, proboscidalis pp. 60, 192 fig., Kramp (1).—G. [as Gerionia (sic)] proboscidalis, p. 73, Vannucci.

Geryonidae p. 192, key to genera p. 192, KRAMP (1).

Gonionemus p. 174, vertens p. 174, KRAMP (1).—G. vertens p. 55 fig., [NAUMOV].—G. depressum p. 7 fig.,

†Gonotheca forma A p. 254 fig., forma B p. 256 fig., forma C p. 257 fig., forma D p. 257 fig., forma E p. 258 fig., forma F p. 258 fig., Kozlowski.

Gonothyrea bicuspidata p. 55, YAMADA.

Gossea faureae p. 11, Furnestin.—G. p. 176, key to spp. p. 176, corynetes p. 176 fig., faureae p. 176, brachymera p. 177 fig., Kramp (1).

Gotoea p. 90, similis sp. n. pp. 5, 90 fig. St. Helena, KRAMP (1).

Grammaria stentor p. 57 fig., abietina p. 58 fig., [NAU-MOV].—G. serpens p. 235 fig., VERVOORT.

Gymnangium hians p. 61, YAMADA.

Halammohydra discussed pp. 56, 90, Hadži (1).— H. p. 203, octopodides p. 203 fig., schulzei, vermiformis p. 203, Kramp (1).—H. vermiformis, octopodides, schulzei p. 330, adherens p. 331, Swedmark & Teissier.

Halammohydridae p. 203, KRAMP (1).

Haleciidae key to genera p. 173, PENNYCUIK.

Halecium muricatum p. 58 fig., [NAUNOV].—H. key to spp. p. 173, delicatulum p. 173, lighti p. 173 fig., sessile p. 174 fig., PENNYCUIK.—H. lankesteri p. 221 fig., beanii p. 224 fig., halecinum p. 225, parvulum p. 227 fig., tenellum p. 229 fig., VERVOORT.

Halicornaria hians, longicornis p. 186, Pennycuik.— H. longicauda p. 298 fig., Vervoort.

Halicreas minimum p. 368, KRAMP.—H. p. 181, minimum pp. 41, 181 fig., KRAMP (1).—H. minimum p. 61 fig., [NAUMOV].

Halicreidae p. 181, key to genera p. 181, KRAMP (1). Haliscera p. 182, key to spp. p. 182, conica p. 182 fig., bigelowi pp. 43, 182 fig., racovitzae p. 183 fig., Kramp

Halitholus cirratus p. 470, GRAINGER.-H. p. 119, key to spp. p. 119, pauper p. 119 fig., cirratus p. 119 fig., intermedius p. 119 fig., KRAMP (1).

Halitiara p. 114, formosa p. 115 fig., KRAMP (1).

Halitrephes maasi p. 368, KRAMP .- H. p. 183, maasi pp. 44, 183 fig., KRAMP (1).

Halmomises p. 169, lacustris p. 169, KRAMP (1).,

Halocordyle key to spp. p. 159, disticha var. australis p. 160 fig., wilsoni p. 160 fig., Pennycuik.—H. disticha var. australis p. 216, Vervoort.—H. disticha p. 52, YAMADA.

Halopsis p. 143, ocellata p. 143 fig., KRAMP (1).

Halopteris key to spp. p. 177, diaphana p. 177, polymorpha p. 178, Pennycuik.

Hebella key to spp. p. 188, calcarata, var. contorta, costata, dyssymmetra var. trigona p. 188, Pennyculk.— H. scandens p. 237 fig., var. michaelseni p. 238 fig., var. contorta p. 239 fig., cylindrata p. 241 fig., michael-sarsi p. 242 fig., ritchiei sp. n. p. 244 fig. W. Africa, Vervoort.— H. parasitica p. 56, Yamada.

Helgicirrha malayensis p. 355, Kramp.—H. p. 159, key to spp. p. 159, schulzei p. 159 fig., cari p. 160 fig., Kramp (1).—H. schulzei p. 9, Kramp (2).—H. danduensis p. 255, Kramp (3).

†Heptastylis p. 26, aquilas p. 28, oregonensis p. 29, stromatoporoides p. 30 fig., Flügel, E. & EBERHARD.

† Heptastylopsis see Spongiomorpha.

†Hermatostroma macroporum p. 133, derzavini p. 119, talovense p. 119, FLÜGEL, E.

†Heterastridiidae discussed p. 4, Flügel, E. & EBERHARD.

†Heterastridium conglobatum conglobatum p. 9, conglolatum lobatum, conglobatum aplanatum p. 10, Flügel, E. & EBERHARD.

Heterotiara p. 125, anonyma pp. 17, 125 fig., Kramp (1).

Hincksella key to spp. p. 189, cylindrica p. 189, Penny-Cuik.—H. cylindrica p. 245 fig., var. pusilla p. 247 fig., Vervoort.

Homoenema p. 184, platygonum p. 185 fig., KRAMP (1).

Hybocodon prolifer p. 216 fig., Aurich.—H. p. 86, prolifer p. 86 fig., pendula p. 87 fig., unicus p. 87 fig., forbesi p. 87 fig., Kramp (1).

Hydra key to N. American spp. p. 446, Forrest.— H. viridis p. 94 fig., Germaine.—H. sp. p. 7 fig., Macan. —H. attenuata p. 75 fig., Paetzold & Tilgner.

Hydractinia diogenes sp. n. p. 305 fig. Portuguese East Africa, kaffraria p. 307, MILLARD.—H. allmani p. 54 fig., [NAUMOV].—H. epiconcha p. 3 fig., UTINOMI.—H. sp. p. 217, VERWOORT.

Hydractiniidae p. 100, KRAMP (1).

Hydrichthys boycei p. 309, MILLARD.

Hydrissa sodalis p. 4 fig., UTINOMI.

†"Hydrocorallinen (?) stöckchen" p. 73, Flügel, E. &

Hydroctena salenskii discussed pp. 65, 93, HADŽI (1).

Hydroids key to Californian spp. p. 30, Light.

Hydromedusae key to Californian spp. p. 37, Gwilliam in Light.

Hydrorhiza p. 261 fig., Kozlowski.

Hypsorophus quadratus p. 110, FURNESTIN.

Idiella pristis p. 252, VERVOORT.

Idiellana pristis p. 193, PENNYCUIK.

† Idiostroma hunanense pp. 286, 301 fig., CHEN.

Irenium p. 165, quadrigatum p. 165 fig., teuscheri p. 165 fig., KRAMP (1).

†Irregulatopora moluccana p. 17, FLÜGEL, E. & EBER-HARD.

† Jillua tubifera p. 73, FLÜGEL, E. & EBERHARD.

Kirchenpaueria pinnata p. 252, MILLARD (1).—K. pinnata forma elegantula p. 289, VERVOORT.

Köllikerina p. 111, key to spp. p. 112, fasciculata p. 112 fig., elegans p. 112 fig., massi p. 112 fig., Kramp (1).--K. ornata sp. n. p. 229 fig. Ceylon, Kramp (3).

Krampella dubia p. 141 fig., KRAMP (1).

†Kystodendron gen. n. pp. 251, 265, 271, type sp. (by original designation pp. 265, 271) Chitinodendron longicarpus p. 252 fig. Silurian Baltic, Kozlowski Acta palaeont. polon. 4 3 1959.

† Labechiella mingshankouensis p. 115, FLÜGEL, E.

Lafoea fruticosa p. 57 fig., [NAUMOV].—L. fruticosa p. 6 fig., UTINOMI.

Lafoeidae key to genera p. 187, PENNYCUIK.

Lafoeina maxima p. 56 fig., [NAUMOV].

†Lagenohydra gen. n. pp. 245, 265, 271, type sp. (by original designation) phragmata sp. n. p. 248 fig. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3 1959.

†Lamellata gen. n. (fam. incert.) p. 60, type sp. (by original designation) wähneri sp. n. p. 61 fig. Rhaetic Austria, FLÜGEL, E. & EBERHARD Neues Jb. Geol. Paläont. Abh. 109 1 1959.

Laodicea indica p. 343, Kramp.—L. p. 135, key to spp. p. 135, undulata pp. 33, 135 fig., pulchra p. 136 fig., ocellata p. 136 fig., chapmani p. 136, neptuna p. 136 fig., Kramp (1).—L. undulata p. 6, Kramp (2).—L. minuscula sp. n. p. 56 fig. Brazil, ? L. undulata p. 57, Vannucci.—L. see also Pychogena.

Laodiceidae p. 135, key to genera p. 135, Kramp (1).

Laomedea p. 248, angulata p. 248, lovéni p. 249, MILLARD (1).—L. longissima p. 57 fig., [NAUMOV].—L. (Phialidium) pelagica p. 313 fig., L. (Obelia) bicuspidata, dichotoma p. 315, L. (Eulaomedea) pseudodichotoma sp. n. p. 316 fig. W. Africa, VERVOORT.

Leptomedusae p. 131, key to families p. 131, Kramp (1).

Leuckartiara hoepplii p. 342, Kramp.—L. p. 120, key to spp. p. 120, octona pp. 14, 120 fig., nobilis p. 120 fig., breviconis p. 120 fig., grimaldi p. 120, abyssi p. 121, Kramp (1).—L. hoepplii p. 235 fig., Kramp (3).—L. octona p. 167, Pennycuik.

Lictorella key to spp. p. 189, Pennycuik.

Limnocnida congoensis sp. n. p. 175 fig. Congo Basin, BOUILLON.

Limnomedusae p. 168, key to families p. 169, Kramp (1).

Linvillea p. 82, agassizi p. 82 fig., KRAMP (1).

Liriope tetraphylla, eurybia p. 112, Furnestin.—L. tetraphylla p. 368, Kramp.—L. p. 193, tetraphylla pp. 58, 193 fig., Kramp (1).—L. tetraphylla p. 11, Kramp (2).—L. tetraphylla p. 7 fig., Utinomi.—L. tetraphylla p. 70, Vannucci.

†Lithopora koeneni p. 22, Flügel, E. & EBERHARD.

Lizzella p. 112, hyalina, octella p. 112, KRAMP (1).

Lizzia p. 105, key to spp. p. 105, blondina p. 105 fig., elizabethae p. 105 fig., fulgurans p. 105 fig., gracilis p. 105, octostyla p. 106 fig., Kramp (1).

Lovenella p. 152, key to spp. p. 153, clausa p. 153 fig., cirrata p. 153 fig., bermudensis p. 153 fig., Kramp (1).— L. cirrata p. 8, Kramp (2).—L. p. 243, ? L. assimilis p. 246, Kramp (3).—L. chiquitita p. 250 fig., MILLARD (1).—L. cirrata p. 60, Vannucci.—L. corrugata p. 231 fig., Vervoort.

Lovenellidae p. 152, key to genera p. 152, Kramp (1).—L. discussed p. 243, Kramp (3).

Lymnoria a doubtful genus, triedra unrecognizable p. 106, Kramp (1).

Lytocarpia niger p. 6 fig., UTINOMI.

Lytocarpus philippinus p. 186, phoeniceus p. 187, Pennycuik.—L. clarkei p. 302 fig., Vervoort.

(

n

Macrorhynchia phoenicea p. 5 fig., UTINOMI.—M. phoenicea p. 62, YAMADA.

Madrepora gemmascens validated p. 132, Opinion 574.

Maeotias p. 173, inexpectata p. 173 fig., KRAMP (1).

Margelopsidae p. 92, KRAMP (1).

Margelopsis haeckeli p. 223 fig., AURICH.—M. key to spp. p. 92, haeckeli p. 92 fig., gibbesi p. 92 fig., hartlaubi p. 92 fig., australis p. 93, KRAMP (1).

Melicertidae p. 134, Kramp (1).—M. p. 238, Kramp (3).

Melicertissa p. 138, key to spp. p. 138, clavigera p. 139 fig., mayeri sp. n. p. 139 fig. Florida, adriatica p. 139, KRAMP (1).

Melicertoides gen. n. (fam. Melicertidae) p. 238, type sp. (by original designation) centripetalis sp. n. p. 239 fig. Philippines, Kramp Vidensk. Medd. Dansk naturh. Foren. Kbh. 121 1959.

Melicertum p. 134, octocostatum p. 134 fig., panocto p. 135, Kramp (1).

Merga violacea p. 341, Kramp.—M. p. 115, key to spp. p. 116, violacea p. 116 fig., tergestina p. 116 fig., reesi p. 116 fig., Kramp (1).—M. tergestina p. 320 fig., Vannucci & Yamada.

Millepora spp. discussed p. 247, Boschma (1).— M. tenella p. 4 fig., Utinomi.

†Millepora sp. p. 113 fig., PULLEY.

† Milleporella p. 312, sardoa p. 312 fig., Hudson (2).

†Milleporellicae superfam. n. p. 311, Hudson Geol. Mag. 96 4 1959.

†Milleporellidae p. 312, Hudson (2).

†"Milleporidium" fassani p. 75, FLÜGEL, E. & EBER-HARD.

Mitrocoma p. 143, annae p. 143 fig., minervae p. 143, KRAMP (1).

Mitrocomella p. 142, key to spp. p. 142, brownei p. 142 fig., frigida p. 142 fig., polydiademala p. 143 fig., cruciala p. 143 fig., KRAMP (1).

Mitrocomidae p. 142, key to genera p. 142, Kramp (1).

Mitrocomium assimile is probably a Lovenella p. 246, Kramp (3).

Mnestra p. 95, pararites p. 95, KRAMP (1).

Moerisia gangetica sp. n. p. 363 fig. R. Ganges estuary, Kramp.—M. p. 169, key to spp. p. 169, lyonsi p. 170 fig., gangetica p. 170, pallasi p. 170 fig., Kramp (1).

Moerisiidae p. 169, key to genera p. 169, KRAMP (1).

Monobrachium parasiticum p. 448 fig., NAUMOV (2).

Monostaechas quadridens p. 178 fig., Pennycuik. Myrionema amboinense p. 168, Pennycuik.

Narcomedusae p. 193, key to families p. 193, larvae on Bougainvillia [as Bougainville (sic)] platygaster p. 73, Rhopalonema velatum and R. funerarium p. 74, KRAMP (1).

Nemertesia cylindrica p. 178, PENNYCUIK.—N. incerta p. 290 fig., perrieri p. 292 fig., ramosa var. plumularioides p. 293 fig., antennina p. 297, VERVOORT.

Nemopsis p. 111, bachei p. 111 fig., crucifera, heteronema p. 111, Kramp (1).

Neoturris p. 122, pileata pp. 15, 122 fig., Kramp (1).— N. bigelowi **sp. n.** p. 237 Ceylon, Kramp (3).

Netocertoides p. 133, brachiatum p. 133 fig., KRAMP (1).

†Nigriporella sp. p. 142 fig., Konishi.

Niobia dendrotentaculata p. 334 fig., Brinckmann.— N. p. 115, dendrotentaculata p. 115 fig., Kramp (1).

Obelia sp. p. 108, Furnestin.—O. p. 146, spp. p. 147, sp. p. 147 fig., Kramp (1).—O. sp. p. 6, Kramp (2).—O. bicuspidata p. 249, dichotoma, geniculata p. 250, MILLARD (1).—O. key to spp. p. 170, australis p. 170, bicuspidata var. picteti p. 170 fig., longicyatha, nodosa p. 171, Pennycunk.—O. plana p. 5 fig., Utinomi.—O. hydroid p. 58, Vannucci.—O. geniculata p. 55, Yamada.—O. see Laomedea.

Oceania p. 99, armata pp. 8, 99 fig., Kramp (1).— O. armata p. 5, Kramp (2).

Octocannoides ocellata p. 350 fig., KRAMP.

Octogonade p. 145, mediterranea p. 146, KRAMP (1).

Octophialucium indicum sp. n. p. 347 fig. Mergui Archipelago and Burma, spp. discussed p. 348, Kramp. —O. p. 157, key to spp. p. 157, fuerarium pp. 36, 157 fig., medium p. 157 fig., sp. pp. 36, 157, Kramp (1).

Octorchis gegenbauri p. 110, FURNESTIN.

Octotiara violacea sp. n. p. 234 fig. Ceylon, Kramp (3).

Odessia maeotica forma marina p. 111, Furnestin.— O. p. 170, maeotica p. 171 fig., Kramp (1).

Olindias singularis p. 366, Kramp.—O. p. 172, phosphorica, var. phosphorica, var. sambaquinensis p. 173, var. tenuis p. 173 fig., malayensis p. 173, Kramp (1).—O. phosphorica p. 10, Kramp (2).—O. formosa p. 7 fig., UTINOMI.

Olindiidae p. 172, key to genera p. 172, Kramp (1).

Oonautes p. 95, hanseni p. 95 fig., KRAMP (1).

? Opercularella humilis p. 175 fig., PENNYCUIK.

Ophiodissa caciniformis p. 218 fig., VERVOORT.

Orchistoma p. 139, pileus pp. 34, 139 fig., agariciforme p. 140, "O." tentaculata pp. 34, 140 fig., graeffi p. 140, KRAMP (1).—O. discussed p. 240, tentaculata and graeffi are spp. of Orchistomella p. 241, KRAMP (3).

Orchistomella gen. n. (fam. Melicertidae) p. 241, type sp. (by original designation) Orchistoma tentaculata p. 241 Atlantic coast of N. America, graeffi p. 241, applanata sp. n. p. 242 fig. Philippines, Kramp Vidensk. Medd. Dansk naturh. Foren. Kbh. 121 1959.

Orthopyxis key to spp. p. 171, caliculata, compressa, crenata forma subtropica, delicata p. 172, PENNYCUIK.—O. platicarpa p. 5 fig., UTINOMI.—O. caliculata p. 54, YAMADA.

Ostroumovia inkermanica p. 364, Kramp.—O. p. 171, inkermanica p. 171 fig., Kramp (1).—O. horii p. 265 fig., Uchida & Nagao.

Otohydra vagans p. 331, SWEDMARK & TEISSIER.

Pachycordyle p. 93, weismanni p. 94, degeneratus p. 94 fig., Kramp (1).—P. p. 224, globulosa p. 225 fig. Philippines, lineata p. 225 fig. Bali, conica p. 226 fig. Gulf of Panama, spp. n., Kramp (3).

†Palaeotuba p. 232, polycephala p. 233 fig., dichotoma sp. n. p. 234 fig. Ordovician Poland, Kozlowski.

Pandea p. 123, conica pp. 16, 123 fig., rubra p. 123 fig., Kramp (1).—P. sp. juv. p. 233, Kramp (3).

Pandeid gen. et sp. ind. p. 16, KRAMP (1).

Pandeidae p. 113, key to genera p. 113, KRAMP (1).

Pandeopsis gen. n. (fam. Pandeidae) p. 232, type sp. (by original designation) scutigera sp. n. p. 232 fig. Gulf of Siam, etc., Kramp Vidensk. Medd. Dansk naturh. Foren. Kbh. 121 1959.

Pantachogon rubrum p. 115, FURNESTIN.—P. 186, key to spp. p. 186, haeckeli pp. 51, 186 fig., militare pp. 52, 186 fig., scotti p. 186 fig., KRAMP (1).—P. haeckeli p. 61 fig., [Naumov].

Paragoloea p. 90, bathybia pp. 5, 91 fig., Kramp (1).— P. bathybia p. 172 fig., RALPH (1).

Paragotoeidae fam. n. (superfam. ? Tubularoidea) p. 176, RALPH Proc. zool. Soc. Lond. 133 2 1959.

†Parallelopora nodulatum p. 119, P. ? parksi p. 116, FLÜGEL, E.

Paratiara p. 115, digitalis pp. 12, 115 fig., KRAMP (1).

Pegantha p. 197, key to spp. p. 197, mariagon pp. 64, 197 fig., laevis pp. 66, 198 fig., clara pp. 66, 198 fig., ribiginosa pp. 67, 198 fig., triloba pp. 68, 198 fig., Kramp (1).—P. mariagon, laevis, P. juv. p. 13, Kramp (2).

Pennaria p. 93, pauper sp. n. pp. 4, 93 fig. Cape Verde, tiarella p. 93 fig., disticha p. 93, Kramp (1).—P. disticha var. australis p. 300, MILLARD.—P. cavolinii p. 3 fig., UTINOMI.

Pennariidae p. 93, KRAMP (1).

Perigonimus brevicornis p. 53 fig., rubratum p. 53 fig., nematophora p. 53 fig., [NAUMOV].

Persa p. 189, incolorata p. 189 fig., KRAMP (1).

Petasidae p. 181, KRAMP (1).

Petasiella asymmetrica p. 256, KRAMP (3).

Petasus p. 181, atavus p. 181 fig., KRAMP (1).

Phialella p. 151, key to spp. p. 151, quadrata p. 152 fig., falklandica p. 152 fig., parvigastra p. 152, Kramp (1).

Phialellidae p. 151, KRAMP (1).

Phialidium haemisphericum p. 109, FURNESTIN.—P. p. 147, key to spp. p. 147, phosphoricum p. 147, hemisphaericum p. 148 fig., daguidum p. 148 fig., discoidum p. 148 fig., mccradyi p. 149 fig., simplex p. 149 fig., islandicum p. 149 fig., policophorum p. 149 fig., globosum p. 149 fig., globosum p. 149 fig., globosum p. 149 fig., globosum p. 150 fig., singularis p. globasum p. 149 fig., getatinosum p. 150 fig., anguara p. 150 fig., iridescens p. 150 fig., brunescens p. 150 fig., noliformis p. 151 fig., ovalis p. 151 fig., Kramp (1).—P. see Laomedea and Pseudoclytia.

Phialopsis [as Philopsis (sic) p. 37] p. 160, diegensis pp. 37, 160 fig., Kramp (1).

Phialuciidae p. 156, KRAMP (1).

Phialucium mbenga p. 345, carolinae p. 346, KRAMP.— P. p. 156, carolinae p. 156 fig., KRAMP (1).

†Phragmohydra gen. n. pp. 238, 264, 270, type sp. (by original designation) articulata sp. n. p. 238 fig. Ordovician Poland, Kozlowski Acta palaeont. polon.

Phylactotheca caciniformis p. 174, PENNYCUIK.

Physalia physalis p. 7 fig., Lane.—P. physalia var. utriculus p. 8 fig., Utinomi.

Plotocnide p. 91, borealis p. 91 fig., incerta p. 91 fig.,

Plumularia setacea p. 252, MILLARD (1).—P. key to spp. p. 179, badia, halecioides p. 179, obliqua, pulchella, setacea, spinulosa p. 180, warreni (?) p. 181 fig., warreni var. pambanensis p. 182 fig., sp. p. 183 fig., Pennyycuik.—P. setacea p. 60, filicaulis var. japonica p. 60 fig., YAMADA.

Plumulariidae key to genera p. 175, Pennycuik.

Pochella p. 179, key to spp. p. 179, polynema p. 179 fig., oligonema p. 179 fig., Kramp (1).

Podocoryne p. 100, key to spp. p. 100, carnea p. 101 fig., hartlaubi p. 101 fig., borealis p. 101 fig., minuta p. 102 fig., minima p. 102 fig., tenuis p. 102 fig., dubia p. 102 fig., areolata p. 102, polystyla p. 103, meteoris p. 103 fig., Kramp (1).—P. apicata sp. n. p. 228 fig. Strait of Malacca and Gulf of Siam, Kramp (3).—P. nassa sp. n. p. 307 fig. Portuguese East Africa, Millard.—P. minima p. 49, VANNUCCI.

Polyorchis karafutoensis p. 56 fig., [NAUMOV].

Porpita porpita p. 9 fig., MACKIE .- P. porpita p. 8 fig., UTINOMI.

Proboscidactyla ornata p. 367, Kramp.—P. p. 177, key to spp. p. 178, ornata p. 178 fig., stellata p. 178 fig., mutabilis p. 178 fig., Kramp (1).—P. ornata p. 67, VANNUCCI.

Proboscidactylidae p. 177, key to genera p. 177, KRAMP (1).

Propachycordyle p. 94, canalifera p. 94, KRAMP (1).

Protiara p. 114, haeckeli p. 114 fig., tetranema p. 114, KRAMP (1).

Pseudoclytia pentata is an abnormal Phialidium p. 151 fig., forma hexaradiata is possibly Phialidium hemisphaericum p. 148, KRAMP (1)

Ptychogastria p. 180, key to spp. p. 180, polaris p. 180 fig., asteroides p. 180, Kramp (1).

Ptychogastridae p. 180, KRAMP (1).

Ptychogena p. 137, key to spp. p. 137, lactea p. 137 fig., antarctica p. 137, crocea p. 137 fig., hyperborea p. 138 fig., aurea is probably Chromatonema rubrum, longigona is probably Laodicea undulata p. 138, Kramp (1).

Pycnotheca mirabilis p. 184, Pennyguik.—P. mirabilis p. 59, Yamada.

Ransonia p. 190, krampi pp. 55, 190 fig., KRAMP (1).

Rathkea p. 103, key to spp. p. 103, octobunctata p. 103 fig., formosissima p. 104 fig., africana p. 104 fig., Kramp (1).

Rathkeidae p. 103, KRAMP (1).

†Rhabdohydra gen. n. pp. 235, 264, 270, type sp. (by original designation) tridens sp. n. p. 235 fig. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3

Rhacostoma p. 168, atlanticum p. 168 fig., KRAMP (1).-R. atlanticum p. 9, KRAMP (2).

Rhizorhagium navis sp. n. p. 244 fig. Cape Town Docks, MILLARD (1).

Rhopalonema velatum p. 114, Furnestin.—R. velatum p. 368, Kramp.—R. p. 185, key to spp. p. 185, velatum pp. 47, 185 fig., finerarium pp. 50, 185 fig., Kramp (1).—R. velatum p. 12, Kramp (2).—R. velatum p. 75, Vannucci.

Rhopalonematidae p. 184, key to genera p. 184, KRAMP (1).

Russellia p. 129, mirabilis pp. 30, 129 fig., KRAMP (1). Russelliidae p. 129, KRAMP (1).

Salacia key to spp. p. 193, hexodon, tetracythara, tetracythara var. p. 194, Pennyguik.

Sarsia key to spp. p. 77, tubulosa p. 78 fig., hargitti p. 78 fig., gemmifera p. 79 fig., siphonophora p. 79, princeps p. 79 fig., prolifera p. 79 fig., eximia p. 79 fig., gracilis p. 79 fig., angulata p. 80 fig., barentsi p. 80, brachygaster p. 80 fig., condonophora p. 81, Kramp.—S. eximia p. 241, MILLARD (1).-S. eximia p. 39, VANNUCCI.

Sarsiella p. 82, ocellata p. 82 fig., dinema p. 83, Kramp (1).

Scolionema suvaensis p. 365, KRAMP.—S. p. 174, suvaensis p. 174 fig., KRAMP (1).

Sertularella tricuspidata p. 59 fig., gigantea p. 59 fig., [NAUMOV].—S. key to spp. 194, diaphana, quadridens p. 195, minuscula p. 195 fig., robusta p. 195 fig., sp. p. 196 fig., PENNYCUIK.—S. sinensis p. 5 fig., UTINOMI.—S. formosa p. 264 fig., cylindritheca p. 266 fig., undulitheca sp. n. p. 269 fig. W. Africa, mediterranea p. 272 fig., gayi p. 273 fig., VERVOORT.—S. miurensis p. 57, diaphana p. 58 fig., YAMADA.

Sertularia robusta p. 59 fig., [NAUMOV].—S. key to spp. 196, borneensis p. 197 fig., distans var. gracilis, loculosa, minima p. 197, trigonostoma, turbinata p. 198, Pennycuuk.—S. turbinata p. 275 fig., ligulata p. 277 fig., dalmasi p. 279 fig., inflata p. 281 fig., trigonostoma var. alternata var. n. p. 284 fig. W. Africa, Vervoort.

Sertulariidae key to genera p. 190, PENNYCUIK.

Sibogita pp. 26, 127, geometrica p. 28, subsp. occidentalis subsp. n. pp. 28, 129 fig. N. Atlantic, KRAMP (1).

Sminthea eurygaster p. 115, Furnestin.—S. eurygaster p. 368, Kramp.—S. p. 187, eurygaster pp. 54, 187 fig., Kramp (1).

Solanderia fusca p. 159, PENNYCUIK.

Solmaridae p. 196, key to genera p. 196, KRAMP (1).

Solmaris corona, leucostyla p. 117, Furnestin.—S. p. 196, key to spp. p. 196, leucostyla p. 196 fig., flavescens p. 196 fig., solmaris p. 196 fig., corona p. 197 fig., multi-lobata, vanhoeffeni p. 197, Kramp (1).—S. juv. p. 14, Kramp (2).

Solmissus sp. p. 119, Furnestin.—S. p. 202, key to spp. p. 202, albeseen p. 202 fig., marshalli pp. 71, 202 fig., incisa pp. 72, 203 fig., Kramp (1).—S. marshalli p. 15, Kramp (2).

Solmundella bitentaculata p. 118, Furnestin.—S. bitentaculata p. 369, Kramp.—S. p. 195, bitentaculata pp. 63, 195 fig., Kramp (1).—S. bitentaculata p. 12, Kramp (2).—S. bitentaculata p. 79, Vannucci.

†"Sphaeractinia" kinzigensis p. 63, S. rothpletzi p. 76, Flügel, E. & EBERHARD.

†Sphaeractiniidae p. 19, Flügel, E. & EBERHARD. Spirocodon saltatrix p. 7 fig., UTINOMI.

†Spongiomorpha p. 32, acyclica p. 34 fig., "S. broilii" p. 37, S. (Heptastylopsis) dendroidea p. 38, "S. (H.)" dendriformis p. 78 [=a coral], S. gibbosa p. 39 fig., minor p. 41, ramosa p. 43 fig., "S. rhaetica", S. sanbozanensis p. 46, tenuis p. 47, sp. p. 48, Flügel, E. & Eberhard.

†Spongiomorphidae p. 25, Flügel, E. & EBERHARD.

Stauridiosarsia key to spp. p. 77, producta p. 80 fig.,

(RAMP (1).

Staurocladia p. 97, a senior synonym of Cnidonema p. 97, key to spp. p. 98, vallentini probably = capensis p. 98 fig., charcoti probably = hodgsoni p. 98 fig., KRAMP (1).

Staurocoryne heroni sp. n. p. 158 fig. Queensland, Pennycuik.

Staurodiscus p. 140, tetrastaurus p. 140 fig., heterosceles p. 140, KRAMP (1).

Staurophora p. 138, mertensi p. 138 fig., KRAMP (1).

Steenstrupia rubra p. 111, FURNESTIN.—S. p. 85, ? S. sp. p. 6 fig., S. mutans p. 86 fig., Kramp (1).

Stegopoma plicatile p. 56 fig., [NAUMOV].—S. fasti-giatum p. 234 fig., VERVOORT.

†Steineria Hudson not Micoletzky re-named Steinerina p. 518, Hudson.

†Steinerina nom. n. for Steineria Hudson not Micoletzky (fam. Milleporidiidae) p. 518, type sp. (by original designation) Stromatopera romanica p. 518 Jurassic Roumania, Hudson Geol. Mag. 936 1956.

†Stictostroma istokiense [as istokense (sic) p. 115] pp. 109,

†Stoliczkaria a synonym of Heterastridium p. 9, granulata is H. conglobatum conglobatum p. 9, Flügel, E. & Eberhard.

Stomotoca p. 119, pterophylla p. 119 fig., Kramp (1).—S. dinema p. 55, Vannucci.

†Stromactinia triasica an alga p. 80 fig., FLÜGEL, E. & EBERHARD.

†Stromaporidium globosum p. 66, Flügel, E. & Eber-HARD.—S. globosum p. 163, Sy.

†Stromatomorpha p. 50, californica p. 51, "S. delicata", S. rhaetica p. 52, stylifera p. 54 fig., Flügel, E. & Eberhard.

†Stromatopora sp. pp. 286, 301 fig., Chen.—S. astroites the type sp. of Densastroma pp. 108, 196, S.? perforation pp. 116, FLügel, E.—"S." p. 82, S. moluccana a sp. of Irregulatopora p. 17, cainalli p. 83, porosa p. 84, FLÜGEL, E. & EBERHARD.—S. romanica the type sp. of Steinerina p. 518, HUDSON.—S. p. 329, cf. cooperi pp. 329, 344, ZUKALOVA.

†Stromatoporella moosense p. 116, Flügel, E.—S. p. 326, eifeliensis pp. 327, 342 fig., frasniensis sp. n. pp. 327, 343 fig. Devonian Czechoslovakia, Zukalova.

†Stromatoporellata mammillaris p. 68, Flügel, E. & EBERHARD.

†Stromatoporellidae p. 326, Zukalova.

†Stromatoporidae p. 329, Zukalova.

†Stromatoporina moluccana a sp. of Irregulatopora p. 17, FLÜGEL, E. & EBERHARD.

†Stromatostroma triasica p. 69, Flügel, E. & Eberhard.

Stylactella niotha sp. n. p. 162 fig. Queensland, Penny-cuik.

Stylactis p. 103, hooperi p. 103 fig., pruvoti p. 103 fig., KRAMP (1).

Stylaster profundiporus p. 4 fig., UTINOMI.

Syntheciidae key to genera p. 189, Pennycuik.

Synthecium key to spp. p. 189, megathecum p. 189 fig., patulum p. 190, Pennyguik.

†Syringosphaeria a synonym of Heterastridium p. 9, and intermedia, medicotti, monticularia, monticularia aspera, plana, porosa, tuberculata, and verrucosa are all H. conglobatum conglobatum pp. 9, 10, 87, FLÜGEL, E. & EBERHARD.

†Syringostroma nodulatum pp. 109, 119, ristigouchense p. 119, FLÜGEL, E.

Tetraplatia volitans p. 371 fig., chuni p. 374 fig., RALPH.

Tetrorchis p. 188, erythrogaster pp. 55, 189 fig., KRAMP
(1).

Thamnostoma p. 106, dibalia p. 106 fig., tetrella p. 106, russelli p. 106 fig., sp. p. 107 fig., KRAMP (1).

The cocarpus brevirostris, phyteuma p. 187, Pennycuik.— T. myriophyllum var. typica p. 305 fig., var. bedoti p. 306 fig., Vervoort.

Thuiaria thuja p. 60 fig., decemserialis p. 60 fig., [NAU-MOV].

Thyroscyphus key to spp. p. 198, bedoti p. 198 fig., camparulatus, sibogae p. 198, Pennycuik.—T. ramosus p. 250 fig., Vervoort.

Tiaranna p. 130, rotunda pp. 31, 130 fig., KRAMP (1).

Tiarannidae p. 130, key to genera p. 130, Kramp (1). Tiaricodon p. 170, coeruleus p. 170 fig., Kramp (1).

Tiaropsidium roseum p. 343, Kramp.—T. p. 145, mediterraneum p. 145 fig., atlanticum p. 145 fig., Kramp

Tiaropsis multicirrata p. 471, Grainger.—T. p. 144, multicirrata pp. 35, 145 fig., Kramp (1).

Tima p. 163, key to spp. p. 163, bairdi p. 163 fig., flavilabris p. 164, lucullana p. 164 fig., KRAMP (1).

Toxorchis p. 140, key to spp. p. 140, arcuatus p. 141 fig., kellneri p. 141 fig., brocksi p. 141 fig., polynema sp. n. pp. 34, 141 fig. W. Africa, Kramp (1).—T. polynema p. 242, Kramp (3).

Trachymedusae p. 179, key to families p. 179, Kramp (1).

Tricyclusa sp. p. 506, VEVERS.

†Trimerohydra gen. n. pp. 217, 264, 270, type sp. (by original designation) glabra p. 217 fig., annulata p. 219 fig., spp. n. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3 1959.

†Trupetostroma conglomeratum p. 113, furcatipilosum p. 108 (but is Anostylostroma p. 115), mirum p. 116, Flügel, E.

†Trupetostromaria a synonym of Astrostylopsis p. 32, circoporea p. 37, Hudson (1).

Tubularia larynx p. 222 fig., Aurich.—T. warreni p. 299, Millard.—T. larynx, warreni p. 240, Millard (1).
—T. indivisa p. 53 fig., [Naumov].—T. crocea? p. 157, Pennycuik.—T. mesembryanthemum p. 3 fig., Utinomi.—T. sp. p. 216, Vervoort.—T. australis p. 12 fig., Wood, E. J. F. & Allen.

Tubulariidae p. 84, key to genera p. 84, Kramp (1). Turritopsis p. 100, nutricula pp. 9, 100 fig., Kramp

(1).—T. nutricula p. 47, VANNUCCI.

Vallentinia p. 175, key to spp. p. 175, falklandica p. 175 fig., gabriellae p. 175 fig., adherens p. 175, KRAMP (1).

Velella velella p. 8 fig., UTINOMI.

Vogtia pentacantha p. 62 fig., [NAUMOV].

†Xenohydra gen. n. pp. 249, 265, 271, type sp. (by original designation) labiata sp. n. p. 249 fig. Ordovician Poland, Kozlowski Acta palaeont. polon. 4 3 1959.

Zanclea p. 94, costata pp. 6, 94 fig., Kramp (1).— Z. dubia sp. n. p. 226 fig. Java Sea, Kramp (3).—Z. key to spp. p. 159, Pennycuik.—Z. costata p. 45, Vannucci.

Zancleidae p. 94, key to genera p. 94, KRAMP (1).

Zancleopsis p. 95, dichotoma p. 95 fig., Kramp (1). Zanclonia p. 124, weldoni p. 124 fig., Kramp (1).

Zygocanna buitendijki p. 363, Kramp.—Z. p. 168, vagans pp. 39, 168 fig., Kramp (1).

#### †GRAPTOLITHINA

Commencing with Volume 97, 1960, the Graptolithina will be recorded in Section 14, Protochordata.

Abiesgraptus p. 154, tenuiramosus p. 157, multiramosus p. 164 fig., longeramosus sp. n. p. 167 fig. U. Ludlovian Thüringia, JAEGER.

Callograptus belmustakovi p. 538 fig., bončevi p. 538 fig., spp. n. Lower Carboniferous Bulgaria, Spasov & Nikolov.

Climacograptus cf. scalaris p. 131 fig., rectangularis p. 131 fig., HORNÝ (1).—C. venustus sp. n. pp. 346, 349 fig. Ordovician China, bicornis pp. 347, 350 fig., var. beltifer pp. 347, 350 fig., HSÜ.—C. retioloides a sp. of Gymnograptus p. 298, URBANEK (1).

Colonograptus colonus p. 30 fig., URBANEK.

Cryptograptus tricornis pp. 175, 191 fig., Hsü.

? Demirastrites convolutus p. 131 fig., HORNÝ (1).

Desmograptus cancellatus p. 680 fig., SLOAN.

? Dictyonema sp. p. 103 fig., [BOGACHEV].

Didymograptus linealis sp. n. pp. 166, 181 fig. Ordovician China, nodosus pp. 166, 181 fig., Hsü.

Diplograptus gracilis neotype chosen p. 253 fig., D.? sp. prosicula p. 256 fig., EISENACK.

Glossograptus cf. echinatus pp. 171, 186 fig., Hsü.

Glyptograptus dentatus var. intermedius var. n. pp. 170, 185 fig. Ordovician China, Hsü.

Gymnograptus linnarssoni p. 280 fig., retioloides p. 298 fig., sp. p. 321 fig., Urbanek (1).

Isograptus chinghaiensis pp. 168, 182 fig., curvithecatus pp. 168, 183 fig., spp. n. Ordovician China, caduceus mut. nanus pp. 169, 183 fig., Hsü.

Linograptus p. 133, posthumus posthumus p. 143 fig., posthumus tenuis subsp. n. p. 153 fig. L. Ludlovian Thüringia, JAEGER.—L. posthumus tenuis nom. nud. p. 137, JAEGER (1).

Loganograptus tsaidamensis sp. n. pp. 164, 179 fig. Ordovician China, cf. gracilis pp. 165, 179 fig., Hst.

Monograptus fimbriatus var. similis, triangulatus var. major, and communis var. rostratus lectotypes designated, and similis, triangulatus, major, communis and rostratus placed on Official List of Specific Names p. 106, Opnnon 571.—M. cf. lobiferus p. 131 fig., Horný (1).—M. hercynicus p. 87 fig., praehercynicus sp. n. p. 92 fig. U. Ludlovian Thüringia, uniformis p. 94 fig., kayseri p. 99 fig., ramstalensis sp. n. p. 101 fig. U. Ludlovian Thüringia, aequabilis p. 102 fig., hemiodon sp. n. p. 105 fig., microdon silesicus subsp. n. p. 110 fig. U. Ludlovian Silesia, uncinatus p. 112 fig., micropoma micropoma p. 117 fig., micropoma anicropoma p. 117 fig., micropoma anicropoma p. 112 fig. L. Ludlovian in boulders in Pleistocene Rügen, deubeli sp. n. L. Ludlovian Germany, dubius thuringicus subsp. n. p. 127 fig. M. Ludlovian Thüringia, Jakeger.

Orthographus cf. vesiculous p. 131 fig., sp. p. 131 fig., HORNÝ (1).

Paraglossograptus gen. n. (fam. Glossograptidae) pp. 171, 187, regularis pp. 172, 188 fig., latus pp. 173, 189 fig., spp. n., multifibratus sp. n. pp. 174, 190 fig., var. longus var. n. pp. 175, 190 fig., Ordovician China, Mu MS. in Hsü Acta palaeont. Sinica 7 3 1959.

Petalolithus ovatoelongatus p. 131 fig., HORNÝ (1).

Pristiograptus sp. p. 131 fig., jaculum p. 131 fig., Horný (1).—P. gotlandicus p. 12 fig., Urbanek.

Pseudoclimacograptus romanovskyi var. sinensis var. n. pp. 171, 186 fig. Ordovician China, Hst.

Rastrites longispinus p. 131 fig., HORNÝ (1).

? Retiolitid p. 258 fig., EISENACK.

Spirograptus spiralis p. 131 fig., HORNÝ (1).

Tetragraptus harti pp. 165, 180 fig., Hsü.

Trigonograptus praelongus [as paelongus (sic) p. 184] pp. 169, 184 fig., ensiformis pp. 169, 184 fig., Hst.

Xenotheca klinostoma p. 257, EISENACK.

#### +DIPLEUROZOA

Dickinsonia costata considered an annelid and not a coelenterate p. 526, GLAESSNER.—D. is possibly an annelid p. 188, GLAESSNER (1).

#### SCYPHOZOA

Atolla bairdii p. 120, Furnestin.—A. bairdii p. 63 fig., [Naumov].

Aurelia aurita p. 24, Kramp (2).—A. aurita p. 6 fig., Maaden.—A. limbata p. 62 fig., [Naumov].—A. aurita p. 9 fig., Utinomi.

†Brooksella [as Broocksella (sic)] octolobata p. 109 fig., [Miroshnikov].

Cassiopea andromeda p. 8, MAADEN.—C. xamachana p. 577 fig., Southcott.

Catostylus tagi p. 25, KRAMP (2).

Cephea sp. p. 372, KRAMP.

Charybdea marsupialis p. 119, FURNESTIN.

Chirodropus gorilla p. 17 fig., KRAMP (2).

Chironex fleckeri p. 572 fig., SOUTHCOTT.

Chiropsalmus quadrumanus p. 79, Guest.—C. quadrumanus p. 16 fig., Kramp (2).

Chrysaora quinquecirrha p. 372, KRAMP.—C. quinquecirrha p. 23, KRAMP (2).

Coronomedusae polypoid generations discussed p. 582, Naturov (3).

NAUMOV (3).

Cyanea capillata p. 473, GRAINGER.—C. capillata p. 24,

Kramp (2).—C. nozakii p. 10 fig., Utinomi.

Dactylometra quinquecirrha p. 575 fig., Southoott.—
D. pacifica p. 9 fig., Utinomi.

Discomedusa lobata p. 24, KRAMP (2).

Drymonema dalmatina p. 25, KRAMP (2).

Haliclystus [as Halyclistus (sic)] stejnegeri p. 64 fig., [NAUMOV].

Mastigias papua p. 10 fig., UTINOMI.

Nausithoe punctata p. 120, Furnestin.—N. punctata p. 21, Kramp (2).

Netrostoma setouchianum p. 10 fig., UTINOMI.

†Paleosemaeostoma gerynoides p. 294 fig., ZAHÁLKA.

Paraphyllina ransoni p. 21, KRAMP (2).

Pelagia noctiluca p. 22, KRAMP (2).—P. panopyra p. 10 fig., UTINOMI.

Periphylla hyacinthina p. 63 fig., [NAUMOV].

Periphyllopsis galatheae sp. n. p. 257 fig. E. Africa, KRAMP (3).

Rhizostoma luteum p. 26 fig., KRAMP (2).

Sanderia malayensis p. 9 fig., UTINOMI.

Sasakiella cruciformis p. 9 fig., UTINOMI.

Semaeostomae p. 849 fig., THIEL.

Stenoscyphus inabai p. 9 fig., UTINOMI.

Stephanoscyphus simplex p. 174 fig., corniformis p. 183 fig., Kramp (4).—S. simplex discussed p. 582, spp. p. 583 fig., Naumov (3).

Stygiomedusae gen. n. (near fam. Ulmaridae) p. 1529, type sp. (by monotypy) fabulosa sp. n. p. 1529 off Spain, Russell Nature Lond. 184 4698 1959.

Tamoya bursaria p. 371, KRAMP.—T. haplonema p. 15, KRAMP (2).

#### ANTHOZOA

#### ALCYONARIA

Acabaria japonica p. 16 fig., corymbosa p. 16 fig., UTI-NOMI.

Acanthacis p. 58, BAYER (1).

Acanthogorgia schrammi p. 7 fig., BAYER.—A. tori sp. n. p. 55 fig. Gulf of Suez, STIASNY.—A. multispina p. 17 fig., japonica p. 17 fig., UTINOMI.

Alcyonium adriaticum p. 45 fig., PAX & MÜLLER (1).— A. gracillimum p. 12 fig., UTINOMI.

†Alcyonium sp. p. 26 fig., POKORNÝ.

Anthelia formosana p. 304, UTINOMI (1).

Anthogorgia japonica p. 48 fig., STIASNY.

Anthomastus rylovi p. 64 fig., [NAUMOV].

Anthopleura dimorpha p. 17 fig., UTINOMI.

Asterospicularia laurae p. 305, UTINOMI (1).

Bebryce hicksoni p. 51 fig., STIASNY.

Brandella rubra p. 54 fig., STIASNY.

Calicogorgia granulosa p. 16 fig., UTINOMI.—? C. [as ? Calicigorgia (sic)] tenuis p. 49 fig., STIASNY.

Calyptrophora japonica p. 18 fig., UTINOMI.

Cavernularia obesa p. 20 fig., UTINOMI.

Cespitularia stolonifera p. 305, UTINOMI (1).

†Charnia p. 1473, masoni p. 1473 fig., sp. p. 1473 fig., GLAESSNER (2).

†Charniodiscus p. 1473, GLAESSNER (2).

Chrysogorgia fewkesi forma multiflora p. 27 fig., affinis p. 29, BAYER.

Cladiella discussed p. 310, genolectotype chosen Lobularia sphaerophora pp. 308, 311 fig., replaces Sphaerella Gray (q.v.) p. 311, a senior synonym of Microspicularia p. 311, C. pachyclados p. 308, UTINOMI (1).

Clavularia racemosa p. 11 fig., UTINOMI.—C. racemosa, inflata p. 303, UTINOMI (1).

Cornularia cornucopiae p. 54, ABEL.—C. komaii p. 11 fig., UTINOMI.

Dendronephthya argentea p. 19, intermedia p. 27, kukenthali p. 36, colombiensis p. 47, guggenheimi p. 53, tuberculata p. 54, nipponica p. 56, aurea p. 68, aculeata p. 72, roemeri p. 77, novaezeelandiae p. 86, hicksoni p. 91, ovata p. 113, clavata p. 115, kollikeri p. 142, and irregularis p. 147 are all spp. of Spongodes, and curvata pars is S. utinomii p. 129, TIXIER-DURIVAULT & PREVORSEK.—D. gigantea p. 13 fig., nipponica p. 13 fig., aurea p. 13 fig., cervicornis p. 13 fig., habereri p. 13 fig., acaulis p. 14 fig., disciformis p. 14 fig., flabellifera p. 14 fig., pectinata p. 14 fig., spinulosa p. 14 fig., UTINOMI.

Diodogorgia nodulifera p. 6 fig., BAYER.

Discogorgia erythraeensis sp. n. p. 53 fig. Gulf of Suez, STIASNY.

Echinogorgia p. 58, flexilis p. 56 fig., pseudosassapo p. 56 fig., BAYER (1).—E. reticulata p. 16 fig., UTINOMI.

Echinomuricea p. 58, indomalaccensis p. 56 fig., BAYER (1).

Echinoptilum macintoshi p. 20 fig., UTINOMI.

Ellisella barbadensis p. 21 fig., elongata p. 23 fig., BAYER.

—E. junceelloides sp. n. p. 56 fig. Gulf of Suez, maculata
p. 58 fig., STIASNY.—E. see also Junceella.

Eumuricea acervata p. 26 fig., Rossi.

Eunephthya (Gersemia) rubiformis p. 64 fig., [NAUMOV].

Eunicea castelnaudi p. 12, Bayer.—E. humilis p. 1, Deichmann & Bayer.

†Eunicea sp. p. 26 fig., Pokorný.

Eunicella verrucosa p. 56, ABEL.

Euplexaura erecta p. 17 fig., UTINOMI.

Gersemia see Eunephthya.

Gorgonella miniacea p. 61 fig., umbraculum p. 62 fig., STIASNY.—G. umbraculum p. 18 fig., UTINOMI.

Gorgonia flavida a sp. of Muriceopsis p. 8, Deichmann & Bayer.—G. adamsii p. 28 fig., Rossi.

Heliopora coerula p. 83 fig., Ma.—H. coerulea p. 309, UTINOMI (1).

Heteroxenia elisabethae p. 305, UTINOMI (1).

Iciligorgia schrammi p. 6 fig., BAYER.

Junceella hystrix probably an Ellisella p. 27, BAYER.

Leptogorgia stheno p. 17 fig., setacea, virgulata p. 18, BAYER.—L. alba p. 31 fig., pumicea p. 32 fig., flexilis p. 35 fig., Rossi.

Lobularia sphaerophora chosen as type sp. of Cladiella p. 311, UTINOMI (1).

Lophogorgia punicea, rathbunii p. 18, rubropurpurea, violacea p. 19, BAYER.

Melithaea flabellifera p. 16 fig., var. cylindrata p. 16 fig., UTINOMI.

Menella p. 58, rubescens p. 56 fig., BAYER (1).

Microspicularia digitulata p. 12 fig., UTINOMI.

† Moltkia minuta p. 211 fig., Voigt.

Muricea discussed p. 12, midas sp. n. p. 12 fig. Surinam, BAYER.—M. echinata p. 20 fig., purpurea p. 22 fig., austera p. 23 fig., robusta p. 24 fig., Rossi.

Muricella arborea p. 45 fig., complanata p. 45, perramosa p. 46 fig., ramosa p. 46 fig., tenera p. 47 fig., STIASNY.

Muriceopsis sulphurea p. 12, Bayer.—M. diagnosed p. 3, key to spp. p. 5, sulphurea p. 6 fig., flavida p. 8 fig., Deichmann & Bayer.

Nephthea chabroli p. 13 fig., UTINOMI.—N. erecta p. 309, UTINOMI (1).

† Nephthea sp. p. 26 fig., POKORNÝ.

Nidalia rigida p. 12 fig., grandiflora p. 12 fig., UTINOMI.

Pachyclavularia violacea p. 11 fig., Utinomi.—P. violacea p. 304, Utinomi (1).

Pacifigorgia elegans p. 19 fig., BAYER.

Paragorgia arborea p. 65 fig., [NAUMOV].

Paralemnalia thyrsoides p. 309, UTINOMI (1).

Paramuricea p. 58, placomus p. 57 fig., grandis p. 56 fig., echinata p. 56 fig., BAYER (1).

Parisis fruticosa p. 63 fig., STIASNY.

Pavonaria finmarchica p. 66 fig., [NAUMOV].

Pennatula fimbriata p. 20 fig., UTINOMI.

Phyllogorgia dilatata p. 20, BAYER.

Placogorgia p. 54, tribuloides sp. n. p. 58 fig. Straits of Florida, dendritica p. 56 fig., mirabilis p. 61 fig., tenuis p. 61 fig., atlantica p. 61 fig., rudis p. 61 fig., placoderma p. 60 fig., BAYER (1).

Plexaura flavida p. 1, DEICHMANN & BAYER.

Plexaurella dichotoma, grandiflora, pumilla p. 11, BAYER.

Plexauridae discussed p. 10, BAYER.

Plexauroides rigida p. 17 fig., praelonga p. 17 fig., spinifera p. 17 fig., UTINOMI.

Plexauropsis a junior synonym of Pseudoplexaura, spp. discussed p. 2, Deichmann & Bayer.

Plumarella longispina p. 65 fig., [NAUMOV].—P. spinosa p. 18 fig., UTINOMI.

Primnoa resedaeformis forma pacifica p. 66 fig., [Nau-Mov].

Primnoella divaricata, magelhaenica, murrayi p. 29, flagellum, polita, delicatissima p. 30, BAYER.

Primnoisis rigida p. 30, BAYER.

Pseudopterogorgia bipinnata p. 20, BAYER.

†Pteridinium pp. 526, 527, Glaesner.—P. p. 1473, Glaesner (2).

Pteroeides spinosum p. 46 fig., PAX & MÜLLER (1).—P. breviradiatum p. 19 fig., esperi p. 19 fig., UTINOMI.

Radicipes verrillii p. 66 fig., [NAUMOV].

 $\dagger Rangea$  p. 526, Glaessner.—R. sp. p. 1472, Glaessner (2).

Renilla reniformis forma americana p. 31, mulleri p. 31 fig., BAYER.

Sarcophyton glaucum, boletiforme p. 254, Tixier-Duri-VAULT.—S. glaucum p. 12 fig., UTINOMI.—S. ehrenbergi, acutangulum p. 306, moseri p. 307, glaucum p. 307 fig., tropheliophorum p. 307, UTINOMI (1).

Scirpearia erythrasa p. 58 fig., dollfusi sp. n. p. 59 fig. Gulf of Suez, Stiasny.—S. rubra p. 18 fig., Utinomi.

Sclerobelemnon p. 33, theseus sp. n. p. 33 fig. Trinidad and Surinam, Bayer.—S. burgeri p. 20 fig., UTINOMI.

Scytalium splendens p. 19 fig., UTINOMI.

Sinularia gardineri, leptoclados p. 253, triaena p. 254, Texter-Durivault.—S. polydactyla p. 11 fig., Utinomi.— S. polydactyla p. 305 fig., mayi p. 305 fig., Utinomi (1). Siphonogorgia dipsacea p. 15 fig., dofleini p. 15 fig.,

UTINOMI.

Solenopodium marquesarum p. 309 fig., UTINOMI (1).

Sphaerella Gray a junior homonym of S. Sommerfelt and S. Conrad p. 311, and replaced by Cladiella Gray p. 311, UTINOMI (1).

Spongodes suesiana p. 254, TIXIER-DURIVAULT.—S. p. 1, savignyi p. 14 fig., argentea p. 19 fig., moseri p. 21 fig., mortenseni sp. n. p. 22 fig. E. Asia, intermedia p. 27 fig., celosia p. 31 fig., kukenthali p. 36 fig., fusca p. 40, robusta p. 42 fig., flava p. 45, colombiensis p. 47 fig., semperi p. 49 fig., guggenheimi p. 53 fig., tuberculata p. 54 fig., nipponica p. 56 fig., hemprichi p. 58 fig., gigantea p. 63 fig., aurea p. 68 fig., aculeata p. 72 fig., roemeri p. 77 fig., mucronata p. 81 fig., novaezeelandias p. 86 fig., hicksom p. 91 fig., spongiosa p. 96 fig., echinata sp. n. p. 101 fig. off S. China, carnea p. 105 fig., doederleini p. 110, punicea p. 11 fig., ovata p. 113 fig., clavata p. 115 fig., mayi p. 119 fig., studeri p. 120 fig., spinifera p. 122 fig., hadzii sp. n. p. 124 fig. Madagascar, utinomii sp. n. p. 129 fig. Gulf of Tadjourah, suesiana p. 133 fig., harmeperi p. 137 fig., köllikeri p. 142 fig., irregularis p. 147, TIXIER-DURIVAULT & PREVORSEK.

†Spongodes [as Spoggodes (sic)] sp. p. 26 fig., Pokorný. Stachyptilum superbum p. 20 fig., Utinom.

Stereonephthya rubriflora p. 15 fig., japonica p. 15 fig., UTINOMI.

Stylatula p. 37, cf. brasiliensis, diadema sp. n. p. 38 fig. Surinam, BAYER.

Suberogorgia koellikeri p. 44 fig., STIASNY.

Telesto riisei p. 3 fig., BAYER.

Thesea p. 14, antiope sp. n. p. 14 fig. Brazil, bicolor, gracilis p. 17, BAYER.—T. flexilis p. 60 fig., BAYER (1).

Thouarella acanthina p. 30, BAYER.

Trachymuricea p. 58, hirta p. 56 fig., kükenthali p. 56 fig., BAYER (1).

Tripalea clavaria p. 7, BAYER.

Tubipora musica p. 11 fig., UTINOMI.—T. musica p. 304, UTINOMI (1).

Villogorgia p. 58, zimmermani p. 56 fig., nigrescens p. 56 fig., BAYER (1).

Virgularia presbytes p. 37 fig., kophameli p. 37, BAYER.— V. gustaviana p. 19 fig., UTINOMI.

Xenia hicksoni p. 11 fig., UTINOMI.

#### †TABULATA

Acanthohalysites sp. pp. 13, 15 fig., HAMADA.

Alveolites p. 56, suborbicularis p. 57 fig., Cranswick & Fritz.—A. suborbicularis p. 14, [IVANIYA (1)].—A. vallorum pl. 5, cf. multiperforatus pl. 19, Warren & Structure pl. 19, warren &

Aulocystis spinosus sp. n. pp. 291, 308 fig. Devonian China, Chen.—A. p. 795, multicystosa p. 795 fig., crassimurata p. 795 fig., magnispina p. 795 fig., spp. n., jacksoni p. 796 fig., subsp. dubia subsp. n. p. 796 fig., subsp. dubia subsp. n. p. 796 fig., subsp. dubia subsp. n. p. 796 fig., stummi sp. n. p. 797 fig., paraa sp. n. p. 797 fig., alpenensis sp. n. p. 797 fig., ramosa p. 797 fig., fenestrata p. 798 fig., subsp. problematica subsp. n. p. 798 fig., cooperi sp. n. p. 799 fig., dichotoma p. 800 fig., minuta sp. n. p. 800 fig., subsp. parallela subsp. n. p. 801 fig., Devonian Michigan, Watkins (1).

Aulopora heckeri pp. 37, 98 fig., [GHEKKER].—A. sp. pl. 8, serbens pl. 13, [IVANOVA].—A. cf. conferta pl. 15, pp. l. 19, sp. A. pl. 20, WARREN & STELCK.—A. p. 802, erecta the type sp. of Pachyphragma p. 801, buccinata sp. n. p. 802 fig., microbuccinata sp. n. p. 802 fig., crassala p. 803 fig., gregaria sp. n. p. 803 fig., conferta p. 804 fig., socialis p. 804 fig., Devonian Michigan, WATKINS (1).

Auloporidae p. 794, WATKINS (1).

Auloporinae p. 794, WATKINS (1).

Bayhaium gen. n. (fam. Auloporidae) p. 99, type sp. (by original designation) merriamorum sp. n. p. 100 fig. Permian California, Langenheim & Мсситснеон.

Calapoecia p. 15, sp. p. 15 fig., HILL.

Catenipora rubra pl. 12 fig., escharoides pl. 13 fig., sp. pls. 13, 15 fig., elegans pl. 14 fig., HAMADA.

Cladochonus sp. pls. 8, 17, [IVANOVA].—C. p. 804, antiquus p. 805 fig., WATKINS (1).

Cladopora p. 59, key to Siberian Devonian spp. p. 107, rectilineata p. 62 fig., cylindrocallularis p. 64 fig., [Chuddinova].—C. p. 58, rimosa p. 59 fig., roemeri p. 60 fig., Cranswick & Faitz.

Coenites sp. pls. 5, 8, 15, WARREN & STELCK.

Cyrtophyllum [as Cyrthophyllum (sic)] sp. p. 192 fig., [Soshkina].

Dendropora (Trachypora? [sic]) sp. pl. 15, Warren & Stelck.

Emmonsia p. 53, emmonsi p. 54 fig., epidermata p. 55 fig., tuberosa p. 55 fig., Cranswick & Fritz.

Eofletcheria sp. p. 192 fig., [Soshkina].

Favosites p. 47, cf. alpenensis alpenensis p. 47 fig., clausus p. 48 fig., concavus p. 49 fig., cf. dumosa p. 50 fig., var. parva war. m. p. 51 fig. M. Devonian Canada, intertextus p. 52 fig., turbinatus p. 52 fig., Cranswick & Fritz.—F. sp. p. 38 fig., [Ghekker].—F. hidensis p. 208 fig., cylindrical-arborescent spp. listed p. 204, Hamada (1).—F. sp. p. 192 fig., [Sosikina].—F. sp. pl. 1, limitaris pls. 2, 5, cf. alpenensis pl. 3, Warren & Stelck.

Granulidictyum subgen. n. (of Pleurodictyum) p. 308, type sp. (by original designation) P. granuliferum p. 307 fig. M. Devonian Germany, Schindewolf Abhandl. mat. naturw. Kl. Akad. Wiss. Liter. Jahr. 1988 6 1959.

Halysites catenularius pl. 12 fig., labyrinthicus pls. 13, 15 fig., HAMADA.—H. sp. p. 192 fig., [SOSHKINA].

Holacanthopora p. 147, LE MAÎTRE.

Michelinia tenuisepta p. 2374 fig., LAFUSTE.

Monilopora antiquus a sp. of Cladochonus p. 805, WATKINS (1).

Nyctopora p. 16, sp. p. 16 fig., HILL.

Pachyphragma gen. n. (fam. Auloporidae) p. 801, type sp. (by original designation) Aulopora erecta p. 801 fig., cylindratum sp. n. p. 801 fig., concentricum sp. n. p. 801 fig., Devonian Michigan, WATKINS J. Paleont. 33 5 1959.

Pachypora discussed p. 201, HAMADA (1).

Palaearea lopatini p. 192 fig., [Soshkina].

Palaeofavosites forbesiformis var. changi var. n. pp. 287, 303 fig., paulus var. sinensis var. n. pp. 288, 304 fig., Silurian China, Chen.—P. p. 11, okulitchi p. 11, okulitchi? p. 11 fig., prolificus p. 12, capax, groenlandicus, nodosus, arcticus p. 13, poulseni, asper pp. 13, 14, transiens, kirki p. 14, Hill.

Parafavosites discussed p. 314, ferganensis p. 315 fig., germanus p. 316 fig., Schindewolf.

Parastriatopora p. 45, key to Siberian Devonian spp. p. 107, rhizoides p. 46 fig., tchernychevi p. 49 fig., [Chudinoval.

Parastriatoporella gen. n. (fam. Thamnoporidae) p. 50, type sp. (by author's designation) Striatopora immotia p. 50 Devonian Arkansas, oklahomensis pp. 28, 51 fig., religiosa pp. 28, 51 fig., [Chudinova] Trav. Inst. paléont. Acad. Sci. U.R.S.S. 73 1959.

Parastriatoporinae subfam. n. (of Thamnoporidae) p. 44, [Chudinova] Trav. Inst. paléont. Acad. Sci. U.R.S.S. 73 1959.

Peridictyum gen. n. p. 310, type sp. (by original designation) Pleurodictyum petrii p. 308 fig. Lower Devonian Germany, Schindewolf Abhandl. matnaturw. Kl. Akad. Wiss. Liter. Jahr. 1958 6 1959.

Pleurodictyum p. 61, convexum p. 62 fig., Cranswick & Fritz.—P. p. 147, Le Maître.—P. saourense, rosaceum, mauretanicum p. 2376, spp. n. Devonian N. Africa, sp. p. 2377, Le Maître (1).—P. problematicum pp. 291, 301 fig., sploporum p. 291 fig., sp. p. 305 fig., granuliferum the type sp. of Granulidictyum p. 307 fig., petrii the type sp. of Peridictyum p. 308 fig., Schindewolf.

Plicatomurus gen. n. (fam. Favositidae) p. 27, type sp. (by original designation) solidus p. 29 fig., bogimbaensis р. 30 fig., vagus p. 31 fig., parvus p. 32 fig., spp. n. U. Silurian Kazakhstan, Снло Paleont. Zhurn. 1959 3 1959.

Reuschia p. 17, sp. p. 17 fig., HILL.

Roemeria D. 148, LE MAÎTRE.

Striatopora p. 52, immota the type sp. of Parastriatoporella p. 50, oklahomensis and religiosa spp. of Parastriatoporella p. 51, key to Siberian Devonian spp. p. 107, peetzi p. 55 fig., tschichatschewi p. 57 fig., [CHUDINOVA].

Striatoporinae p. 51, [Chudinova].

Syringopora cf. distans p. 128, Contl.—S. p. 63, cf. tabulata p. 63 fig., Cranswick & Fritz.—S. sp. p. 118, Kolosyáry (1).—S. sp. n. [sic] ex group reticulata pp. 25, 28, Hill in Thomas, G. A.—S. p. 805, intermedia p. 805 fig., ehleri sp. n. p. 806 fig. Devonian Michigan, Watkins (1).

Syringoporella (?) multisolenia sp. n. pp. 288, 305 fig. Silurian China, Chen.

Syringoporinae p. 805, WATKINS (1).

Thannopora p. 66, key to Siberian Devonian spp. p. 108, elegantula sp. n. p. 71 fig., reticulata p. 72 fig., subsp. reticulata p. 73 fig., subsp. reticulata p. 73 fig., subsp. bona subsp. n. p. 77 fig., helenae sp. n. p. 82 fig., tumefacta p. 84 fig., khalfini p. 85 fig., alta p. 86 fig., kuznetskiensis p. 92 fig., beliakovi p. 94 fig., proba p. 98 fig., densa sp. n. p. 102 fig., compacta sp. n. p. 104 fig., rudis sp. n. p. 105 fig., Devonian Siberia, [Chudinoval.—T. discussed p. 201, cervicornis p. 208 fig., Hamada (1).—T. cervicornis p. 15, [Ivaniya (1)].—T. sp. pls. 15, 23, cf. polyforata pl. 20, cf. cervicornis pl. 20, Warren & Stelck.

Thamnoporidae p. 44, [Chudinova].

Thamnoporina p. 43, [Chudinova].

Thamnoporinae p. 66, [Chudinova].

Thecostegites bouchardi pp. 290, 307 fig., CHEN.

Tollina diagnosed p. 89, warsanofievae p. 90 fig., taimyrica p. 92 fig., arctica p. 93 fig., polaris p. 95 fig., spp. n. Ordovician Taimyr, Barskaya.—T. keyserlingi p. 192 fig., [SOSHKINA].

Trachypora? (sic) sp. pl. 15, WARREN & STELCK.

Troedssonites multitabulatus pp. 289, 305 fig., wonghsiangensis pp. 289, 306 fig., spp. n. Silurian China, CHEN.

#### ZOANTHARIA

Acanthastraea [as Acanthastrea (sic)] echinata p. 67 fig., hemprichii p. 67 fig., MA.

† Acanthocyathus sp. p. 7 fig., SILVA.

†Acanthophyllum p. 141, cf. fibratum p. 141 fig., spp. p. 142 fig., MIDDLETON.

† Acinophyllum gen. n. (fam. Phillipsastracidae) p. 22, type sp. (by original designation) Eridophyllum si p. 24 fig. Devonian Canada, stramineum p. 25 fig., baculoideum p. 27 fig., camselli, crassiseptatum, fasciculum p. 27, occidens, A.? rectiseptatum p. 28, McLaren, Bull. Geol. Surv. Canada 48 1959.

Acrhelia horrescens p. 78 fig., NEMENZO.

† Acrophyllum p. 32, oneidaense p. 33 fig., CRANSWICK & FRITZ

Acropora spp. discussed p. 246, Boschma (1).— A. conferta p. 6 fig., symmetrica p. 7 fig., arcuata p. 7 fig., reticulata p. 7 fig., leptocyathus p. 7 fig., palifera p. 8 fig., tizardi p. 8 fig., prostrata p. 8 fig., corymbosa p. 8 fig.,

irregularis p. 8 fig., abrotanoides p. 8 fig., hystrix p. 8 fig., compressa p. 8 fig., hyacinthus p. 9 fig., humilis p. 9 fig., pectinata p. 9 fig., Ma.

Acrosmilia depressa p. 165 fig., Sucić.

† Actinastraea furcata p. 164 fig., Sucić.

Actinauge chilensis sp. n. p. 30 fig. Chile, CARLGREN.

Actinia equina equina p. 21, ABEL.—A. pluvia the type sp. of Phymanthea p. 17, CARLGREN.—A. equina p. 21 fig., UTINOMI.

Actinian larva p. 90 fig., JÄGERSTEN.

Actinostola intermedia p. 29, CARLGREN.

Agaricia agaricites p. 15 fig., ponderosa p. 16 fig., fragilis p. 16 fig., MA.

Aiptasiomorpha elongata p. 33, CARLGREN.

† Alleynia see Syringaxon.

Alveopora verrilliana p. 35 fig., MA.

†Amandophyllum sp. ind. p. 82 fig., IGô.—A. simmetricum p. 68 fig., myatshkovense p. 68 fig., [Dobrolyubova].

†Amplexidae p. 293, Schouppé & STACUL.

†Amplexocarinia sp. p. 119 fig., jokeri p. 123 fig., Kolosváry (1).—Amplexocarinia p. 293, muralis p. 294 fig., abichi p. 301 fig., bitauniensis sp. n. p. 307 fig., bernich p. 308 fig., jonkeri p. 311 fig., gerei p. 313 fig., subtilis sp. n. p. 315 fig., composita sp. n. p. 316 fig., herischi sp. n. p. 318 fig., arcuata sp. n. p. 320 fig., duplex sp. n. p. 322 fig., thomasi sp. n. p. 323 fig., Permian Timor, Schouppé & Stacul.

†Amplexocarininae p. 293, Schouppé & Stacul.

†Amplexus p. 5, sp. p. 5 fig., [Fomichev].—A. coralloides p. 295, but abichi p. 301 and beyrichi p. 308 are spp. of Amplexocarinia, SCHOUPPÉ & STACUL.—A. corrasformis var. beviseptata pp. 15, 86 fig., var. minor pp. 15, 86 fig., varr. n. L. Carboniferous Kazakhstan, Volkova (1) .- A. invaginatus pl. 4, WARREN & STELCK.

†Amygdalophylloides monoseptatus var. robusta p. 68 fig., ivanovi p. 68 fig., crassicolumellatus p. 68 fig., [Dobroly-UBOVA].

†Amygdalophyllum sp. a p. 42, KATO (1).

Anomastraea irregularis p. 21 fig., MA.

Anomocora fecunda p. 15, SQUIRES (1).

Antholoba achates p. 28 fig., CARLGREN.

Anthopleura hermafroditica p. 22, Carlgren.—A. midori p. 112 fig., kurogane p. 113 fig., spp. n. Japan, pacifica p. 115 fig., asiatica sp. n. p. 117 fig. Japan, Uchida & Muramatsu.—A. stella p. 21 fig., xantho-22, CARLGREN.-A. grammica p. 21 fig., UTINOMI.

Anthothoë chilensis p. 32, CARLGREN.

Anthozoa key to Californian spp. p. 43, Hand in LIGHT.

Antipathes japonica p. 27 fig., dubia p. 27 fig., densa p. 27 fig., UTINOMI.

†Antiphyllum aff. inopinatum p. 309 fig., Řehoř & ŘEHOŘOVÁ.

†Arachnastraea molli p. 82, [Dobrolyubova].

† Arachnolasma cylindricum p. 269, KATO.—A. p. 48, clisaxophylloides sp. n. pp. 49, 98 fig., var. compacto-columellata var. n. pp. 50, 99 fig., vesiculosum sp. n. pp. 51, 99 fig., var. multiseptata var. n. pp. 53, 100 fig., stereocolumellatum sp. n. pp. 53, 101 fig., elegans sp. n. pp. 54, 102 fig., variabile sp. n. pp. 55, 102 fig., var. compacta var. n. pp. 56, 103 fig., sinense var. complicata

var. n. pp. 57, 103 fig., aff. sinense var. aseptata p. 58 fig., A. (?) dibunophylloides var. densa p. 58 fig., A. crasso-columellatum var. cystosa var. n. pp. 59, 104 fig., var. kasachstanica var. n. pp. 60, 104 fig., aff. longiseptatum p. 61 [? sp. n. Gorsky] p. 61, A. (?) clisiophylloides sp. n. pp. 62, 104 fig., L. Carboniferous Kazakhstan, VOLKOVA (1).

†Asserculinia gen. n. (fam. Zaphrentoididae) p. 284, type sp. (by original designation) prima sp. n. p. 285 fig. Permian Timor, SCHOUPPÉ & STACUL Palaeontographica 4 5 4 1959.

Asterosmilia prolifera p. 12, SQUIRES (1).

Astraeopora [as Astreopora (sic)] gracilis p. 9 fig., incrustans p. 9 fig., myriophthalma p. 9 fig., ocellata p. 10 fig., MA.

Astrangia astreiformis pp. 2130, 2132 fig., Parker.— A. p. 415, A. (Astrangia) haimei p. 415, hondaensis, tangolaensis, dentata p. 417, costata, californica, A. (Coenangia) conferta p. 418, Squires.

Astroides calycularis p. 24 fig., ABEL.

†Atelophyllum trizonatum nom. nud. p. 197, [IVANIYA (3)].

Aulocyathus sp. p. 23 fig., Squires (1).

†Aulophyllum ? richardsoni pl. 3, WARREN & STELCK.

†Axolithophyllum cavum p. 66 fig., [Dobrolyubova].

Balanophyllia tiburonensis p. 423, Squires.—B. formosa p. 30, floridana p. 31, Squires (1).

†Balanophyllia caliculus p. 90 fig., Anon.

†Barytichisma p. 287, B. ? permicum sp. n. p. 288 fig., Schouppé & Stacul.

†Basleophyllum gen. n. (fam. Zaphrentoididae) p. 270, type sp. (by original designation) Duncania indica p. 272 fig., pachyderma p. 275 fig., incertum p. 277 fig., brouweri sp. n. p. 280 fig., solidum sp. n. p. 282 fig., pusillum sp. n. p. 283 fig., sp. p. 284, Permian Timor, Schouppé & Stagul Palaeontographica Suppl. 4 5 4 1959.

Bathycyathus consagensis p. 422, SQUIRES.

Bathypsammia p. 31, tintinnabulum p. 32 fig., fallosocialis sp. n. p. 37 fig. off Florida, Squires (1).

Biflabellum anthophyllum p. 7, Rossi (4).

†Billingsastraea p. 41, verneuili p. 42 fig., billingsi p. 43 fig., Cranswick & Fritz.—B. [as Billingsastrea (sic)] nevadense pl. 1, Warren & Stelck.

Bolocera occidua p. 26 fig., CARLGREN.

Boloceroides mcmurrichi p. 22 fig., UTINOMI.

Boloceropsis platei p. 26, CARLGREN.

Boninastraea boninensis p. 67 fig., MA.

†Bothrophyllum conicum pp. 66, 76, 77 fig., kashiricum pp. 69, 75 fig., pseudoconicum pp. 71, 75, 76 fig., [Dobro-LYUBOVA].

†Bradyphyllum nikitini pp. 69, 73 fig., serpens p. 73 fig., [Dobrolyubova].

Bunodactis octoradiata p. 22, hermafroditica p. 23, CARL-GREN.

Cactosoma chilensis p. 15 fig., CARLGREN.

†Calamoseris simplex p. 167 fig., Sucić.

Calliactis polypus p. 21 fig., UTINOMI.

†Campophyllum parvulum p. 74, C. (?) compositum p. 75, [DOBROLYUBOVA].—C. p. 29, spumosum sp. n. pp. 30, 91 fig., var. robusta var. n. pp. 31, 91 fig., aff. caninoides p. 31 fig., sp. p. 32, L. Carboniferous Kazakhstan, VOLKOVA (1).

†Caninia cornucopias p. 31 fig., SCHOUPPÉ & STACUL (1).—C. p. 16, cornucopias p. 16 fig., var. gigantea var. n. pp. 16, 86 fig., cf. dorlodoti p. 17 fig., djeskasganica sp. n. pp. 19, 87 fig., cylindrica p. 21 fig., kassini? var. singularis var. n. pp. 22, 88 fig., partita p. 23 fig., C. (Caninophyllum) patula var. ulcundjesdensis var. n. pp. 18, 87 fig., L. Carboniferous Kazakhstan, Volkova (1).

†Caninophyllum bothrophylloides p. 66 fig., [Dobroly-ubova].—C. see Caninia.

†Carruthersella p. 65, robusta var. reticulata var. n. pp. 65, 105 fig. L. Carboniferous Kazakhstan, Volkova (1).

Caryophyllia clavus p. 41, ABEL.—C. clavus p. 67 fig., [NAUMOV].—C. clavus, cyathus p. 3, smithi p. 5, Rossi (4).—C. arcuata p. 8, clavus p. 10, cyathus p. 11, SQUIRES (1).

Caulastraea [as Caulastrea (sic)] tumida p. 35 fig., furcata p. 36 fig., echinulata p. 36 fig., MA.—C. [as Caulastrea (sic)], key to Philippines spp. p. 83, echinulata p. 84 fig., furcata p. 84 fig., tumida p. 85 fig., Nemenzo.—C. [as Caulastrea (sic)] tumida p. 26 fig., Utinomi.

Ceratotrochus (Ceratotrochus) franciscana p. 423, Squires.

†Ceratotrochus cf. duodecimcostatus p. 7 fig., SILVA.

Cereus ? herpetodes p. 31, CARLGREN.

Cerianthus membranaceus p. 52, ABEL.—C. filiformis p. 28 fig., UTINOMI.

†Charactophyllum simplex nom. nud. p. 200, [IVANIYA (3)].—C. simplex nom. nud. p. 245, [IVANIYA (4)].—C. p. 82, nanum p. 82 fig., WATKINS.

Cirripathes anguina p. 27 fig., spiralis p. 27 fig., UTINOMI. Cladocora cespitosa [sic] p. 44 fig., ABEL.—C. caespitosa p. 59 fig., MA.

Cladorbicella p. 59 fig., MA.

†Clisiophyllum p. 63, modavense var. orientalis var. n. pp. 64, 105 fig., VOLKOVA (1).

Cnidanthea gen. n. (? fam. Isanthidae), type sp. (by monotypy) maculata sp. n. p. 36 fig. Peru, Carlgren Acta Mus. Lund. N.S. (2) 56 6 1959.

Coelogyra gen. n. (fam. Faviidae) p. 109, type sp. (by original designation) levis sp. n. p. 109 fig. Philippines, Nemenzo Natural appl. sci. Bull. 16 1959.

Coeloseris mayeri p. 20 fig., MA.

Coenangia see Astrangia.

Coenocyathus dohrni p. 51, ABEL.—C. cylindricus p. 5, Rossi (4).—C. bowersi p. 422, SQUIRES.

Colpophyllia gyrosa p. 58 fig., amaranthus p. 58 fig., Ma. †Columnaria rhenana p. 150 fig., MIDDLETON.

†Columnophyllia [as Columnaphyllia (sic)] tithonica p. 166 fig., Sučić.

†Combophyllum cf. multiradiatum pl. 1, WARREN & STELCK.

†Confusastraea tomasesdensis p. 115 fig., Kolosváry.

†Convexastraea [as Convexastrea (sic)] desori p. 46, MITROVIĆ-PETROVIĆ.

†Corwenia [as Corvenia (sic)] p. 66, jatsengiaeformis sp. n. pp. 67, 106 fig. L. Carboniferous Kazakhstan, VOLKOVA (1).

Corynactis chilensis p. 10, CARLGREN.

Coscinaraea monile p. 21 fig., maeandrina p. 22 fig., columna p. 22 fig., MA.

†Coscinaraea sömmeringi p. 115 fig., Kolosváry.

†Craspedophyllia alpina p. 115 fig., Kolosváry.

†Cryptocoenia limbata p. 115 fig., KOLOSVÁRY.

†Cyathactidae fam. n. p. 122, [SOSHKINA] Trav. Inst. Paléont. Acad. Sci. U.R.S.S. 56 1955.

Cyathactis gen. n. (fam. Cyathactidae) p. 122, type sp. (by original designation) typus p. 123 fig., tenuiseptatus p. 124 fig., socialis p. 124 fig., spp. n. Silurian Siberia, [Soshkina] Trav. Inst. Paléont. Acad. Sci. U.R.S.S. 56 1955.

†Cyathoclisia laxicolumnaris spelling corrected p. 194, CVANGARA.

†Cyathophyllum cf. lonense pl. 4, WARREN & STELCK.— C. see Palaeosmilia.

Cycloseris cyclolites p. 22 fig., MA.—G. elegans, mexicana p. 414, SQUIRES.

Cyphastraea [as Cyphastrea (sic)] microphthalma p. 61 fig., serailia p. 62 fig., chalcidicum p. 62 fig., MA.—C. [as Cyphastrea (sic)] p. 112, key to Philippines spp., microphthalma p. 113, serailia p. 114, chalcidicum p. 115, conferta sp. n. p. 116 fig. Philippines, ocellina p. 116 fig., NEMENZO.

†Cyphastraea [as Cyphastrea (sic)] minima sp. n. p. 114 fig. Tertiary W. Australia, Pulley.

†Cystina subgen. n. (of Spineria) p. 334, type sp. (by original designation) Cystiphyllum ultimum p. 334 fig., uniformis sp. n. p. 336 fig., Permian Timor, Schouppé & Stacul Palaeontographica Suppl. 4 5 4 1959.

†Cystiphylloides p. 46, vesiculosum p. 46 fig., Cranswick & Fritz.—C. giganteum, karatschumyschicum p. 197, fasciculatum p. 198, norm. nud., [IVANIYA (3)].

†Cystiphyllum diplochone the type sp. of Spineria p. 333, ultima the type sp. of S. (Cystina) p. 334, Schouppé & Stacul.

†Cystophora freieslebeni p. 81 fig., humboldti p. 81, [Dobrolyubova].

Dendrophyllia cornigera, ramea p. 8, Rossi (4).—D. cortezi p. 426, Squires.—D. cornigera p. 27, profunda p. 28 fig., Squires (1).

†Depasophyllum discussed p. 17, McLaren.—D. p. 298, Schouppé & Stacul.

Desmophyllum cristagalli p. 18 fig., SQUIRES (1).

† Desmophyllum cf. crista-galli p. 19, THOMAS, H. D.

Diadumene luciae p. 80 fig., CARL & GUIGUET.— D. luciae p. 21 fig., UTINOMI.

†Dialythophyllum kerlegeschicum, breviseptatum nomm. nud. p. 197, [IVANIYA (3)].

†Dibunophyllum sp. p. 270, KATO.—D. cf. bipartitum konincki p. 39 fig., cf. asiaticum p. 40 fig., KATO (1).

Dichocoenia stokesi p. 66 fig., MA.

†Digonophyllum astraeiforme, zaretscheniense, karatschumyschicum nomm. nud. p. 197, [IVANIYA (3)].

†Diphyphyllum p. 32, latetabulatum pp. 33, 92 fig., tuberculatum pp. 33, 92 fig., spp. n. L. Carboniferous Kazakhstan, aff. elegans p. 34 fig., Volkova (1).

Diploastraea [as Diploastrea (sic)] heliopora p. 60 fig., MA.

†Diploctenium p. 196, conjungens noszkyi subsp. n. p. 197 fig., jacobi undulatum subsp. n. p. 200 fig., sp. juv. p. 202 fig., Cretaceous Hungary, Géczy.

Diploria cerebrum p. 44 fig., sinuosa p. 44 fig., labyrinthiformis p. 44 fig., clivosa p. 45 fig., strigosa p. 45 fig., MA. †Discocomia sp. aff. bononiensis p. 125 fig., Kolosváry (2).—"D. cf. bononiensis" p. 115 fig., Kolosváry.

†Disphyllum longiseptatum pp. 293, 310 fig., irregulare pp. 293, 310 fig., multiseptatum sp. n. pp. 294, 311 fig. Devonian China, Chen.—D. p. 38, dyeri sp. n. p. 38 fig. M. Devonian Canada, Cranswick & Fritz.—D. p. 152, caespitionum var. p. 152 fig., sp. p. 152 fig., MIDDLETON.—D. ? disjunctum pl. 6, Warren & Stelck.

†Diversophyllum a junior synonym of Tabulophyllum p. 81, WATKINS.

Dofleinia armata p. 22 fig., UTINOMI.

†Donia cf. russiensis pp. 295, 313 fig., Chen.—D. sibirica p. 199, interrupta p. 204, nomm. nud., [IVANIYA (3)].

†Duncania indica the type sp. of Basleophyllum p. 270, SCHOUPPÉ & STACUL.

†Duncanopsammia axifuga p. 115 fig., ? D. sp. n. [sic] p. 115 fig. Tertiary W. Australia, Pulley.

† Duplophyllum p. 239, D. (Duplophyllum) p. 241, zaphrenioles p. 242 fig., tenueseptatum sp. n. p. 246 fig., calyculatum p. 248 fig., mikron sp. n. p. 249 fig., wanneri sp. n. p. 251 fig., schindewolfi sp. n. p. 252 fig., D. (Euryphyllum) p. 253, caincolon p. 258 fig., robustum p. 262 fig., coniculiforme sp. n. p. 265 fig., hilli sp. n. p. 266 fig., breviseptatum sp. n. p. 268 fig., Permian Timor, Schouppé & Stacul.—D. (Euryphyllum) cainodon p. 37 fig., Schouppé & Stacul. (1).

Echinophyllia aspera p. 74 fig., var. sugiyamai p. 75 fig., var. tosaensis p. 75 fig., Ma.—E. p. 119, aspera p. 119 fig., Nemenzo.—E. aspera p. 23 fig., Utinomi.

Echinopora lamellosa p. 63 fig., var. fruticulosa p. 63 fig., gemmacea p. 63 fig., hirsutissima p. 63 fig., MA.— E. p. 117, key to Philippines spp. p. 118, lamellosa p. 118 fig., horrida p. 118 fig., Nemenson.

Edwardsia intermedia p. 11 fig., Carloren.—E. japonica p. 22 fig., Utinomi.

†Elysastraea profunda p. 115 fig., Kolosváry.

Enallopsammia rostrata p. 40, SQUIRES (1).

†Endamplexidae fam. n. p. 324, Schouppé & Stacul Palaeontographica Suppl. 4 5 4 1959.

†Endamplexinae subfam. n. (of Endamplexidae) p. 324, Schouppé & Stacul Palaeontographica Suppl. 4 5 4 1959.

†Endamplexus p. 325, E. (Endamplexus) p. 326, dentatus p. 326 fig., kokeri sp. n. p. 328 fig., E. (Spaniophyllum) p. 328, makros sp. n. p. 329 fig., raripusulosus sp. n. p. 330 fig., Permian Timor, Schouppé & Stacul.

Endopachys vaughani p. 426, Squires.

†Endophyllum p. 144, abditum p. 146 fig., sp. p. 147, [IVANIYA].—E. p. 35, E. [Tabulophyllum] tenuiseptatum p. 35 fig., latitabulatum p. 36 fig., breviseptatum p. 37 fig., spp. n. U. Devonian eastern U.S.S.R., macconnelli p. 38 fig., gorskii p. 40 fig., sp. p. 41 fig., [IVANIYA (2)].—E. abditum var. sibirica nom. nud. p. 200, [IVANIYA (3)].

Epiactis georgiana p. 24 fig., CARLGREN.—E. prolifera p. 21 fig., UTINOMI.

Epizoanthus paxii p. 8, ABEL.

†Eridophyllum simcoense the type sp. of Acinophyllum p. 22, McLaren.—E. asiaticum nom. nud. p. 197, [Ivaniya (3)].

Euphyllia fimbriata p. 78 fig., glabrescens p. 78 fig., rugosa p. 78 fig., turgida p. 78 fig., picteti p. 78 fig., var. flexuosa p. 79 fig., MA.

†Euryphyllum a subgen. of Duplophyllum (q.v.) p. 253, Schouppé & Stagul.—E. see Duplophyllum.

Eusmilia fastigiata p. 80 fig., aspera p. 80 fig., MA.

†Evenkiella gen. n. (fam. Evenkiellidae) p. 126, type sp. (by original designation) helmas p. 126 fig., obrutschwi p. 127 fig., spp. n. Silurian Siberia, [Soshkina] Trav. Inst. Paléont. Acad. Sci. U.R.S.S. 56 [995].

†Evenkiellidae fam. n. p. 126, [Soshkina] Trav. Inst. Paléont. Acad. Sci. U.R.S.S. 56 1955.

Fagesia ignota sp. n. p. 13 fig. Chile, CARLGREN.

†Fasciphyllum massivum Bulv. in litt. ? nom. nud. p. 195, salairicum nom. nud. p. 197, [IVANIYA (3)].

Favia speciosa p. 37 fig., pallida p. 39 fig., stelligera p. 40 fig., laxa p. 40 fig., magnistella p. 40 fig., favus p. 41 fig., hululensis p. 41 fig., rotumana p. 41 fig., bombroni p. 42 fig., ehrenbergi p. 42 fig., bertholletti p. 42 fig., savignyi p. 42 fig., doreyensis p. 42 fig., fragrum p. 42 fig., ananas p. 42 fig., gravida p. 43 fig., sp. p. 43 fig., MA.—F. p. 85, key to Philippines spp. p. 86, favus p. 86, speciosa p. 87 fig., laxa p. 88 fig., valenciemssii p. 89 fig., pallida p. 89 fig., danae p. 90 fig., rotumana p. 91 fig., NEMENZO.—F. speciosa pp. 24, 26 fig., UTINOMI.

Faviidae, key to subfamilies and genera p. 82, Nemenzo.

†Favistella (Dendrostella) trigemme trigemme p. 113, FLÜGEL, H.—F. p. 125, dybouskii sp. n. p. 125 fig. Ordovician Siberia, [Soshkina].

Favitts abdita p. 45 fig., pentagona p. 46 fig., spinosa p. 46 fig., spectabilis p. 46 fig., virens p. 46 fig., flexuosa p. 46 fig., hirsuta p. 46 fig., seychellensis p. 46 fig., halicora p. 47 fig., favosa p. 47 fig., complanata p. 47 fig., vasta p. 47 fig., deformis p. 47 fig., sp. p. 47 fig., MA.—F., key to Philippines spp. p. 93, virens p. 93, abdita p. 94 fig., flexuosa p. 95, yamanarit var. profinda p. 96 fig., halicora p. 96, parvicella sp. n. p. 97 fig. Philippines, Nemenzo.

†'Fischerina' discussed p. 34, KATO (1).

Flabellum pavoninum p. 7, Rossi (4).—F. spp. discussed p. 25, alabastrum p. 27, Squires (1).

Fungia fungites p. 22 fig., var. haimei p. 23 fig., var. discus p. 24 fig., var. dentata p. 24 fig., scutaria p. 25 fig., var. danai p. 26 fig., paumotensis p. 26 fig., var. carchasin p. 26 fig., conciuna p. 26 fig., var. serrulata p. 27 fig., repanda p. 27 fig., samoangensis p. 28 fig., danai p. 28 fig., costulata p. 28 fig., sinensis p. 28 fig., plana p. 28 fig., cf. scruposa p. 29 fig., granulosa p. 29 fig., actiniformis p. 29 fig., var. palawensis p. 29 fig., echinata p. 29 fig., MA.—F. variation p. 45, Rossi (1).

Galaxaea [as Galaxea (sic)] fascicularis p. 64 fig., musicalis p. 65 fig., Ma.—G. key to Philippines spp., clavus p. 79, fascicularis p. 80 fig., lawisiana sp. n. p. 82 fig. Philippines, Nemenzo.

†Gangamophyllum p. 68, G. (?) superbum pp. 69, 107 fig., G. mugodjaricum pp. 70, 108 fig., spp. n. L. Carboniferous Kazakhstan, sp. (?) [sic] p. 71 fig., VOLKOVA (1).

Gemmipora see Turbinaria.

Gerardia savaglia p. 1 fig., Rossi (3).

†Gerthia sibirica p. 22 fig., crassa p. 22 fig., [KASHIRT-ZEV].

Gonactinia prolifera p. 10, CARLGREN.

Goniastraea [as Goniastrea (sic)] retiformis p. 48 fig., aspera p. 49 fig., pectinata p. 49 fig., boumoni p. 50 fig., planulata p. 50 fig., benhami p. 51 fig., seychellensis p. 51 fig., laxa p. 51 fig., grayi p. 51 fig., MA.—G. [as Goniastrea

(sic)] p. 97, key to Philippines spp. p. 98, retiformis p. 98, pectinata p. 99, pavistella p. 100 fig., mantonae p. 101 fig., equisepta sp. n. p. 101 fig. Philippines, planulata p. 102 fig., NEMENZO.

Goniopora tenuidens p. 33 fig., minor p. 34 fig., lagreneii p. 34 fig., tenella p. 34 fig., sp. p. 34 fig., Ma.—G. cf. lobata p. 23 fig., UTINOMI.

†Goniopora websteri p. 32 fig., Anon.

†Grypophyllum wedekindi, clarifundatum, unduliseptatum, ceriosum, minimum nomm. nud. p. 197, [IVANIYA (3)].—G. p. 143, tenue p. 143 fig., cf. tenue p. 144 fig., tenue var. p. 145 fig., gracilis McCoy p. 146, wedekindi nom. n. for gracilis Wedekind not McCoy p. 146 Devonian Germany, cf. wedekindi p. 146 fig., cf. normale p. 146 fig., cf. regressum p. 146 fig., robustum probably = gracilis p. 146, sp. p. 147 fig., Middleton.—G. sp. pl. 1, rectum pl. 3, Warnen & Stelck.

†Gshelia rouilleri p. 69 fig., [Dobrolyubova].

Halcampa abtacensis sp. n. p. 13 fig. Chile, Brattström in Carlgren.

†Hallia p. 35, abitibiensis sp. n. p. 35 fig. M. Devonian Canada, Cranswick & Fritz.

Halomitra philippinensis p. 31 fig., MA.

† Hapsiphyllum see Zaphrentoides.

†Heliastraea [as Heliastrea (sic)] reussana pl. 2, Eremija. —H. reussana? [sic] p. 7 fig., Silva.

†Heliophyllum p. 36, halli p. 36, var. dilatiseptatum var. n. p. 37 fig. M. Devonian Canada, Cranswick & Fritz.—H. halli var. altaica nom. nud. p. 198, [IVANIYA (3)].—H. p. 155, shinneri sp. n. p. 155 fig. M. Devonian S. England, Middleton.

Herpolitha limax p. 30 fig., MA.

†Heterocaninia p. 279, sp. ind. p. 280, KATO.

Heterocyathus roussaeanus p. 272 fig., aequicostatus p. 272 fig., Schindewolf.—H. aequicostatus p. 423, Squires.

†Heterophrentis sibiricum, bifurcatum nomm. nud. p. 198, [IVANIYA (3)].

Heteropsammia cochlea p. 272 fig., SCHINDEWOLF.

†Hexagonaria p. 39, prisma p. 39 fig., martisoni sp. n. p. 40 fig. M. Devonian Canada, Cranswick & Fritz.—
H. sibirica nom. nud. p. 244, [Ivaniya (4)].—H. kirki pl. l, arctica pl. 2, cf. flexim pl. 4, cf. magna pls. 20, 23, schucherti pl. 22, Warren & Stelck.

†Hexalasma protoseptatum p. 21 fig., [KASHIRTZEV].

†Hexaphyllia sp. ind. p. 284 fig., elegans type p. 285 fig., Kato.

Holcotrochus scriptus p. 286 fig., WELLS.

†Holophragma calceoloides p. 192 fig., [SOSHKINA].

Hormathia pectinata p. 30, CARLGREN.

†Huangia? kanensis sp. n. p. 182 fig. Permian Japan, Kawano.

Hydnophora exesa p. 56 fig., microconos p. 57 fig., grandis p. 57 fig., Ma.—H. p. 102, key to Philippines spp. p. 103, exesa p. 103 fig., microconos p. 104 fig., rigida p. 104 fig., ramosa [as romosa (sic) in text] sp. n. p. 105 fig. Philippines, Nemenzo.—H. exesa pp. 24, 26 fig., UTI-

† Hydnophora picteti p. 45, MITROVIĆ-PETROVIĆ.

† Icaunhelia gen. n. p. 621, type sp. (by original designation) michelini sp. n. p. 621 fig. U. Jurassic France, Beauvais Bull. Soc. géol. Fr. (6) 8 6 1959.

† Iranophyllum tunicatum sp. n. p. 82 fig. Permian Japan, TaA

†Isastraea crenulata p. 89 fig., sp. pl. 5, Jovanović & Dolić.

Isophyllia sinuosa p. 73 fig., aspera p. 74 fig., MA.

Isotealia antarctica p. 24 fig., CARLGREN.

Isoulactis gen. n. (fam. Actiniidae) p. 20, type sp. (by monotypy) chilensis sp. n. p. 20 fig. Chile, CARLGREN Acta Mus. Lund. N.S. (2) 56 6 1959.

Kobymaeandra [as Kobymeandra (sic)] corrugatiformis p. 115 fig., KOLOSVÁRY.

†Koninckophyllum see Lophophyllum.

†Laccophyllum p. 9, fossulatum sp. n. pp. 9, 83 fig. L. Carboniferous Kazakhstan, Volkova (1).—L. see Syringaxon.

Leptastraea [as Leptastrea (sic)] bottae p. 60 fig., MA. L. [as Leptastrea (sic)], key to Philippines spp. p. 110, bottae p. 110 fig., purpurea p. 111, mammiformis p. 112 fig., NEMENZO.—L. [as Leptastrea (sic)] purpurea p. 24 fig., UTINOMI.

†Leptoinophyllidae p. 143, MIDDLETON.

Leptopsammia microcardia p. 42 fig., ABEL.

Leptoria phrygia p. 55 fig., stricta p. 55 fig., gracilis p. 56 fig., MA.

Leptoseris fragilis p. 16 fig., hawaiiensis p. 16 fig., scabra p. 17 fig., tubulifera p. 17 fig., porosus p. 17 fig., nobilis p. 17 fig., gravieri p. 17 fig., tenuis p. 17 fig., columna p. 17 fig., explanulata p. 17 fig., papyracea p. 17 fig., incrustans p. 17 fig., gardineri p. 18 fig., minikoiensis p. 18 fig., sp. 1 p. 18 fig., MA.

†Lithostrotion martini p. 127, CONIL.—L. mutabile-whitneyi group p. 19, Nelson.—L. mutabile p. 22 fig., whitneyi p. 23 fig., arizelum p. 24 fig., L. Sp. n. (sic) p. 22 fig. L. Carboniferous Canada, Nelson (1).—L. aff. portlocki p. 36 fig., aff. m'coyanum p. 36 fig., sp. p. 37 fig., aff. caespitosum p. 38 fig., Volkova (1).

Lobophyllia corymbosa p. 68 fig., costata p. 69 fig., robusta p. 70 fig., hemprichii p. 71 fig., L. (Palauphyllia) hataii p. 71 fig., L. wellsi sp. n. p. 71 fig. Red Sea, MA.—L., key to Philippines spp. p. 128, corymbosa p. 129, costata p. 129 fig., hemprichii p. 130 fig., L. (Palauphyllia) hataii p. 131 fig., NEMENZO.

Lonsdaleia aff. duplicata duplicata p. 274 fig., KATO. †Lonsdaleiastraea ? sp. p. 84 fig., Igô.

Lophelia prolifera p. 7, Rosst (4).—L. prolifera p. 5 fig., Rosst (5).—L. prolifera p. 22, Squires (1).

†Lophocarinophyllum p. 38, cf. acanthiseptum p. 38 fig., [FOMITCHEV]

†Lophophyllum p. 38, L. (Koninckophyllum) ischimicum pp. 38, 93 fig., kiickpaaensis pp. 39, 94 fig., floriforme pp. 41, 38, 93 fig., kiickpaamsis pp. 33, 94 fig., floriforme pp. 41, 96 fig., spp. n., atbasaricum sp. n. pp. 41, 96 fig., var. ovalis var. n. pp. 42, 96 fig., interruptoseptatum [as interruptoseptatum (sic) p. 43] sp. n. pp. 43, 97 fig., L. (?) (K.) singulare sp. n. pp. 44, 97 fig., L. (K.) kasachstanicum var. conjuncta p. 45 fig., aff. kasachstanicum var. composita p. 46 fig., sp. (?) [sic] p. 47 fig., L. Carboniferous Kazakhstan, Volkova (1).

†Loyolophyllum salairicum nom. nud. p. 195, [IVANIYA (3)].

Macgeea proteus pl. 19, WARREN & STELCK.

Madrepora oculata p. 8, Rossi (4) .- M. oculata p. 5, SQUIRES (1).

Maeandrina [as Meandrina (sic)] maeandrites p. 65 fig., braziliensis p. 65 fig., MA.

†Maichelasma gen. n. p. 30, type sp. (by original designation) magnum sp. n. p. 30 fig. Permian eastern U.S.S.R., [FOMTCHEV] Trud. Vses. Nauch.-Issl. Geol. Inst. (VSEGEI) Min. Geol. Moscow 1953.

Manicina areolata p. 57 fig., MA.

Margarosmilia carpatica p. 112 fig., Kolosváry.

†Megaphyllum pashiense p. 6 fig., [IVANIYA (1)].— M. p. 30, pashiense p. 31 fig., caespilosum p. 32 fig., longiseptatum sp. n. p. 33 fig. U. Devonian eastern U.S.S.R., [IVANIYA (2)].

Meniscophyllum kansuensiforme p. 69 fig., [Dobroly-UBOVA].

Merulina ampliata p. 66 fig., M.A.—M. p. 125, key to Philippines spp. p. 126, ampliata p. 126 fig., vaughani p. 126 fig., var. rotunda var. n. p. 127 fig. Philippines, laxa p. 127 fig., NEMENZO.

Merulinidae p. 125, NEMENZO.

Metridium dianthus p. 67 fig., [NAUMOV].

† Metriophyllum battersbyi a sp. of Stringophyllum p. 148, MIDDLETON.—M. (Stereolasma) sp. A pl. 23, WARREN & STELCK.

Montastraea [as Montastrea (sic)] p. 59 fig., radiata p. 59 fig., cavernosa p. 59 fig., curta p. 59 fig., MA.

Montigyra taiwanica Ma & Kawaguti sp. n. p. 56 fig. Taiwan, sinuosa p. 56 fig., MA.

Montipora foliosa p. 10 fig., vaughani p. 11 fig., verrilli p. 11 fig., maeandrina p. 11 fig., prolifera p. 11 fig., informis p. 11 fig., guppyi p. 12 fig., ambigua p. 12 fig., challengeri p. 12 fig., ramosa p. 12 fig., sinensis p. 12 fig., verrucosa p. 12 fig., multiformis p. 13 fig., danae p. 13 fig., striata p. 15 fig., MA.—M. fragosa p. 411, SQUIRES.

†Montlivaltia marmorea p. 115 fig., norica-slovacensis p. 115 fig., Kolosváry.—M. sp. p. 126, Kolosváry (2).

Moseleya latistellata p. 64 fig., minor sp. n. p. 64 fig. Taiwan Strait, Ma.

Mussa rigida p. 73 fig., MA.

Mussidae, key to genera p. 128, Nemenzo.

Musssismilia harttii p. 68 fig., MA.

Mycedium tenuicostatum p. 75 fig., elephantotus p. 76 fig., MA.—M. p. 120, elephantotus p. 120 fig., Nemenzo.

Mycetophyllia lamarckiana p. 74 fig., MA.

† Nalivkinella breviseptata nom. nud. p. 200, [IVANIYA (3)].

Nemanthus nitidus p. 22 fig., UTINOMI.

†Nemistium p. 35, edmondsi var. paucivesiculosa var. a. pp. 35, 93 fig. L. Carboniferous Kazakhstan, Volkova (1).

†Neocolumnariidae pp. 20, 22, [IVANIYA (2)].

† Neokoninckophyllum nipponense sp. n. p. 265 fig. Carboniferous Japan, KATO.

† Neospongophyllum p. 148, smithi p. 148 fig., MIDDLE-TON.

Octineon chilense sp. n. p. 15 fig. Chile, CARLGREN.

Oculina sp. p. 64 fig., MA.

Oculinidae p. 78, Nemenzo.

†Opisthophyllum zitteli p. 164 fig., Sučić.

†Orbicella eggenbergensis p. 89 fig., sp. pl. 5, Jovanović & Douć.

Oryzotrochus gen. n. (fam. Caryophylliidae) p. 286, type sp. (by original designation) stephensoni p. 287 fig. Great Barrier Reef, Wells Pacif. Sci. 13 3 1959.

Oulastraea [as Oulastrea (sic)] crispata p. 60 fig., MA.

Oulophyllia crispa p. 47 fig., Ma.
Oxypora lacera p. 75 fig., titizimaensis p. 75 fig., Ma.—
O, key to Philippine spp. p. 121, lacera p. 121 fig., glabra
sp. n. p. 122 fig. Philippines, Nemenzo.

†Pachyphyllum p. 42, ibergense p. 42 fig., devoniense [sic] p. 44 fig., intermedium sp. n. p. 45 fig. U. Devonian eastern U.S.S.R., [IVANIYA (2)].—P. carinatum, giveticum nomm. nud. p. 198, [IVANIYA (3)].—P. see Phillipsastraea.

Pachyseris speciosa p. 20 fig., levicollis p. 20 fig., carinata p. 20 fig., rugosa p. 21 fig., MA.

†Palaeocyclus ? kirbyi pl. 1, WARREN & STELCK.

†Palaeophyllum p. 4, rugosum p. 4 fig., thomi p. 4 fig., thomi? p. 6 fig., sp. p. 7 fig., P. ? sp. p. 9, Hill.

†Palaeosmilia cf. murchisoni p. 282, KATO.—P. p. 24, stutchburyi var. paupercula var. n. pp. 26, 89 fig., concava var. asiatica var. n. pp. 27, 90 fig., P. (Cyathophyllum) murchisoni var. columellata var. n. pp. 25, 89 fig., P. (C.—as Gyathophyllum [sic]) jagovkin var. vesicotabulata var. n. pp. 28, 90 fig., var. multiseptata var. n. ? [sic] pp. 29, 90 fig., L. Carboniferous Kazakhstan, Volkova (1).

Palauphyllia see Lobophyllia.

†Paliphyllidae fam. n. p. 121, [Soshkina] Trav. Inst. Paléont. Acad. Sci. U.R.S.S. 56 1955.

†Paliphyllum gen. n. (fam. Paliphyllidae) p. 121, type sp. (by original designation) primarium sp. n. p. 121 fig. Ordovician Siberia, [Soshkina] Trav. Inst. Paléont. Acad. Sci. U.R.S.S. 56 1955.

Palythoa spp. p. 28 fig., UTINOMI.

Paracalliactis lacazei sp. n. p. 1567 S. France, De-CHANGÉ & DUFAURE.

Paracondylactis hertwigi p. 22 fig., UTINOMI.

Paracyathus pulchellus p. 7, Rossi (4).—P. tiburonensis p. 423, Squires.—P. defilippi p. 12, Squires (1).

†Paracyathus crassus p. 34 fig., Anon.

Parahalomitra cf. irregularis p. 31 fig., robusta p. 31 fig.,

†Paralleynia p. 338, soshkinae p. 339 fig., leptoseptata p. 341 fig., amphibolos p. 342 fig., spp. n. Permian Timor, Schouppé & Stacul.

Parantheopsis cruentata p. 23, CARLGREN.

Paranthus niveus p. 27, CARLGREN.

Parantipathes tenuispina p. 27 fig., UTINOMI.

Parastephanauge gen. n. (fam. Hormathiidae) p. 86, type sp. (by monotypy) paxi sp. n. p. 91 fig. S. France, Dufaure Bull. Soc. zool. Fr. 84 1 1959.

Parazoanthus axinellae p. 9 fig., ABEL.—P. gracilis p. 28 fig., UTINOMI.

†Paterophyllum p. 121, apertum **sp. n.** p. 121 fig. Silurian Siberia, [Soshkina].

Pavona cactus p. 18 fig., praetorta p. 18 fig., maldivensis p. 18 fig., clavus lilacea p. 19 fig., varians p. 19 fig., decussata p. 19 fig., frondifera p. 19 fig., MA.—P. clivosa p. 412 fig., gigantea p. 413 fig., SQUIRES.—P. decussata p. 25 fig., UTINOMI.

Pectinia lactuca p. 76 fig., alcicornis p. 77 fig., laciniata p. 77 fig., MA.—P., key to Philippines spp. p. 123, plicata sp. n. p. 123 fig., lactuca p. 124 fig., paeonia p. 124,

laciniata p. 125 fig., Nemenzo.—P. lactuca p. 26 fig., Utinomi.

Pectinidae, key to genera p. 119, Nemenzo.

†Peneckiella minima pp. 294, 312 fig., Chen.—P. p. 129, darwini p. 130 fig., tabulata Bulvanker MS. sp. n. p. 131 fig. U. Devonian eastern U.S.S.R., [IVANIYA].—P. elegans, glubokienskiensis, irregularis p. 200, belskayae, carinata p. 204, nomm. nud., [IVANIYA (3]].—P. belskayae, elegans nomm. nud. p. 245, [IVANIYA (4]].

†Pentaphyllum (Trachylasma) cf. variabile p. 43 fig., SCHOUPPÉ & STACUL (1).

†Petalaxis stylaxis p. 80 fig., flexuosus p. 80, [Dobroly-ubova].

†Phacellophyllum p. 28, fenense, tructense p. 29, spp. n. Devonian Canada, P. ? densum p. 30, McLAREN.

Phellia elongata p. 23, ABEL.

\*\*Phillipsastraea p. 133, micrommata p. 134 fig., pentagona p. 135 fig., astraeiforme sp. n. p. 137 fig., zickzack sp. n. p. 138 fig., U. Devonian eastern U.S.S.R., [IVANIYA].—
\*\*P. sedgwicki p. 7 fig., lazutkini p. 10 fig., lateseptata sp. n. p. 11 fig., zarubinskiense sp. n. p. 13 fig., Devonian eastern U.S.S.R., [IVANIYA (1)].—P. p. 22, sedgwicki p. 22 fig., undulata sp. n. Kuzn. MS. p. 24 fig. U. Devonian eastern U.S.S.R., sp. p. 25 fig., [IVANIYA (2)].—P. astraeiformis, heckeri nomm. nud. p. 200, [IVANIYA (3)].—P. p. 156, hennahi p. 156, goldfussi p. 156 fig., var.?

[sic] p. 156 fig., pentagona var. micrommata p. 156 fig., spp. ? [sic] p. 157 fig., MIDDLETON.—P. [as Phillipsastrea (sic)] verrilli pl. 3, cf. macouni pls. 17, 20, macouni pl. 19, unhitakeri pl. 22, P. (Pachyphyllum) vesiculosa pl. 22, Warren & Stelck.

? Phyllangia dispersa p. 418, Squires.

Phymactis clematis p. 17, CARLGREN.

Phymanthea gen. n. (fam. Actiniidae) p. 17, type sp. (by monotypy) Actinia pluvia p. 17 fig. Peru and Chile, Carlgren Acta Mus. Lund. N.S. (2) 56 6 1959.

Phymastraea [as Phymastrea (sic)] valenciennesi p. 43 fig.,

Physogyra lichtensteini p. 79 fig., somaliensis p. 80 fig., MA.

Physophyllia ayleni p. 76 fig., MA.

†Placophyllum discussed p. 17, McLAREN.

Platygyra lamellina p. 52 fig., astraeiformis p. 53 fig., daedalea p. 54 fig., rustica p. 54 fig., sinensis p. 54 fig., pachychila p. 55 fig., MA.—P. p. 106, key to Philippines spp. p. 107, daedalea p. 107 fig., lamellina p. 107, exigua sp. p. p. 108 fig. Philippines, NEMENZO.—P. lamellina p. 24 fig., UTINOMI.

†Pleramplexus similis pp. 26, 43 fig., Schouppé & Stacul (1).

Plerogyra sinuosa p. 79 fig., MA.

†Plerophyllidae discussed p. 6, [FOMITCHEV].

†Plerophyllum? fragile p. 21 fig., [Kashirtzev].— P. (Ufimia)? sp. inc. [sic] p. 309 fig., Řеной & Řеной-

Plesiastraea [as Plesiastrea (sic)] versipora p. 36 fig., laperouseana p. 37 fig., conferta p. 37 fig., sp. 1 p. 37 fig., MA.—P.[as Plesiastrea (sic)] p. 92, salebrosa sp. n. p. 92 fig. Philippines, Nemenzo.

Pocillopora p. 406, damicornis p. 408 fig., elegans p. 409 fig., verrucosa p. 410 fig., meandrina p. 410 fig., SQUIRES.—P. damicornis p. 25 fig., UTINOMI.

Podabacia crustacea p. 32 fig., elegans lobata p. 32 fig., MA.—P. elegans lobata p. 26 fig., UTINOMI.

†Polycoelia p. 32, cf. simplex p. 35 fig., sp. nov. [sic] p. 36 fig. Permian eastern U.S.S.R., [FOMTCHEV].—P. augusta p. 43 fig., Schouppé & Stagul (1).

Polyphyllia talpina p. 30 fig., novae-hiberniae p. 31 fig.,

Porites cf. pukoensis p. 33 fig., cf. discoides p. 33 fig., nigrescens p. 33 fig., sp. p. 33 fig., MA.—P. p. 418, betteri sp. n. p. 420 fig. Gulf of California, californica p. 420 fig., SQUIRES.

†Prismatophyllum pentagonum var. regulare var. n. pp. 292, 308 fig. Devonian China, schucherti pp. 292, 309 fig., China.

Protoloophyllia sinica sp. n. p. 73 fig. Macclesfield Bank, japonica p. 73 fig., Ma.

†Prototrochocyathus gen. n. p. 126, type sp. (by monotypy) valanginicus ep. n. p. 126 fig. Lower Cretaceous Hungary, Kolosváry Acta biol. Szeged. N.S. 5 1-2 1959.

Psammocora profundacella p. 5 fig., superficiales p. 5 fig., planipora p. 5 fig., exesa p. 5 fig., haimeana p. 6 fig., explanata p. 6 fig., MA.—P. (Stephanaria) brighami, stellata p. 406, SQUIRES.

†Pseudopavona taisyakuana izutoensis subsp. n. p. 183 fig. Permian Japan, Kawano.

†Pseudotimania kasimovi p. 74, [Dobrolyubova].

†Pseudotryplasma nom. nud., tryplasmaeformis nom. nud. p. 195, [IVANIYA (3)].—P. nom. nud. p. 239, [IVANIYA (4)].

†Pseudozaphrentis sp. pp. 296, 313 fig., CHEN.

†Pterocorallia see Rugosa.

†Pycnactis sp. p. 192 fig., [SOSHKINA].

† Radiastraea arachne pl. 1, WARREN & STELCK.

†Rhabdophyllia disputabilis p. 115 fig., crenaticostata p. 115 fig., KOLOSVÁRY.

†Rhodophyllum? minatoi sp. n. p. 271 fig. Carboniferous Japan, KATO.

†Rugosa incert. sed. form I p. 347 fig., form II p. 348 fig., SCHOUPPÉ & STACUL.

Scapophyllia cylindrica p. 67 fig., MA.

†Scenophyllum p. 34, conigerum p. 34 fig., Cranswick & Fritz.

†Schlüteria p. 140, sp. p. 140, [IVANIYA].—S. p. 25, striata p. 26 fig., typica p. 28 fig., spp. n., lazutkini sp. n. Bulvanker MS. p. 29 fig., U. Devonian eastern U.S.Š.R., [IVANIYA (2)].—S. ceriosa nom. nud. p. 200, [IVANIYA (3)].

†Siderastraea italica p. 89 fig., Jovanović & Dolić.— S. [as Siderastrea (sic)] siderea p. 21 fig., Ma.

†Siphonodendron hidense sp. n. p. 277 fig. Carboniferous Japan, KATO.

†Siphonophrentis cf. gigantea pl. 4, WARREN & STELCK.

†Sochkineophyllum p. 23, lophophylloides var. orientalis var. n. p. 25 fig., artiense var. densa var. n. p. 27 fig., intabulatum sp. n. p. 28 fig., Permian eastern U.S.S.R., [FOMTCHEV].—S. japonicum sp. n. p. 81 fig., paucisplatum subsp. n. p. 81 fig., Permian Japan, Ioô.—S. [as Soshkineophyllum (sic)] tsaregradskyi p. 22 fig., zavodovskyi p. 23 fig., [KASHIRTZEV].

†Solominella gen. n. [fam. Neocolumnariidae) p. 141, type sp. (by original designation) soskkini sp. n. p. 141 fig. U. Devonian eastern U.S.S.R., [Ivanıya] Uchen. Zapisk. Tomsk. Ghosudarst. Univ. 18 1952.

†Spaniophyllum subgen. n. (of Endamplexus) p. 328, type sp. (by original designation) makros p. 329 fig., raripusulosus p. 330 fig., spp. n. Permian Timor, Schouppé & Stacul Palaeontographica Suppl. 4 5 4 1959.

†Sphenotrochus intermedius p. 90 fig., Anon.

†Spineria gen. n. (fam. Endamplexidae) p. 331, type sp. (by original designation) Cystiphyllum diplochone p. 333 fig., S. (Spineria) p. 333, S. (Cystina) p. 334, ultima p. 334 fig., uniformis sp. n. p. 336 fig. Permian Timor, Schoupet & Stacul. Palaeontographica Suppl. 4 5 4 1959.

†Stauria prolifera pp. 296, 314 fig., S. (?) minor sp. n. pp. 296, 314 fig. Silurian China, Chen.

Stenocyathus vermiformis p. 23, SQUIRES (1).

Stephanaria see Psammocora.

†Stephanastraea favula p. 164 fig., Sučać.

Stephanocoenia intersepta p. 5 fig., MA.

†Stereolasma p. 10, determinatum sp. n. pp. 11, 84 fig. L. Carboniferous Kazakhstan, sp. p. 12 fig., Volkova (1).—S. see Metriophyllum.

†Strephodes gracilis a sp. of Grypophyllum p. 146, MIDDLE-TON.

†Streptelasma crassiseptatum p. 193 fig., whittardi [as whittlardi (sic)] p. 193 fig., [Soshkina].—S. ? sp. p. 10, Hill.

†Stringophyllidae p. 147, MIDDLETON.

†Stringophyllum p. 147, cf. schwelmense p. 147 fig., battersbyi p. 148, MIDDLETON.

†Stylina tubulifera p. 164 fig., foliosa p. 164 fig., Sučić.

†Stylosmilia michelini p. 166, Sučić.

Symphyllia recta p. 71 fig., radians p. 72 fig., agaricia p. 72 fig., balencienness p. 72 fig., MA.—S., key to Philippines spp. p. 131, recta p. 132, var. pina var. n. p. 133 fig., agaricia p. 134, NEMENZO.

†Synaptophyllum p. 44, simcoense p. 45 fig., Cranswick & Fartz.—S. discussed p. 16, arundinaceum p. 18 fig., but sincoense p. 24, stramineum p. 25, baculoideum, canselli, crassieptatum, fasciculum p. 27, occidens and rectiseptatum p. 28 are all spp. of Acinophyllum, and arundinaceum Lang & Smith and stramineum Smith p. 29, are Phacellophyllum and densum p. 30 is ? P., McLarren.—S. sp. n. (sic) pl. 20 Devonian W. Canada, Warren & Stelck.

†Synastraea microconos p. 164 fig., foliacea p. 165 fig., Sučić.

†Syringaxon (Alleynia = Laccophyllum) magnus p. 86 fig., Lewowicki.

†Syringaxonidae p. 337, SCHOUPPÉ & STACUL.

†Tabulophyllum weberi var. sibiricum, allophyllum nomm. nud. p. 199, [IVANIYA (3)].—T. allophyllum nom. nud. p. 245, [IVANIYA (4)].—T. mcconnelli pl. 19, rectum pl. 19, Warren & Stelck.—T. a senior synonym of Dioersophyllum p. 81, traoersensis p. 81 fig., rectum p. 81 fig., Watkins.—T. see Endophyllum.

†Tachylasma p. 14, columbinum p. 15 fig., vanganense p. 17 fig., spp. n., cf. densum p. 19 fig., voinceas sp. n. p. 20 fig., sp. p. 22 fig., Permian eastern U.S.S.R., [Fomtrehev].

du

ine

† Taimyrophyllum salairicum, altaicum nomm. nud. p. 197, [IVANIYA (3)].

Tealia felina p. 22 fig., UTINOMI.

† Temnophyllum p. 152, latum p. 154 fig., spp. pp. 154, 155 fig., MIDDLETON.

† Thamnaraea sp. p. 115 fig., Kolosváry.

†Thamnasteria [as Tamnasteria (sic) in expl. of pl. 2] lobata p. 164 fig., Sučić.

†Thannophyllum trigeminum trigeminum p. 117, Flügel, H.—T. tomiense nom. nud. p. 200, [Ivaniya (3)].—T. p. 157, hoernesi var. trigemme p. 157 fig., caespitosum var. minus p. 157, MIDDLETON.

† Thecocyathus mecsekensis p. 125 fig., Kolosváry (2).

†Thecosmilia caespitosa p. 115 fig., defilippi p. 115 fig., irregularis p. 115 fig., Kolosváry.

†Timania stuckenbergi pp. 69, 73 fig., mosquensis p. 73, schmidti p. 73, [Dobrolyubova].—T. schmidti p. 32 fig., Schouppé & Stacul (1).

†Timorphyllidae p. 344, Schouppé & STACUL.

†Timorphyllum p. 39, maichense sp. n. p. 40 fig. Permian eastern U.S.S.R., [FOMITCHEV].

Trachyphyllia geoffroui p. 63 fig., amarantum p. 64 fig., MA.—T. p. 105, geoffroyi p. 106, NEMENZO.—T. geoffroyi p. 24 fig., UTINOMI.

† Tryplasma vermiculare p. 213 fig., Schouppé & STACUL.

† Tschussovskenia ? takedai sp. n. p. 36 fig. Carboniferous Japan, Kato (1).

Tubastraea [as Tubastrea (sic)] aurea p. 427, SQUIRES.— T. aurea pp. 23, 26 fig., UTINOMI.

Turbinaria tubifera p. 80 fig., cf. marmorea p. 80 fig., irregularis p. 80 fig., magna p. 81 fig., contorta p. 81 fig., elegans p. 81 fig., T. (Gemmipora) pellata p. 81 fig., T. (Gemmipora) pellata p. 81 fig., garrica p. 82 fig., foliosa p. 82 fig., reniformis p. 82 fig., auricularis p. 82 fig., crater p. 83 fig., MA.—T. heronensis sp. n. p. 287 fig. Great Barrier Reef, Wells.

† Turbinolia dixoni p. 32 fig., Anon.

†Verbeekia p. 43, ussurica sp. n. p. 44 fig., var. elongala var. n. p. 46 fig., Permian eastern U.S.S.R., [FOMITCHEV].

†Verbeekiellinae subfam. n. (of Timorphyllidae) р. 345, Schouppé & Stacul Palaeontographica Suppl. 4 5 4 1959. †Vollbrechtophyllum p. 148, dartingtonensis sp. n. p. 149 fig. Devonian S. England, sp. p. 150, MIDDLETON.

† Waagenophylium indicum p. 482 fig., RAMOVŠ.

†Wannerophyllum p. 345, asteroides sp. n. p. 346 fig. Permian Timor, cristatum fig. pl. 13, Schouppé & STACUL.

†Wentzelella p. 48, szechuanensis p. 49 fig., [FOMIT-CHEV].—W. osobudaniensis sp. n. p. 83 fig. Permian Japan, Icô.

†Zaphrentis calyculata p. 248, cainodon p. 258, cf. robusta Koker p. 262, are all spp. of Duplophyllum, and pachyderma p. 275 and incerta p. 277 are spp. of Basicophyllum, Schouppé & Stacul.—Z. cornicula p. 27 fig., "Z" delanouei p. 31 fig., Schouppé & Stacul. (1).—Z. karagandensis sp. n. pp. 13, 85 fig. L. Carboniferous Kazakhstan, aff. constricta p. 14 fig., Volkova (1).

†Zaphrentoides (Zaphrentoides) konincki p. 28 fig., Z. (Hapsiphyllum) calcariformis p. 27 fig., Schouppé & Stacul (1).

†Zaphrentoididae p. 238, incert. sed. form A p. 290 fig., form B p. 291 fig., Schouppé & Stacul.

† Zelophyllia salairica nom. nud. p. 197, [IVANIYA (3)].

#### **CTENOPHORA**

Beroe cucumis p. 68 fig., [NAUMOV].

Euplocamis cucumis p. 68 fig., [NAUMOV].

Hydroctena salenskii see Hydrozoa.

Key to Californian spp. p. 47, Bolin in LIGHT.

#### INCERTAE SEDIS

†Cambrotrypa gen. n. p. 89 fig., type sp. (by original designation) montanensis sp. n. p. 89 fig. M. Cambrian Montana, U.S.A., FRITZ & HOWELL Proc. geol. Assoc. Canada 11 1959.

† Melanocladus robustus p. 28 fig., POKORNÝ.

† Melanoclava betaoida p. 28 fig., POKORNÝ.

† Melanocyathus dentatus p. 28 fig., POKORNÝ.

† Melanorhachis regularis p. 28 fig., POKORNÝ.

† Melanorhabdus nodifer p. 28 fig., POKORNÝ.

† Melanosoma piroforma p. 29 fig., POKORNÝ.

† Melanosteus acutus p. 29 fig., POKORNÝ.

Microtabula hexagonalis p. 29 fig., POKORNÝ.

† Mirachitina quadrupedis p. 29 fig., POKORNÝ.

#### THE ZOOLOGICAL RECORD

THE object of The Zoological Record is to give, by means of an annual volume, complete lists of the works and publications relating to zoology in all its branches that have appeared during the year preceding the issue of the volume, together with a subject and systematic index.

The complete volume can be obtained from the Society at the price of £10 0s. 0d. per copy.

The following volumes are available:-

#### In Reprint Edition

Vols. 1-25 (1864-1889) obtainable only from Messrs. Butterworths, 88 Kingsway, London, W.C.2.

Complete set of 25 volumes, bound in cloth, price £208 2s. 0d. Complete set of 25 volumes, in paper covers, price £199 12s. 6d. Separate volumes, in paper covers, price £8 18s. 6d. each.

#### In Original Edition

Vols. 65-71 (1928-1934) at £5 each. Vols. 86-91 (1949-1954) at £6 each. Vols. 92-94 (1955-1957) at £8 each.

For particulars of the availability and prices of separate Sections, application should be made to the Scientific Director, The Zoological Society of London, Regent's Park, London, N.W.1.

It should be noted that the separate Section Insecta can only be obtained from the Commonwealth Institute of Entomology, 56 Queen's Gate, London, S.W.7.

NOMENCLATOR ZOOLOGICUS.—Lists the names of all the genera and subgenera in zoology from the 10th Edition of Linnaeus 1758 to the end of 1945, with a bibliographical reference to the original description of each. Price 17½ guineas, postage extra. Price of separate volumes: Vols. 1-4 (1758-1935), Vol. 5 (1936-1945), 3½ guineas each, postage extra.

# SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

2.	Protozoa	 	 		 13	0
3.	Porifera	 	 		 3	0
4.	Coelenterata	 	 		 5	0
5.	Echinodermata	 	 	'	 4	0
6.	Vermes	 	 		 12	0
7.	Brachiopoda	 	 		 4	0
8.	Bryozoa	 	 		 3	0

The prices of the Sections from Volume 96 are :—

1. Comprehensive Zoology .. ..

9. Mollusca

10.	Crustacea	 	 	 	 8	0	
11	Trilohita					•	

16 0

12.	Arachnida	 	 	 	 14	0

<sup>20.</sup> List of New Genera and Subgenera .. .. 4 0

<sup>\*</sup> Obtainable only from the Commonwealth Institute of Entomology, 56 Queen's Gate, London, S.W.7.

